

# **Product datasheet for MR228229**

## Jdp2 (NM\_001205053) Mouse Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Jdp2 (NM\_001205053) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Jdp2

Synonyms: Jundm2; Jundp2; TIF

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR228229 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR228229 protein sequence

Red=Cloning site Green=Tags(s)

MMPGQIPDPSVTAGSLPGLGPLTGLPSSALTTEELKYADIRNIGAMIAPLHFLEVKLGKRPQPVKSELDE EEERRKRRREKNKVAAARCRNKKKERTEFLQRESERLELMNAELKTQIEELKLERQQLILMLNRHRPTCI

VRTDSVRTPESEGNPLLEQLDKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001205053

ORF Size: 489 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001205053.1</u>, <u>NP 001191982.1</u>

 RefSeq Size:
 1559 bp

 RefSeq ORF:
 492 bp

 Locus ID:
 81703

 UniProt ID:
 P97875



Cytogenetics: 12 D2


MW: 18.7 kDa

**Gene Summary:** Component of the AP-1 transcription factor that represses transactivation mediated by the

Jun family of proteins. Involved in a variety of transcriptional responses associated with AP-1, such as UV-induced apoptosis, cell differentiation, tumorigenesis and antitumogeneris. Can also function as a repressor by recruiting histone deacetylase 3/HDAC3 to the promoter region of JUN. May control transcription via direct regulation of the modification of histones

and the assembly of chromatin (By similarity).[UniProtKB/Swiss-Prot Function]

### **Product images:**



Circular map for MR228229