

Product datasheet for MR228239

Derl2 (NM_001291146) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Derl2 (NM 001291146) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Derl2

Synonyms: CGI-101; Derlin-2; F-lana; Flana

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >MR228239 representing NM_001291146
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GTGGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR228239 representing NM_001291146

Red=Cloning site Green=Tags(s)

MIFLYRYCRMLEEGSFRGRTADFVFMFLFGGFLMTLFGLFVSLVFLGQAFTIMLVYVWSRRNPYVRMNFFGLLNFQAPFLPWVLMGFSLLLGNSIIVDLLGIAVGHIYFFLEDIFPNQPGGIRILKTPSILRTIFDTPDE

DPNYNPLPEERPGGFAWGEGQRLGG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001291146

ORF Size: 495 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001291146.1</u>, <u>NP 001278075.1</u>

 RefSeq Size:
 3959 bp

 RefSeq ORF:
 498 bp

 Locus ID:
 116891



UniProt ID: Q8BNI4


Cytogenetics: 11 43.21 cM **MW:** 19.4 kDa

Gene Summary: Functional component of endoplasmic reticulum-associated degradation (ERAD) for

misfolded lumenal glycoproteins, but not that of misfolded nonglycoproteins. May act by forming a channel that allows the retrotranslocation of misfolded glycoproteins into the cytosol where they are ubiquitinated and degraded by the proteasome. May mediate the interaction between VCP and misfolded glycoproteins. May also be involved in endoplasmic reticulum stress-induced pre-emptive quality control, a mechanism that selectively attenuates the translocation of newly synthesized proteins into the endoplasmic reticulum and reroutes

them to the cytosol for proteasomal degradation.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR228239