

## **Product datasheet for MR228298**

## Chtop (NM\_001293781) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Chtop (NM\_001293781) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Chtop

Synonyms: 2500003M10Rik; Fop; Srag

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR228298 representing NM\_001293781
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGGATGCCTACATGGCACAGACAGATCCTGAAACCAATGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR228298 representing NM\_001293781

Red=Cloning site Green=Tags(s)

 ${\tt MLKNKQPMPVNIRASMQQQQLASARNRRLAQQMENRPSVQAALKLKQSLKQRLGKSNIQARLGRPIGALARGAIGGRGLPIIQRGLPRGGLRGGRATRTLLRGGMSLRGRGMIGRGRGGFGGRGRGRGRGRGALTRPVL}$ 

TKEQLDNQLDAYMSKTKGHLDAELDAYMAQTDPETND

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM 001293781

ORF Size: 531 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001293781.1</u>, <u>NP 001280710.1</u>

RefSeq Size: 3580 bp
RefSeq ORF: 534 bp
Locus ID: 66511



UniProt ID: Q9CY57

Cytogenetics: 3 F1


**MW:** 19.7 kDa

**Gene Summary:** Plays an important role in the ligand-dependent activation of estrogen receptor target genes

(By similarity). May play a role in the silencing of fetal globin genes (PubMed:20688955). Recruits the 5FMC complex to ZNF148, leading to desumoylation of ZNF148 and subsequent transactivation of ZNF148 target genes (PubMed:22872859). Required for the tumorigenicity of glioblastoma cells. Binds to 5-hydroxymethylcytosine (5hmC) and associates with the methylosome complex containing PRMT1, PRMT5, MEP50 and ERH. The CHTOP-methylosome complex associated with 5hmC methylates H4R3 and transactivates genes involved in

glioblastomagenesis (PubMed:25284789).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR228298