

Product datasheet for MR228349

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Ing1 (NM_001302459) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ing1 (NM_001302459) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Ing1

Synonyms: 2610028J21Rik; AA407184; Al875420; mING1h; p33Ing1; p37Ing1b

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR228349 representing NM_001302459
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGAGATCTGGCAGCAAATGATATCC

TGGATTACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR228349 representing NM_001302459

Red=Cloning site Green=Tags(s)

MVELVENRSRQVDSHVELFEAHQDISDGTGGSGKAGQDKSKSEAITQADKPNNKRSRRQRNNENRENASN NHDHDDITSGTPKEKKAKTSKKKKRSKAKAEREASPADLPIDPNEPTYCLCNQVSYGEMIGCDNDECPIE

WFHFSCVGLNHKPKGKWYCPKCRGESEKTMDKALEKSKKERAYNR

SGPTRTRPLEQKLISEEDLAANDILDYKDDDDK**V**


Restriction Sites: Sgfl-Rsrll






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001302459

ORF Size: 555 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



MW:

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001302459.1, NP 001289388.1</u>

21.4 kDa

RefSeq Size: 2001 bp
RefSeq ORF: 558 bp
Locus ID: 26356
UniProt ID: Q9QXV3
Cytogenetics: 8 A1.1

Gene Summary: Isoform 1 inhibits p53-dependent transcriptional activation and may function as an

oncoprotein. Isoform 2 acts as a negative growth regulator by cooperating with p53 in transcriptional activation of p53-responsive genes and may act as a tumor suppressor.

[UniProtKB/Swiss-Prot Function]