

## **Product datasheet for MR228427**

## Incal (NM\_001252485) Mouse Tagged ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

Myc-DDK Tag:

Symbol: Inca1

Synonyms: AI842396

**Mammalian Cell** Neomycin

Selection:

pCMV6-Entry (PS100001) Vector:

Kanamycin (25 ug/mL) E. coli Selection:

ORF Nucleotide Sequence: >MR228427 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCTCAGCCGTATGGAGATGCCTTCTGGGAGAATCTTAGCCAAAGGTCTAGCTCCAATTGGATGGTAG AACAGTACATTCCACCAATTCTGAGGGCCACTGATTGCTCCCGGCCTAGCCTGCACCCTCTTGAGGGGCT CCCTCCTCGAGAAGCTTTGGAGAAGAAGAAGAAGAAGCTGCATTTGGAAAGAATGCAGAAGGGACCT GGAAGCATTCCAGCCCGAGTTAGAGCAGTTACTTATCATCTGGAGGACCTGAGAAGGCGCCAGGGAATCA TCAATGAACTGAAGAGGGCCCAGTGGGGCAGCTCTGATGCTACACCTGAACTTCCAGCACTTGAAGAGGG CTTTGAACTCCTAAGCACTACAAAATACTTTGACGTGGAAGAAGAGAGGGCAACCTATCCACAGAAAGAG ACTTATTCTGTCACTCCCAGAGATCAGCTGCTTTGGACTCCCTGGACTCCTGTAGGCCAGCAGGGGACTT 

CCAGGCGATGGAGTTGGAGTCTGAGGAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>MR228427 protein sequence **Protein Sequence:** 

Red=Cloning site Green=Tags(s)

MPQPYGDAFWENLSQRSSSNWMVEQYIPPILRATDCSRPSLHPLEGLPPPEKLWRRKRKKLHLERMQKGP GSIPARVRAVTYHLEDLRRRQGIINELKRAQWGSSDATPELPALEEGFELLSTTKYFDVEEERATYPQKE

TYSVTPRDQLLWTPWTPVGQQGTYASGQLSSLTYSTATARKNPVYDPQAMELESEE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn ORIGENE

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001252485

ORF Size: 588 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at  $-20^{\circ}$ C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.



**RefSeq:** <u>NM\_001252485.1</u>, <u>NP\_001239414.1</u>

RefSeq Size: 1309 bp

RefSeq ORF: 591 bp

Locus ID: 103844

UniProt ID: Q6PKN7

Cytogenetics: 11 B3


**MW:** 22.6 kDa

Gene Summary: Binds to CDK2-bound cyclins and inhibits the kinase activity of CDK2; binding to cyclins is

critical for its function as CDK inhibitor. Inhibits cell growth and proliferation and may play a role in cell cycle control (PubMed:21540187). Required for ING5-mediated regulation of S-phase progression, enhancement of Fas-induced apoptosis and inhibition of cell growth

(PubMed:21750715).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MR228427