

# **Product datasheet for MR228728**

## Cebpa (NM\_001287521) Mouse Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Cebpa (NM\_001287521) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Cebpa

Synonyms: C/ebp; C/ebpalpha; CBF-A; Ceb; Cebp

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR228728 representing NM\_001287521
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC}$ 

TGGTCAAGGCCATGGGCAACTGCGCG

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTCGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MR228728 representing NM\_001287521

Red=Cloning site Green=Tags(s)

MSAGAHGPPPGYGCAAAGYLDGRLEPLYERVGAPALRPLVIKQEPREEDEAKQLALAGLFPYQPPPPPPPPPPPPHHASPAHLAAPHLQFQIAHCGQTTMHLQPGHPTPPPTPVPSPHAAPALGAAGLPGPGSALKGLAGAHPDLRTGGGGGGSGAGAGKAKKSVDKNSNEYRVRRERNNIAVRKSRDKAKQRNVETQQKVLELTSDNDRLRKRVEQLSRELDTLRGIFRQLPESSLVKAMGNCA


**SGPTRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

**Restriction Sites:** 

Sgfl-RsrII


**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

### Plasmid Map:



**ACCN:** NM\_001287521

ORF Size: 726 bp

#### Cebpa (NM\_001287521) Mouse Tagged ORF Clone - MR228728

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001287521.1</u>, <u>NP 001274450.1</u>

 RefSeq Size:
 2636 bp

 RefSeq ORF:
 729 bp

 Locus ID:
 12606

 UniProt ID:
 P53566

Cytogenetics: 7 21.02 cM

**MW:** 26 kDa

**Gene Summary:** This intronless gene encodes a transcription factor that contains a basic leucine zipper (bZIP)

domain and recognizes the CCAAT motif in the promoters of target genes. The encoded protein functions in homodimers and also heterodimers with CCAAT/enhancer-binding proteins beta and gamma. Activity of this protein can modulate the expression of genes involved in cell cycle regulation as well as in body weight homeostasis. The use of alternative in-frame non-AUG (CUG) and AUG start codons results in several protein isoforms with different lengths. Differential translation initiation is mediated by an out-of-frame, upstream open reading frame which is located between the CUG and the first AUG start codons.

[provided by RefSeq, Sep 2014]