

## Product datasheet for **MR228769**

### Chtop (NM\_001293777) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Chtop (NM\_001293777) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Chtop  
**Synonyms:** 2500003M10Rik; Fop; Srag  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >MR228769 representing NM\_001293777  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGGCTGCACAGTCAGCGCCGAAAGTTGTGCTAAAAAGCACCACCAAGATGTCTCTAAATGAGCGCTTTA  
CTAATATGCTGAAGAACAACAGCCGATGCCAGTGAATATTCGGGCTTCGATGCAGCAGCAGCAGCAGCT  
AGCCAGTCCAGAAACAGAAGACTGGCCAGCAGATGGAGAATAGACCCTCTGTCCAGGCAGCATTAAAA  
CTTAAGCAGAGCTTAAAGCAGCGCTGGGTAAGAGTAATATCCAGGCACGGTTAGGCCGACCCATAGGTG  
CCCTGGCCAGGGGAGCAATTGGAGGAAGAGGCCTACCCATAATCCAGAGAGGCTTCCCCGAGGAGGACT  
ACGTGGGGGACGTGCTACCAGAACCCTGCTTAGGGGTGGGATGTCGCTCCGAGGTCAAACCTGCTCCGA  
GGTGGACGAGCCGTAGCTCCCCGAATGGCTTAAGAAGAGGTGGTGTTCGAGGTCGTGGAGGTCCTGGGA  
GAGGGGGCTAGGGCGTGGAGCTATGGGTCGTGGCGGAATCGGTGGTAGAGGTCGGGGTATGATAGGTGC  
GGGAAGAGGGGGCTTTGGAGGCAGAGGCCGAGGTCGTGGCCGAGGGAGAGGTGCCCTCACTCGCCCTGTA  
TTGACCAAGGAGCAGCTGGACAACCAATTGGATGCATACATGTCGAAAACTAAAGGACACCTGGATGCTG  
AATTGGATGCCTACATGGCACAGACAGATCCTGAAACCAATGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >MR228769 representing NM\_001293777  
 Red=Cloning site Green=Tags(s)

MAAQSAPKVVVKSTTKMSLNERFTNMLKNKQMPVNIIRASMQQQQLASARNRRLAQQMENRPSVQAALK  
 LKQSLKQRLGKSNIQARLGRPIGALARGAIGGRGLPIIQRGLPRGGLRGGTRTRTLRGGMSLRGQNLRLR  
 GGRAVAPRMGLRRGGVRRGGPGRGGLGRGAMGRGGIGGRGRGMIGRGRGGFGGRGRGRGRGALTRPV  
 LTKEQLDNQLDAYMSKTKGHLDAELDAYMAQTDPEPND


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001293777  
**ORF Size:** 744 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_001293777.1</a> , <a href="#">NP_001280706.1</a>
<b>RefSeq Size:</b>	2435 bp
<b>RefSeq ORF:</b>	747 bp
<b>Locus ID:</b>	66511
<b>UniProt ID:</b>	<a href="#">Q9CY57</a>
<b>Cytogenetics:</b>	3 F1
<b>MW:</b>	26.9 kDa
<b>Gene Summary:</b>	Plays an important role in the ligand-dependent activation of estrogen receptor target genes (By similarity). May play a role in the silencing of fetal globin genes (PubMed:20688955). Recruits the 5FMC complex to ZNF148, leading to desumoylation of ZNF148 and subsequent transactivation of ZNF148 target genes (PubMed:22872859). Required for the tumorigenicity of glioblastoma cells. Binds to 5-hydroxymethylcytosine (5hmC) and associates with the methylosome complex containing PRMT1, PRMT5, MEP50 and ERH. The CHTOP-methylosome complex associated with 5hmC methylates H4R3 and transactivates genes involved in glioblastomagenesis (PubMed:25284789).[UniProtKB/Swiss-Prot Function]