

Product datasheet for MR228854

Srsf10 (NM 001284195) Mouse Tagged ORF Clone

Product data:

Tag:

Product Type: Expression Plasmids Product Name: Srsf10 (NM_001284195) Mouse Tagged ORF Clone Myc-DDK Srsf10 Symbol: Synonyms: Fusip1; FUSIP2; Nssr; NSSR1; NSSR2; Sfrs13a; SRrp40; Srsf13a; TASR; TASR1; TASR2 Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL) **Cell Selection:** Neomycin **ORF** Nucleotide >MR228854 representing NM_001284195 Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC

ATGTCCCGATACCTGCGCCCCCCTAACACGTCTCTGTTCGTCAGGAACGTGGCGGACGACACCAGGTCTG AAGATTTACGTCGGGAATTTGGTCGTTATGGTCCAATAGTAGATGTTTATGTCCCACTTGATTTCTACAC TCGGCGTCCAAGAGGATTTGCATATGTTCAATTTGAGGATGTTCGTGATGCTGAAGACGCTTTACATAAT TTGGACAGAAAATGGATTTGTGGGCGTCAGATTGAAATCCAGTTCGCACAGGGGGATCGGAAGACACCAA ATCAAATGAAAGCCAAGGAAGGGAGGAATGTATACAGCTCTTCACGATATGACGATTATGACCGATATAG ACGCTCTCGAAGCCGGAGTTATGAAAGGAGAAGATCGAGGAGTCGCTCCTTTGATTATAACTATAGGAGA TCTTACAGTCCTAGAAATAGACCGACTGGAAGACCACGGCGTAGCCGAAGCCATTCCGACAATGATAGAT TCAAACACCGAAATCGATCTTTTTCAAGATCTAAATCCAATTCAAGATCACGGTCCAAGTCCCAGCCCAA GAAAGAAATGAAGGCTAAATCACGTTCTAGGTCTGCATCTCACACCAAAACTAGAGGCACCTCTAAAACA GATTCCAAAACACATTATAAGTCTGGCTCAAGATATGAAAAGGAATCAAGGAAAAAAGAACCACCTAGAT CCAAATCTCAGTCAAGATCACAGTCTAGGTCTAGGTCAAAATCTAGGTCAAGGTCTTGGACTAGTCCCAA GTCCAGTGGCCAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGGTTTAA




View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



CAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGGCC D L A A N D I L D Y K D D D K V stop

* The last codon before the Stop codon of the ORF



ACCN: ORF Size:

NM_001284195 783 bp

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Plasmid Map:

ORIGENE Srs	10 (NM_001284195) Mouse Tagged ORF Clone – MR228854
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Metho	 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001284195.1, NP 001271124.1</u>
RefSeq Size:	2750 bp
RefSeq ORF:	786 bp
Locus ID:	14105
UniProt ID:	<u>Q9R0U0</u>
Cytogenetics:	4 D3
MW:	31.7 kDa
Gene Summary:	Splicing factor that in its dephosphorylated form acts as a general repressor of pre-mRNA splicing. Seems to interfere with the U1 snRNP 5'-splice recognition of SNRNP70. Required for splicing repression in M-phase cells and after heat shock. Also acts as a splicing factor that specifically promotes exon skipping during alternative splicing. Interaction with YTHDC1, a RNA-binding protein that recognizes and binds N6-methyladenosine (m6A)-containing RNAs, prevents SRSF10 from binding to its mRNA-binding sites close to m6A-containing regions,

leading to inhibit exon skipping during alternative splicing (By similarity). May be involved in regulation of alternative splicing in neurons (PubMed:10583508).[UniProtKB/Swiss-Prot

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Function]