

Product datasheet for **MR230778**

Tnip1 (NM_001271456) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tnip1 (NM_001271456) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Tnip1
Synonyms:	ABIN; ABIN-1; ABIN1; AU018810; Naf1; Nef; VAN
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MR230778 representing NM_001271456
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGAAGGGAGAGACCCTACGGGATCTACGACCCAGGGGCGAGCAGCCCTCTGGGAGAGGTGTCCGCAG
 CTTTTGAACGTCTAGTGGAGGAGAATACTCGGCTGAAGGGAAAAATGCAAGGGATAAAGATGTTAGGGGA
 GCTTCTGGAGGAGTCTCAGATGGAAGCGTCCAGACTCCGGCAGAAGGCAGAGGAGCTGGTCAAGGACAGC
 GAGCTGTCAACCCGACATCTGCCCCCTCCTTGGTCTCCTTTGATGACCTGGCTGAGCTCACAGGACAGG
 ATACAAAGGTCCAGGTACATCCTGCTACCAGCACTGCCGCCACCACCACCACCACCAGGGAAA
 CTCCATGGAGAAGCCCGAGCCAGCCTCCAAATCTCCGTCGAATGGCGCCTCCTCGGACTTTGAAGTGGTC
 CCTACTGAGGAGCAGAATTCACCCGAAACTGGCAGCCACCCTACGAACATGATGGACCTGGGGCCCCAC
 CCCCAGAGGACAGCAACCTGAAGCTCCACCTGCAGCGCCTGGAGACCACCCTTAGCGTGTGTGCAGAGGA
 GCCAGACCACAGCCAGCTCTTCACCCACCTGGGCCGATGGCCCTCGAGTTCAACAGGTTGGCCTCCAAA
 GTGCATAAAAAATGAGCAGCGCACCTCCATCCTGCAGACCTTATGTGAGCAGCTGCCCCAGGAGAATGAAG
 CCCTGAAGGCCAAGCTGGACAAGGGCCTGGAACAGCGGGATCTGGCTGCTGAGAGGCTGCCGGAGAAAA
 CACGGAGCTCAAGAACTGTTGATGAACAGCAGCTGCAAAGAGGGACTCTGTGGGCAGCCAGCTCCCCA
 AAGCCAGAGGGTGTGGCAAGAAGGGCGTGGCTGGACAGCAGCAGGCCAGTGTGATGGCGAGTAAAGTCC
 CTGAAGCGGGGCGCTTTGGAGCAGCTGAGAAGAAGGTGAAGTTGCTAGAACAGCAACGCATGGAGCTGT
 GGAAGTGAACAAGCAGTGGGACCAGCATTTCCGGTCCATGAAGCAGCAGTATGAGCAGAAGATCACAGAG
 CTTCCGCCAGAAGCTGGTGGACCTGCAGAAACAGGTAACAGCTGGAGGCCGAACGGGAGCAGAAGCAGC
 GTGACTTTGACCCGAAACTCCTCCTGGCCAAATCGAAGATAGAGATGGAAGAGACCAGCAAGGAGCAGCT
 GACAGCAGAGGCCAAGGAACTGCCCCAGAAGGTCAGGTACCTACAGGATCAGCTGAGCCCGCTCACAAAG
 CAACGAGAATACCAGGAGAAGGAGATCCAGCGGCTCAATAAGGCCCTGGAGGAGGCCCTCAGCATCCAGG
 CCTCTCCATCATCTCCGCTGCAGCTTTTGGGAGTCCAGAAGGCGTTGGGGCCATCTGAGGAAGCAGGA
 ACTAGTGACACAGAATGAGTTGCTGAAACAGCAGGTAAGATCTTTGAAGAGGACTTCCAGAGGGAAACGG
 AGTGACCGTGAACGCATGAATGAAGAGAAGGAGGAGCTGAAGAAGCAAGTAGAGAAGCTGCAGGCCCAGG
 TCACCCTGACTAATGCCAGCTCAAACCTCTCAAAGAGGAGGAGAAGGCCAAGGAAGCCCTCAAACAGCA
 GAAGAGGAAAGCAAAGGCTTCGGGAGAGCGCTACCACATGGAACCCACCCTGAGCACGTCTGCGGCGCC
 TATCCCTATGCCTACCCACCCATGCCAGCCATGGTACCTCACCATGCCTACAAGGACTGGTCCCAGATCC
 GATACCCTCCACCCCTGTGCCATGGAGCACCCGCCCCACACCCCAACTCTCGCTCTTCCATCTGCC
 GGAGTACACCTGGCGTCCACCCTGTGCAGGGATTCCGGAATCAGAGCTCTCAAGTATGGACCCGCCCCCA
 GACAGGCCCTGCAGAGCCAGAGCCAGCTGACCTCAGATTGCCAAAAGTT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR230778 representing NM_001271456
Red=Cloning site Green=Tags(s)


MEGRGPYGIYDPGGSTPLGEVSAAFERLVEENTRLKGMQGIKMLGELLEESQMEASRLRQKAEELVKDS
 ELSPTTSAPSLVSFDDLAELETGQDTKVQVHPATSTAATTTATATTGNSMEKPEPASKSPSNGASSDFEVV
 PTEEQNSPETGSHPTNMMDLGP PPPEDSNLKLHLQRLETTLSVCAEEPDSQLFTHLGRMALEFNRLASK
 VHKNQRTSILQTLCEQLRQENEALKAKLDKGLEQRDLAAERLREENTELKLLMNSSCKEGLCGQPSSP
 KPEGAGKKGVAGQQQASVMASKVPEAGAFGAAEKVKLLEQQRMELLEVNKQWDQHFRSMKQQYEQKITE
 LRQKLVLDLQKQVTELEAEREQKQDFDRKLLLAKSKIEMEETDKEQLTAEAKELRQKVRYLQDQLSPLTR
 QREYQEKEIQRLNKALEEALSIQASPSSPPAAFSGPEGVGGHLRKQELVTQNELLKQVQVIFEEDEFQRER
 SDRERMNEEKEELKKQVEKLQAQVTLTNAQLKTLKEEEKAKEALKQQRKAKASGERYHMEPHPEHVCGA
 YPYAYPPMPAMVPHHAYKDSQIRYP PPPVPMHPPHPNSRLFHLPEYWRPPCAGIRNQSSQVMDPPP
 DRPAEPEPADLRLPKV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



ACCN: NM_001271456

ORF Size: 1938 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001271456.1](#), [NP_001258385.1](#)

RefSeq Size: 2817 bp

RefSeq ORF: 1941 bp


Locus ID: 57783

Cytogenetics: 11 B1.3

MW: 73.4 kDa

Gene Summary: Inhibits NF-kappa-B activation and TNF-induced NF-kappa-B-dependent gene expression by regulating A20/TNFAIP3-mediated deubiquitination of IKBKG; proposed to link A20/TNFAIP3 to ubiquitinated IKBKG. Involved in regulation of EGF-induced ERK1/ERK2 signaling pathway; blocks MAPK3/MAPK1 nuclear translocation and MAPK1-dependent transcription. Increases cell surface CD4(T4) antigen expression. Involved in the anti-inflammatory response of macrophages and positively regulates TLR-induced activation of CEBPB. Involved in the prevention of autoimmunity; this function implicates binding to polyubiquitin. Involved in leukocyte integrin activation during inflammation; this function is mediated by association with SELPLG and dependent on phosphorylation by SRC-family kinases.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR230778