

## Product datasheet for **MR230897**

### **Bcl11b (NM\_001286343) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Bcl11b (NM_001286343) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Bcl11b
Synonyms:	9130430L19Rik; AI604821; B630002E05Rik; BCL-11B; Ctip2; Rit1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide  
Sequence:

>MR230897 representing NM\_001286343  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGTCCC GCCGAAACAGGGCAACCCG CAGCACTTGTCCAGAGGGAACATCACGCGTAAAGATGAGC  
CTTCCAGCTACATTTGCACAACATGCAAGCAGCCCTTCAACAGCGCCTGGTTCCTGCTGCAGCACGCACA  
GAACACACATGGCTTCCGAATCTACCTGGAGCCTGGGCGGCCAGCACCTCGCTCACGCCAGGCTCACC  
ATCCCGCCACCCTCGGGCCGAGACCGTGGCGCAGTCCCCTCATGAATTTCTGGGGACAGCAATC  
CTTTAACTGCTGCGCATGACGGGCCCATCTGCGGGACCACCCTGGCTTCGGTGAGGGCCGCTTGCC  
AGGTACGCCACCCTCTCAGCCACCACCAGCCATCACTTGGACCCACACCGCCTCAGTGCAGAGGAG  
ATGGGGCTCGTGGCCAGCACCCAGTGCCTTCGACCGAGTCATGCGCCTGAACCCATGGCCATAGACT  
CTCTGCCATGGACTTCTCCCGCGGCTGCGGAACTGGCCGGCAACAGCTCCACGCCCGCCCGCTGTC  
CCCAGGCCGTGGCAACCTATGCACCGGCTGTGAACCTTTCCAGCCAGTCCCAAGTCCCGTTCCTC  
AGCACGCCACCCTGCCACCCATGCCTGCGGGCACACCGCCACCAGCCGCTGCCAAGAGCAAGTCT  
GTGAGTTCTGCGGCAAGACCTTCAAGTTCAGAGCAATCTCATCGTGCACCGGCCAGCCACACGGGCGA  
GAAGCCCTACAAGTGCCAGCTGTGCGACCATGCGTGTGCGAGGCGAGCAAGCTCAAGCGCCACATGAAG  
ACGCACATGCACAAGGCGGGCTCTTGCTGGCCGCTCAGACGACGGGCTCTCAGCTGCCAGCTCCCTG  
AGCCGGGCACCAGCGAGCTGCCAGGTGACCTGAAAGCGGCCGATGGCGACTTCCGCCACCATGAGAGCGA  
CCCATCTTGGCCCCGAGCTGAGGACGACGAGGACGAGGAGGAGGAAGAAGAGGAGCTGCTGCTGGAG  
AACGAGAGCCGGCTGAGTCGAGCTTACGATGGACTCGGAGCTGGCCGTGGCCGCGAGAACGGAGGTG  
CGTGCCACCCGGGGTGGCGGGCGCAGGGCTGCAGCTGCGGCTCTGGCGGATGAGAAGGCTCTGGCCCT  
GGCAAGGTGATGGAGGACGACGGGCTGGGCGCACTGCCGCAATGGGGAGAAGCGGGGCGCCTTCCTG  
AAGCGTGCAGGCGACACGGGTGATGCCGGAGCTGTTGGCTGTGGGACGCGGGTGCACCGGGTGCAGTGA  
ACGGGCGCGGGGGCTTCGCGCCAGGCGCAGAGCCCTTCCAGCTCTCTTCCACGCAAGCCAGCACC  
GCTGCCAGCCCTGGGCTCGGTGGTCCCGCGCTGCACGCGGCCAAGCGCATCAAGGTGGAGAAAGACCTG  
GAGCTGCCACCTGCCGCCCTCATCCATCTGAGAACGTGTACTCGCAGTGGCTCGTGGGTACGCAGCAT  
CGCGCCACTTCATGAAGGACCCATTCTGGGCTTACGGATGCGCGCCAGTGCCTTTCGCCACATCGTC  
GGAACATTCTCTGAGAACGGCAGCCTGCGCTTCTCAACGCCACCCGGGGACCTGCTGGACGGCGGGCTG  
TCCGGGCGCAGTGGCACGGCAGCGGGGCGAGCACACCTCACCTGGGTGGTCCGGTCTGGGAGGCCGA  
GCTCCAAGGAGGCGCCGCGCAGCGACACATGTGAGTACTGCGGCAAGGTCTTCAAGAACTGTAGCAACCT  
GACGGTGCACCGGAGGAGCCACACCGGGGAGCGGCCTTACAAGTGCAGCTGTGCAACTACGCGTGC  
CAGAGCAGCAAGCTCACGCGCCACATGAAGACGACGGGCGAGTCGGCAAGGAGGTGTACCGCTGCGACA  
TCTGCCAGATGCCCTTACGCTCTACAGCACCTGGAGAAACACATGAAAAAGTGGCACGGTGAACACTT  
GCTGACTAATGATGTCAAATCGAGCAGGCTGAGAGGAGC

AG**CGGACCC**ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
TGGATTACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR230897 representing NM\_001286343  
 Red=Cloning site Green=Tags(s)


MSRRKQGNPQHLSQRELITRKDEPSSYICTTCKQPFNSAWFLLQHAQNTHGFRILEPQPASTSLTPRLT  
 IPPPLGPETVAQSPLMNFLGDSNPFNLLRMTGPILRDHPGFEGRLPGTPPLFSPPPRHLDPHRLSAEE  
 MGLVAQHPSAFDRVMRLNPMALIDSPAMDFSRRLRELAGNSSTPPPVSPPGRGNPMHRLNPFQSPKSPFL  
 STPPLPPMPAGTPPPQPPAKSKSCEFCGKTFKFQSNLIVHRRSHTGEKPYKQQLCDHACSQASKLKRHMK  
 THMHKAGSLAGRSDDGLSAASSPEPGTSELPGDLKAADGDFRHESDPSLGPEPEDEDEEEEEELLLE  
 NESRPESSFMSDELGRGRENGGVPPGVAGAGAAAAALADEKALALGKVMEDAGLGALPOYGEKRGAF  
 KRAGDTGDAGAVGCGDAGAPGAVNGRGGAFAPGAEPFALFPRKPAPLPSPGLGPPALHAAKRIKVEKDL  
 ELPPAALIPSENVYSQWLVGYAASRFMKDPFLGFTDARQSPFATSSEHSENGSLRFSTPPGDLLDGG  
 SGRSGTASGGSTPHLGGPGPRSSKEGRRSDTCEYCGKVFKNCSNLTVHRRSHTGERPYKCELCNYACA  
 QSSKLTRHMKTHGQIGKEVYRCDICQMPFSVYSTLEKHMKKWHGEHLLTNDVKIEQAERS


SGPTRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-RsrII

**Cloning Scheme:**



**Plasmid Map:**


**ACCN:** NM\_001286343

**ORF Size:** 2070 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001286343.1](#), [NP\\_001273272.1](#)

**RefSeq Size:** 7341 bp

RefSeq ORF: 2073 bp

Locus ID: 58208

UniProt ID: [Q99PV8](#)

Cytogenetics: 12 59.1 cM

MW: 74.7 kDa

**Gene Summary:** Key regulator of both differentiation and survival of T-lymphocytes during thymocyte development in mammals (PubMed:12717433). Essential in controlling the responsiveness of hematopoietic stem cells to chemotactic signals by modulating the expression of receptors CCR7 and CCR9, which direct the movement of progenitor cells from the bone marrow to the thymus (By similarity). Is a regulator of IL2 promoter and enhances IL2 expression in activated CD4(+) T-lymphocytes (PubMed:16809611). Tumor-suppressor protein involved in T-cell lymphomas. May function on the P53-signaling pathway. Repress transcription through direct, TFCOUP2-independent binding to a GC-rich response element.[UniProtKB/Swiss-Prot Function]