

## Product datasheet for **MR230981**

### **Cpeb4 (NM\_001290676) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Cpeb4 (NM_001290676) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Cpeb4
Synonyms:	Cpe-bp4; Cpeb-4; mCPEB-4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MR230981 representing NM\_001290676  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGGGGATTACGGGTTTGGAGTGTAGTGCAAGCAATACTGGGAATAAATCTGCTTTTCCAGTCCGAT  
 TCCATCCACATCTGCAGCCTCCACACCATCACAAAATGCCACCCCAACCCTGCTGCTTTTATAAATAA  
 TAACACAGCTGCCAATGGCAGCAGTGTGGGTGAGCCTGGCTCTTTCCTGCCCCGGCTACTCATAACATT  
 CAGGATGAGATCTTGGGGTCAGAAAAAGCAAAAAGTCAACAGCAAGAACAACAAGACCCTTTAGAAAAGC  
 AACAGCTCTCCCCGAGTCCAGGTCCAGGAAGCTGGAATACTGCCTGAAACTGAAAAGGCAAAAAGCTGAAGA  
 AAATCCAGGGGACAGTTCTTCAGAAAACAGCAACGGAAAAGAAAAGTACGCATTGAATCACCAGTGTG  
 ACAGGGTTTGATTACCAAGAAGCCACCGGTCTCGGGACTTCCACCAACCCTTGACATCCAGTGCATCGT  
 CCCTTACTGGTTTCAGTAACTGGTCAGCAGCGATAGCACCTTCTCCTCCACTATAATCAATGAAGATGC  
 AAGTTTCTTCCACAGGGAGGGTCCCTGGCGCTTCAGCTAATAATGGTGTCTCTTGTTCAAAATTTT  
 CCCCATCATGTCAGCCCTGGCTTTGGTGGTAGCTTCTCCCTCAGATCGGGCCTCTCTCCAGCACCATC  
 CTCATACCCCCATTTCCAGCACCATCACAGCCAGCATCAGCAGCAGAGGAGGTCTCTGCCAGTCCCCA  
 CCCCCACCTTTCACACATAGAAGTGTCTTTAACCAGCTGCCTCATTTGGCGAATAATCTTAACAAA  
 CCTCCTTCTCCATGGAGCAGCTACCAGAGTCTTCTCCAACCCCTCTTCTTCTGGAGCCAGGAGGTG  
 GCGGCTACGGTGGCTGGGGAGCATCTCAAGGCCGGATCACCGCAGAGGGCTGAACGGTGGAAATAACACC  
 CCTGAACCTCAATCACCTTTGAAGAAAATTCGCAAGCAATCATATTCAGTCCAGAAGTATGCTCGC  
 CCTAGCTCAGCCTTTGCTCCAAAATCCTGGATGGAAGTAGCTTGAACAGGGCTGACAACATTTTCTCT  
 TTCCGGAAACGCCAGGACGTTTGACATGCACACTCTGGAGAGCTCACTCATTGACATAATGAGAGCTGA  
 AAATGATTCCATTAAAGTCTGCTAAACTATTCATACCCAGGATCCGATAGTTCTCTGCTTATTAATGGT  
 CAGTCTTCATTGTTCCGATGGAAGATGGATTCCTGGATGATGGCCGTGGGGATCAACCTTTCATAGTG  
 GTCTGGGGTACCTCACTGCTTCACTCACCAGAATGGGGAGAGAGTGGAACGATACTCTCGCAAAGTGT  
 TGTGGGTGGATTGCCTCCTGATATTGATGAAGATGAGATCACAGCTAGTTTCCGTCGCTTTGGCCCTTG  
 ATTGTGGATTGGCCTCATAAGGCAGAGAGCAAATCTTATTTCCACAAAAGGCTATGCATTCTGCTGT  
 TTCAAGATGAAAGTTCTGTTCCAGCTCTCATTGATGCATGTATTGAAGAAGATGGAAAACTTTACCTGTG  
 TGTATCAAGTCCAACCATCAAGGATAAACCAGTGCAGATCCGGCCCTGGAATCTCAGTGACAGTGACTTT  
 GTGATGGATGGCTCACAGCCACTTGACCCAGGAAAACAATATTTGTTGGTGGTGTCTCTGACCATTAC  
 GAGCTGTGGAGCTTGAATGATAATGGATCGGCTGTATGGAGGCTCTGCTATGCTGGAATCGATACTGA  
 CCCAGAGCTCAAATACCCAAAAGGAGCTGGAAGAGTCGCGTTTTCTAATCAACAGAGTTACATAGCTGCT  
 ATCAGTGGCCGCTTTGTTCCAGCTGCAGCATGGAGAGATAGATAAACGGGTGGAGGTTAAGCCATATGCT  
 TGGATGACCAGCTGTGTGATGAATGTCAAGGGCCCGTTGTGGGGGAAATTTGCTCCATTTTCTGTGC  
 TAATGTTACCTGTCTGCAGTATTACTGTGAATATTGCTGGGTGCTATTCACCTCTCGTGTGGCAGAGAA  
 TTCCACAAGCCCTGGTGAAGGAAGTGGTGACCGCCCTCGGCATATTTTCATTCCGCTGGAAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR230981 representing NM\_001290676  
Red=Cloning site Green=Tags(s)

```

MGDYGFGVLVQSNTGNKSAPVRFPHLQPPHHHQNATPNPAAFINNNTAANGSSAGSAWLPAPATHNI
QDEILGSEKAKSQQQEQDPLEKQQLSPSPGQEAGILPETEKAKAEENPGDSSSENSNGEKLRIESPVL
TGFQDYQEATGLGTSTQPLTSSASSLTGFSNWSAAIAPSSSTIINEDASFFHQGGVPGASANNGLFQNF
PHHVSPFGGGSFSPQIGPLSQHHPHPHFQHHHSQHQQRRSPASPHPPPFTHRSAAFNLPHLANLNK
PPSPWSSYQSPSPTPSSSWSPGGGGYGGWASQGRDHRRLNGGITPLNSISPLKKNFASNHIQLQKYAR
PSSAFAPKSWMEDSLNRADNIFPFPERPRTFDMHSLESSLIDIMRAENDSIKRLNYSYPGSDSSLLING
QSSLFPMEDGFLDDGRGDQPLHSLGSPHCFTHQNGERVERYSRKFVVGGLPPDIDEDEITASFRRFGL
IVDWPHEAESKSYFPKGYAFLLFQDESSVQALIDACIEEDGKLYLCVSSPTIKDKPVQIRPWNLSDSDF
VMDGSQPLDPRKTIFFVGGVPRPLRAVELAMIMDRLYGGVCYAGIDTDPELKYPKGAGRVAFSNQSYIAA
ISARFVQLQHGEIDKRVEVKPYVLDLQDCDECQARGCGKFAPFFCANVTCLYQYCEYCWAAIHSRAGRE
FHKPLVKEGGDRPRHISFRWN
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_001290676

**ORF Size:** 2163 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001290676.1](#), [NP\\_001277605.1](#)

**RefSeq Size:** 7631 bp

**RefSeq ORF:** 2166 bp


**Locus ID:** 67579

**Cytogenetics:** 11 A4

**MW:** 79.6 kDa

**Gene Summary:** Sequence-specific RNA-binding protein that binds to the cytoplasmic polyadenylation element (CPE), an uridine-rich sequence element (consensus sequence 5'-UUUUUAU-3') within the mRNA 3' UTR (PubMed:17024188). RNA binding results in a clear conformational change analogous to the Venus fly trap mechanism (By similarity). Regulates activation of unfolded protein response (UPR) in the process of adaptation to ER stress in liver, by maintaining translation of CPE-regulated mRNAs in conditions in which global protein synthesis is inhibited (PubMed:28092655). Required for cell cycle progression, specifically for cytokinesis and chromosomal segregation (By similarity). Plays a role as an oncogene promoting tumor growth and progression by positively regulating translation of t-plasminogen activator/PLAT (PubMed:22138752). Stimulates proliferation of melanocytes (By similarity). In contrast to CPEB1 and CPEB3, does not play role in synaptic plasticity, learning and memory (PubMed:24386439).[UniProtKB/Swiss-Prot Function]

### Product images:



Circular map for MR230981