

## Product datasheet for **MR230984**

### Hgf (NM\_001289461) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Hgf (NM_001289461) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Hgf
Synonyms:	C230052L06Rik; HGF/S; HGF/SF; NK; NK1; NK2; SF; SF/HG; SF/HGF
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide  
Sequence:

>MR230984 representing NM\_001289461  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGATGTGGGGACCAAACCTTCTGCCGGTCTGTGTCTGCAGCATGTCTCTGCACCTCTCTGCTTC  
 ATGTCGCCATCCCTATGCAGAAGGACAGAAGAAAAGAAGAAATACACTTCATGAATTTAAAAAGTCAGC  
 AAAAATACTCTTACCAAGGAAGACCCATTACTGAAGATTTAAACCAAAAAAGTGAACCTCTGCAGATGAG  
 TGTGCCAACAGGTGTATCAGGAACAGGGGCTTTACGTTCACTTGAAGGCCTTCGTTTTTGATAAGTCAA  
 GAAAACGATGCTACTGGTATCCTTTCAATAGTATGTCAAGTGGAGTGAAAAAGGGTTTGGCCATGAATT  
 TGACCTCTATGAAAACAAAGACTATATTAGAACTGCATCATTGGTAAAGGAGGCAGCTATAAAGGGACG  
 GTATCCATCACTAAGAGTGGCATCAAATGCCAGCCTTGAATCCATGATCCCCATGAACACAGCTATC  
 GCGGTAAGACCTACAGGAAAATACTGTCGAAATCCTCGAGGGGAAGAAGGGGGACCCTGGTGTTCAC  
 AAGCAATCCAGAGGTACGCTACGAAGTCTGTGACATTCCTCAGTGTTCAGAAGTTGAATGCATGACCTGC  
 AATGGTGAAAGCTACAGAGGTCCCATGGATCACACAGAATCAGGCAAGACTTGTACAGCGCTGGGACCAGC  
 AGACACCACACCGGCACAAGTTCTTGCCAGAAAGATATCCCGACAAGGGCTTTGATGATAATTATTGCCG  
 CAATCCTGATGGCAAGCCGAGGCCATGGTGTACACTCTTGACCCCTGACACCCCTTGGGAGTATTGTGCA  
 ATTAACCGTGCCTCACAGTGTGTGAATGAGACTGATGTCCCTATGGAACAACCTGAATGCATTCAAG  
 GCCAAGGAGAAGGTTACAGGGGAACCAGCAATACCATTGGAATGGAATCCCTGTCAGCGTTGGGATTC  
 GCAGTACCCTCACAAGCATGATACACTCCCGAGAACTCAAATGCAAGGACCTTAGAGAAAATTATTGC  
 CGCAATCCAGATGGGGCTGAATCACCATGGTGTTCCTGACCTGACCAACATCCGAGTTGGCTACTGCT  
 CTCAAATCCCAAGTGTGACGTGCAAGTGGACAAGATTGTTATCGTGGCAATGGGAAAAATTACATGGG  
 CAACTTATCCAAAACAAGGTCTGGACTTACATGTTCCATGTGGGACAAGAATATGGAGGATTTACACCGT  
 CATATCTTCTGGGAGCCAGATGCTAGCAAATTGAATAAGAATTACTGCCGGAATCCTGATGATGATGCC  
 ATGGACCTTGGTGTACACGGGAATCCTCTTATTCTTGGGATTATTGCCCTATTTCCCGTTGTGAAGG  
 AGATACTACACCTACAATTGTCAATTTGGACCATCCTGTAATATCCTGTGCCAAAACAAAACAACTGCGG  
 GTTGTAAATGGCATTCCAACACAAAACACAGTAGGGTGGATGGTTAGTTTGAATACAGAAATAACATA  
 TCTGTGGAGGATCATTGATAAAGGAAAGTTGGGTTCTTACTGCAAGACAATGTTTTCCAGCCAGAAACAA  
 AGACTTGAAGACTATGAAGCTTGGCTTGGCATCCACGATGTTTCATGAGAGAGGCGAGGAGAAGCGCAAG  
 CAGATCTTAAACATTTCCAGCTGGTCTATGGTCTGAAGGCTCAGACTTGGTTTTACTGAAGCTTGCTC  
 GACCTGCAATCCTGGATAACTTTGTGAGTACAATTGATTTACCTAGTTATGGTTGTACAATCCCTGAAAA  
 GACCATTGCAGTATTTACGGCTGGGGCTACACTGGATTGATCAACGCGGATGGTTTATTACGAGTAGCT  
 CATCTGTATATTATGGGGAATGAGAAATGCAGTCAGCACCATCAAGGCAAGGTGACTTTGAATGAGTCTG  
 AGTTATGTGCTGGGGCTGAAAAGATTGGATCAGGACCATGTGAGGGGAGATTATGGTGGCCCACTCATTTG  
 TGAACAACACAAAATGAGAAATGGTTCCTGGTGTGATGTTCTGGTGTGGATGTGCCATCCCAATCGT  
 CCTGGTATTTTGTTCGAGTAGCATATTATGCAAAATGGATACACAAAGTAATTTTGACATACAAGTTG

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR230984 representing NM\_001289461  
 Red=Cloning site Green=Tags(s)


```
MMWGTKLLPVLLLQHVLLHLLLLHVAIPYAEGQKKRRNTLHEFKKSAKTTLTKEDPLLKIKTKKVNSADE
CANRCIRNRGFTFTCKAFVFDKSRKRCYWYPFNSMSSGVKKGFGHEFDL YENKDYIRNCIIGKGGSYKGT
VSITKSGIKCQPWNSMIPHEHSYRGKDLQENYCRNPRGEEGGPWCFTSNPEVRYEVC DIPQCSEVECMT
NGESYRGPMDHTESGKTCQRWDQQTTPHRHKFLPERYPDKGFDDNYCRNPDGKPRPWCYTLDPDTPWEYCA
IKTCAHSAVNETDVPMETTECIQGGEGYRGTSNTIWNIGIPCQRWDSQYPHKHDIIPENFKCKDLRENYC
RNPDGAESPWCFTTDPNIRVGYCSQIPKCDVSSGQDCYRGNKNYMGNL SKTRSGLTCSMWDKNMEDLHR
HIFWEPDASKLNKNYCRNPDDDAHGPWCYTGNPLIPWDYCPISRCEGDTTPTIVNLDHPVISCAKTKQLR
VYNGIPTQTTVGWMVSLKYRNKHC GGS LIKESWVLTARQCFPARNKDLKDYEAWLGIHDVHERGEEKRK
QILNISQLVYGPEGSDLVLLKLARPAILDNFVSTIDLPSYGCTIPEKTTCSIYGWGTYGLINADGLLRVA
HLYIMGNKCSQHHQGVTLNESEL CAGAEKIGSGPCEGDYGGPLICEQHKKRMV LGVIVPGRGCAIPNR
PGIFVRVAYYAKWIHKVILTYKL
```

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**



\* The last codon before the Stop codon of the ORF

**Plasmid Map:**


**ACCN:** NM\_001289461

**ORF Size:** 2169 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001289461.1](#), [NP\\_001276390.1](#)

**RefSeq Size:** 2645 bp

**RefSeq ORF:** 2172 bp

Locus ID: 15234

UniProt ID: [Q08048](#)

Cytogenetics: 5 7.07 cM

MW: 82.9 kDa

**Gene Summary:** This gene encodes a protein that binds to the hepatocyte growth factor receptor to regulate cell growth, cell motility and morphogenesis in numerous cell and tissue types. The encoded preproprotein is proteolytically processed to generate multiple protein products, including the hepatocyte growth factor alpha and beta chains, which heterodimerize to form the mature active protein. Although this protein is a member of the peptidase S1 family of serine proteases, it lacks peptidase activity. Homozygous knockout mice for this gene exhibit embryonic lethality due to impaired development of the placenta and liver. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Sep 2015]