

## Product datasheet for **MR231307**

### Tyro3 (NM\_001290800) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Tyro3 (NM_001290800) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Tyro3
Synonyms:	A1323366; Brt; Dtk; Etk-2; etk2/tyro3; Rse; Sky; Tif; tk19-1; TK19-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MR231307 representing NM\_001290800  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGACGACAAACTGGAAAACACTCTGGGAAGATGGGCTGGGAGAATGGTCTTTCGATAGGAGAATACT  
 TGGCGATTAAAGCCTGAAGCTCATGGGCGCCCCAGTGAAGATGACCGTGTCTCAGGGCAGCCAGTGAA  
 GCTCAACTGCAGCGTGGAGGGGATGGAGGACCTGACATCCACTGGATGAAGGATGGCACCCTGGTCCAG  
 AATGCAAGCCAGGTGTCCATCTCCATCAGCGAGCACAGCTGGATTGGCTTACTCAGCCTAAAGTCAGTGG  
 AACGGTCTGATGCTGGCCTGACTGGTGCCAGGTGAAGGATGGGGAGGAAACCAAGATTTCTCAGTCAGT  
 ATGGCTCACTGTCAAGGTGTGCCATTCTCACAGTGGAAACAAAAGATCTGGCGGTGCCACCCAATGCC  
 CCTTTTCAGTGTCTTGTGAGGCTGTGGTCTCCAGAACCCGTAACCATTTACTGGTGGAGAGGACTCA  
 CTAAGGTTGGGGACCTGCTCCCTCTCCCTCTGTTTTAAATGTGACAGGAGTGACCCAGCGCACAGAGTT  
 TTCTTGTGAAGCCGCAACATAAAAGGCTGGCCACTTCCCAGCAGCCATTGTTCCGCTTCAAGCACCG  
 CCTGCAGCTCCTTTCAACACCACAGTAACAACGATCTCCAGCTACAACGCTAGCGTGGCCTGGGTGCCAG  
 GTGCTGACGGCCTAGCTCTGCTGCATTCTGTACTGTACAGGTGGCACACGCCCCAGGAGAATGGGAGGC  
 CCTTGCTGTTGTGGTTCCTGTGCCACCTTTTACCTGCCTGCTTCGGAACCTGGCCCTGCCACCAACTAC  
 AGCCTTAGGGTGCCTGTGCCAATGCCTTGGGCCCTTCTCCCTACGGCGACTGGGTGCCCTTTCAGACAA  
 AGGGCCTAGCGCCAGCCAGAGCTCCTCAGAATTTCCATGCCATTTCGTACCGACTCAGGCCTTATCCTGGA  
 ATGGGAAGAAGTATTCTGAGGACCTGGGGAAGGCCCTAGGACCTATAAGCTGTCTGGGTCCAA  
 GAAAATGGAACCCAGGATGAGCTGATGGTGAAGGACCAGGGCCAATCTGACCGACTGGGATCCCCAGA  
 AGGACCTGATTTGCGTGTGTGCCTCCAATTGGTGTGAGGCCCTGGAGTCAGCCACTGGTGGT  
 GTCTTCTCATGACCATGCAGGGAGGCAGGGCCCTCCCCACAGCCGCACATCTGGGTGCCTGTGGTCTCTG  
 GGCGTGTCCACGCCCTGATCACAGCTGCTGCCTTGGCCCTCATCTGCTTCGGAAGAGACGCAAGGAGA  
 CGCGTTTCGGGAAGCCTTTGACAGTGTATGGCCGAGGGGAGCCAGCTGTACACTTCCGGGCAGCCCG  
 ATCTTTCAATCGAGAAAGCCTGAACGCATTGAGGCCACATTGGATAGCCTGGGCATCAGCGATGAATTG  
 AAGGAAAAGCTGGAGGATGTCTCATTCCAGAGCAGCAGTTACCCTCGGTGGATGTTGGGCAAAGGAG  
 AGTTTGGATCAGTGGGAAGCCAGCTAAAGCAGGAAGATGGCTCCTTCGTGAAAGTGGCAGTGAAGAT  
 GCTGAAAGCTGACATCATTGCCTCAAGCGACATAGAAGAGTTCCTCCGGGAAGCAGCTTGCATGAAGGAG  
 TTTGACCATCCACACGTGGCCAAGCTTGTGGGGTGGAGCTCCGGAGCAGGGCTAAAGGTCGTCTCCCA  
 TTCCCATGGTCACTGCCCTCATGAAACATGGAGACTTGACAGCCTTCTGCTCGCCTCCCGAATCGG  
 GGAGAACCCTTTTAACTGCCCTCCAGACCCTGGTCCGGTTCATGGTGGACATTGCCTGTGGCATGGAG  
 TACCTGAGCTCCCGAACTTCATCCACCAGACCTAGCAGCTCGGAATTGCATGTGGCCGAGGACATGA  
 CAGTGTGTGGCTGATTTTGGACTCTCTCGGAAAATCTATAGCGGGGACTATTATCGTCAGGGCTGTGC  
 CTCAAATGGCCGTCAGTGGCTGGCCCTGGAGAGCTGGCTGACAACCTGTATACTGTACACAGTGT  
 GTGTGGCCTTCGGGTGACCATGTGGGAGATCATGACTCGTGGGCAGACGCCATATGCTGGCATTGAAA  
 ATGCCGAGATTTAACTACCTCATCGGCGGAACCCCTGAAGCAGCCTCCGGAGTGCATGGAGGAAGT  
 GTATGATCTCATGTACCAGTGTGGAGCGCCGACCCCAAGCAGCAGCCTCACGTGTCTGCGAATG  
 GAACTGGAGAACATTCTGGGCCACTGTCTGTGCTGTCCACCAGCCAGGACCCCTGTACATCAACATTG  
 AGAGAGCTGAGCAGCCTACTGAGAGTGGCAGCCCTGAGGTCCACTGTGGAGAGCGATCCAGCAGCGAGGC  
 AGGGGACGGCAGTGGCGTGGGGCAGTAGGTGGCATCCCCAGTACTCTCGGTACATCTCAGCCCCGGA  
 GGGCTATCCGAGTACCAGGGCAGCTGGAGCAGCAGCCAGAAAGCCCTCAATGAGAACCAGAGGCTGT  
 TGTGTGTCAGCAAGGGCTACTGCCTCACAGTAGCTGT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR231307 representing NM\_001290800  
 Red=Cloning site Green=Tags(s)



MDDKLENTLGRWAGENLSIGEYLAIKGLKLMGAPVKMTVSQQQPVKLNCSVEGMEDPDIHWMKDGTVVQ  
 NASQVSIISIEHSWIGLLSLKSDAGLYWCQVKDGEETKISQSVWLTVEGVPFFTVPEKDLAVPPNA  
 PFQLSCEAVGPPEPVTIYWWRGLTKVGGPAPSPSVLNVGTQRTFESCEARNIKGLATSRPAIVRLQAP  
 PAAPFNTTVTTISSYNASVAWVPGADGLALLHSCTVQVAHAPGEWEALAVVVPVPPFTCLLRNLAPATNY  
 SLRVRCANALGPSYGDWVPFQTKGLAPARAPQNFHAIRTDSSLILEWEEVIPEDPGEGPLGPYKLSWVQ  
 ENGTQDELMVEGTRANLTDWDPQKDLILRVCSNAIGDGPWSQPLVVSSSHAGRQGPSPHRTSWVPPVVL  
 GVLTAALITAAALAILLRKRKTRFGQAFDSVMARGEPAVHFRAARSFNRERPERIEATLDSLGISDEL  
 KEKLEDVLIPEQQFTLGRMLGKGEFVREAQKQEDGSFVKVAVKMLKADIIASSDIEEFLREAACMKE  
 FDHPHVAKLVGSLRSRAGRLPIMVILPFMKHGDHLAFLLASRIGENPFNLPLQTLVRFMVDIACGME  
 YLSSRFIHRDLAARNCLAEDMTVCVADFGLSRKIYSGDYRQGCASKLPVKWLALESADNLVTVHSD  
 VWAFGVTMWEIMTRGQTPYAGIENAEIYNYLIGGNRLKQPPECMEEVYDLMYQCWSADPKQRPSFTCLRM  
 ELENILGHLVSLSTSQDPLYINI ERAEQPTESGSPVHCGERSSSEAGDGSVGVAVGGIPSDSRIFYSPG  
 GLSESPGQLEQQPE SPLNENQRLLLLLQQGLLPHSSC

SGPTRRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-RsrII

**Cloning Scheme:**


Cloning sites used for ORF Shutting:



\* The last codon before the Stop codon of the ORF

<b>ACCN:</b>	NM_001290800
<b>ORF Size:</b>	2628 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001290800.1</a> , <a href="#">NP_001277729.1</a>
<b>RefSeq Size:</b>	4469 bp
<b>RefSeq ORF:</b>	2631 bp
<b>Locus ID:</b>	22174
<b>UniProt ID:</b>	<a href="#">P55144</a>
<b>Cytogenetics:</b>	2 59.97 cM
<b>MW:</b>	96.5 kDa
<b>Gene Summary:</b>	Receptor tyrosine kinase that transduces signals from the extracellular matrix into the cytoplasm by binding to several ligands including TULP1 or GAS6. Regulates many physiological processes including cell survival, migration and differentiation. Ligand binding at the cell surface induces dimerization and autophosphorylation of TYRO3 on its intracellular domain that provides docking sites for downstream signaling molecules. Following activation by ligand, interacts with PIK3R1 and thereby enhances PI3-kinase activity. Activates the AKT survival pathway, including nuclear translocation of NF-kappa-B and up-regulation of transcription of NF-kappa-B-regulated genes. TYRO3 signaling plays a role in various processes such as neuron protection from excitotoxic injury, platelet aggregation and cytoskeleton reorganization. Plays also an important role in inhibition of Toll-like receptors (TLRs)-mediated innate immune response by activating STAT1, which selectively induces production of suppressors of cytokine signaling SOCS1 and SOCS3.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR231307