

## Product datasheet for **MR231309**

### **Hk3 (NM\_001206391) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Hk3 (NM_001206391) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Hk3
Synonyms:	HK-III; HK III
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide Sequence:**

>MR231309 representing NM\_001206391  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCCACCATTGGCCTTCTGGCCTGCATCCTGGAGAAAGAGCCTCAGTCTGCCACACGAGGGCGTGC  
 CAAGGCCCTCAGGTAGCTTAGAACTGGAATGCTTGCAGCAATCAAGGTGACCAGGACACAGTTGCAGCA  
 GATCCAAGCCAGTCTCCTGTGCTCCATGGAGCAGGCACCTGAAGGGACAGGACAGTCCCGCTCCTTCTGTC  
 CGGATGCTGCCACATACGTGAGGTCCACACCACCGCACCGAGCAAGGGGATTTCTGGTGTGGAGC  
 TGGGGGCCACAGGAGCATCACTACGTGTGTGGTAACTGACAGGCACCAAGAATGCCGGTGGAG  
 GCCAGGAGCCGGGAGTTGTGATTCTCAAGAGGTGATCCTAGGTGCTGGCCAGCAGCTCTTTGACTTT  
 GCTGCCGATGCCTCTGAATTCCTGGATGCATACCCCGTGGAGAATCAGGGTCTGAAGCTTGGTTCA  
 ATTTCTCTTTCTTGTACCAGACAGGCTTGGACAGGAGCACCTCATTCTGGACAAAAGTTTTAG  
 GTGCAGCGGGCTGGAAGGCCAGGATGTGGTCCAGTTGCTAAGAGATGCCATTAGAGGCAGGGGACCTAC  
 AGGATTGATGTGGTAGCCATGGTGAATGACACGGTGGGCACCATTGATGGCTGTGAGCTGGCCACCAGGC  
 CGTGTGAAGTCCGGCTGATTGTAGACACCGGTACCAACCGTGTACATGGAGGAGGCGCGGCACGTGGC  
 CGCTCTGGATGAGGACCGCGCCGACCTGTGTGAGCATCGAGTGGGGCTCCTTCTATGACGAAGATGCT  
 CTAGGGCCAGTACTGACCACCTTCGACTCTGCCCTGGACCGGAGTCCCTGACTCCTGGTGTCAAAGGT  
 TTGAGAAGATGATTGGAGGCCTTACCTGGGTGAGCTGGTGGAGCTGGTCTGGTCCACTTGACCAGCA  
 CGGGTCTCTTTGATGGCTGCGCCTCTCCTGCGTTGTGAGTCAAGGCTGTATCCTCTGGACCAGTG  
 GCTGAGATGGAGGACACCGCCACTGGGACAGCCCGCTCCACACCATCCTGCAGGACTTGGGTCTGAGCC  
 CTCGGGCTCAGATGCTGAACCTGGTGAATATGTGTGCTGGTGTGTGCACAGGGCTGCCAGCTCTG  
 TCGGGCTGCCCTGGCTGCAGTCCCTCCCGCCTCCAGCACAGCAGGGAGCAGCAGACATTGCAAGTGGCT  
 GTGGCCACTGGAGGGCAGTGTGTAACGACACCCAGGCGCATCCTGGAAGAGACCCTGGCACCATTTT  
 AGCTGACCTTGGAGCAGATGACAGTGGTGCAGGCACAAATGCGGGAAGCCATGATCAGGGGGCTTCAAGG  
 AGAGGCCCTCCTCCCTCCGCATGCTGCCACTTACGTCCGAGCGACGCCGACGGCAGCGAGCGAGGTGAT  
 TTCTGGCCTTGGACCTAGGGGGCACCACCTCCGGGTCTGTTGGTACGAGTGGCGGAGGGCAGTGTGC  
 AGATCATCAACAGGTCTACTCCATTCTGAGTGTAGAGCCAGGGCTCTGGACAGAAGCTCTTTGACCA  
 TATTGTGACTGCATCGTGGACTTCCAGAAGAGGCAGGGCCTTAGTGGACAGAGCCTACCCCTGGGTTTC  
 ACCTTCTCTTTCCATGCAAGCAGCTTGGCCTGGACCAGGGCATCCTCCTGAATTGGACTAAGGGTTCA  
 ATGCATCAGGCTGTGAGGGCCAGGATGTTGTGTATCTATTACGGGAAGCCATTAGGCGCAGACAGGCAGT  
 GGAGCTGAATGTGGTTGCCATTGTCAATGACACGGTGGGGACCATTGATGTCTGTGGCTATGATGATCCC  
 CGTTGTGAGATGGGCCTCATTGTGCGAACCGGCACCAACGCCTGTTACATGGAAGAGCTCCGCAATGTGG  
 CAAGTGTGCCTGGGGACTCGGGCCTCATGTGCATCAACATGGAGTGGGGTGCCTTTGGGGATGATGGCTC  
 ACTGGGCACACTCAGCACCCGCTTTGACACCAGTGTGGACCAGGCATCCATCAATCCAGGCAAACAGAGG  
 TTTGAGAAAATGATCAGCGGTATGTACTTGGGGGAGATCGTCCGCCATATCCTCCTGCACTTAACCAATC  
 TCGGAGTCTCTTCCGAGGCCAGAAGACTCAATGCCTCAGGCCAGGGACATCTCAAGACTAAGTTCCT  
 CTCTGAGATCGAAAGTGATAGCCTGGCCCTGCGTCAGGTCCGAGCCATCCTGGAAGACTCTGGGGCTGACT  
 CTGACATCTGATGACGCTTGTGGTCCGGAAGTGTGCCAGGCTGTGTCTCGCAGGGCTGCCAACTCT  
 GTGGGGCAGGTGTGGCTGCCGTGGTGGAGAAGATTCCGGAGAACCAGGGCCTGCAGGAGCTGACAGTGTG  
 TGTGGGAGTAGATGGGACACTCTACAAGCTACATCCTCACTTCTCCAAGCTGGTGTGGCAACAGTCCGG  
 AAGCTAGCCCCTCAGTGCACCGTACCTTTTTGCAGTCGGAGGATGGGTCTGGCAAAGGCGCAGCTTTGG  
 TTAAGTGTGCTTGTGCCTTACCCAGATGGCCACGTC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR231309 representing NM\_001206391  
 Red=Cloning site Green=Tags(s)


MATIGPSGLHPGERASVCPHEGVPRPSGSL ELEC LQQFKVTRTQLQQIQASLLCSMEQALKGQDSPAPSV  
 RMLPTYVRSTPHGTEQGDFLVLELGATGASLRVLWVTLTGTKECRVEPRSREFVIPQEVILGAGQQLDF  
 AARCLSEFLDAYPVENQGLKLGFNFSFPCHQTGLDRSTLISWTKGFRCSGVEGQDVVQLLRDAIQRQGT  
 RIDVVAMVNDTVGTMGCELGTRPCEVGLIVDTGTNACYMEEARHVAALDEDRGRTCVSIEWGSFYDEDA  
 LGPVLTTFDSALDRESLTPGAQRFEKMI GGLYL GELVRLV L VHLTQHGV LFDGCASPALLSQGCILLDHV  
 AEMEDTATGTARVHTILQDLGLSPRASDAELVQYVCVAVCTRAAQLCAAALAAVL SRLQHSREQTLQVA  
 VATGGRVFERHPRRILEETLAPFQLTLEQMTVVQAQMREAMIRGLQGEASSLRMLPTYVRATPDGSE  
 RGD FLALDLGGTNFRVLLVRVAEGSVQIINQVYSIPECRAQSGQKLFDHIVDCIVDFQKRQGLSGQSL  
 PLGF TFSFPCKQLGLDQGILLNWTGKFNASGCEGQDVVYLLREAIRRRQAVELNVVAIVNDTVGTM  
 MCGYDDP RCEMGLIVGTGTNACYMEELRNVASVPGDSGLMCINMEWGAFGDDGSLGTLSTRFDT  
 SVDQASINPGKQR FEKMISSMYLGEIVRHILLHLTNLGV LFRGQKTQCLQARDIFKTKFLSEIES  
 DSLALRQVRAILEDLGLT LTSDDALMVLEVCQAVSRRAAQLCGAGVAAVVEKIRENRGLQELTVS  
 VGV DGTLYKLHPHF SKLVSATVR KLAPQCTVTF LQSE DGS GKGAALVTAVACRLTQMAHV


SGP TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-RsrII

**Cloning Scheme:**



**Plasmid Map:**


**ACCN:** NM\_001206391

**ORF Size:** 2631 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001206391.1](#), [NP\\_001193320.1](#)

**RefSeq Size:** 2894 bp

**RefSeq ORF:** 2634 bp

**Locus ID:** 212032

**Cytogenetics:** 13 B1

**MW:** 95.9 kDa

**Gene Summary:**

Catalyzes the phosphorylation of hexose, such as D-glucose and D-fructose, to hexose 6-phosphate (D-glucose 6-phosphate and D-fructose 6-phosphate, respectively). Mediates the initial step of glycolysis by catalyzing phosphorylation of D-glucose to D-glucose 6-phosphate. [UniProtKB/Swiss-Prot Function]