

## Product datasheet for **MR231412**

### **Hdac7 (NM\_001204276) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Hdac7 (NM_001204276) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Hdac7
Synonyms:	5830434K02Rik; HD7; HD7a; Hdac7a; mFLJ00062
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide Sequence:**

>MR231412 representing NM\_001204276  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGACCTGCGGGTGGGCCAGCGCCACGGTGGAGCCCCACCAGACCTGCGCTGCTGACCTGCAAC  
 ACCCCCAACGCCTGCACCGCCATCTTCTTGGCAGGCTTACACCAGCAACAGCGCTCAGCCGAGCCAT  
 GAGGCTCTCCATGGACCCACCAATGCCGGAGCTGCAGGGGGACAGCAGGAGCAAGAACTTCGGCAACTT  
 CTCAATAAAGACAAGAGCAAGCGAAGTGCCGTAGCCAGCAGTGTGGTCAAGCAGAAGCTGGCTGAAGTGA  
 TCCTGAAGAAACAGCAGGCAGCCCTTGAGAGAACAGTCCATCCCAGCAGCCCCAGTATCCCTACAGAAC  
 TCTTGAGCCCTTGACACAGAGGGTGTGCCCGCTCCGTGCTTAGCAGCTTCTGCCTCTGTGCCAGC  
 CTGCCACTGAACCCCGGAACACTTCCCTTGCCTAAAACAGTGTCTGAACCCAACTGAAGTTGCGCT  
 ACAAACCAAGAAATCCCTGGAGAGACGAAGAATCCCCTGCTCAGGAAGGAGAGTGCCCGCCAGCCT  
 TCGGAGGAGGCCGCGAGACCCCTTGAGATTCTCCCCAGTAGTAGCAGCACACCCGCGTCAGGGTGC  
 AGCTCCCCTAATGACAGCGAGCATGGCCCTAACCTGCCCTAGGCTCAGAGGCGCTCTTGGGCCAGCGGC  
 TGGCGCTGCAGGAGACTTCTCTGCCCGTTTCGCTTGGCCGACAGTGTCTTGTGCCCGCAATCACT  
 GGGGCTGCCTGCCCTGCCAGGGCTGATGGTGACCGCAGGACCCATTCACTTTAGGCCCTCGGGTCTCT  
 GTACTGGGAACCCCATGCTCCCTCTTCTGCACCACGGTCTGGAGCCAGAGGCTGGGGGCACCTTAC  
 CCTCTCGCTGCAACCCATTCTCTGCTGGACCCCTCAGTCTCTCATGCCCACTGTGGACTGTGCCTGG  
 CCTTGGGCCCTTGCCCTTCCACTTGGCCAGCCCTTACTGACCACCGAGCGGCTCTCTGGGTGAGCCTC  
 CATCGACCACTTAACCGGACCCGCTCAGAGCCCTGCCCGCCAGCGCCACAGCCTCCCTCTGTGGCC  
 CCCTGCAGCCCGCCAGGATCGGCTCAAACCTCACGTCCAGCTGATCAAGAGGCTGCCAAGCCCTGGA  
 GAAGCCCGACTGCGACAGATACCCTCGGCTGAGGACCTAGAGACAGATGGTGGGGAGTGGGACCTATG  
 GCGAATGATGGCCTGGAACATAGGGAGTCAAGCCGTGGGCTCCTGAGGGCAGAGGCTCCATTTCTCTGC  
 AGCAGCATCAACAGGTGCCACCTGGGAGCAGCAGCATCTAGCCGGGCGGCTCTCTCAGGGAAGCCCGG  
 GGACTCCGTGCTGATACCTCTGGCCAGGTTGGACACCGGCCCTGTCCAGAACCAGTCTTCCCAGCA  
 GCACCTGTCTCCCTGCTGAGCCAGAGCCACCTGTGAGACCAAGTCTCAACAGCTCAGAGACACCTG  
 CTACAGGGCTGGTCTATGACTCGGTGATGCTGAAACACCAATGTTCTGTGGAGACAACAGCAAGCATCC  
 CGAGCATGCAGGCCGATCCAGAGCATCTGGTCCCGGCTGCAGGAACGGGGTCTCCGAGCCAGTGTGAG  
 TGTCTCCGAGGCCGAAAGGCTTCCCTAGAGGAGTGCAGTCCAGTCCACTGTAACGGCAGTGTCTCTCT  
 ACGGCAGGAACCACTCAGCCGCTCAAACCTGGATAACGGGAAGCTTACAGGACTCCTGGCAGCGGAC  
 GTTTGTGATGCTACCCTGTGGCGGGGTTGGGGTGCATACTGACACCATCTGGAACGAGTGCATTCTCC  
 AATGCAGCCCGCTGGGCTGCGGGCAGTGTACCGACCTTGCCCTCAAAGTAGCTTCCCAGAGCTGAAGA  
 ATGGCTTTGCTGTGGTGCACCCCGGGACACCATGCAGATATTCTACAGCCATGGGCTTCTGCTTCTT  
 CAACTCCGTGGCCATCGCTGCCGACAGCTACAGCAACACGGCAAAGCCAGCAAGATCCTCATTGTTGAC  
 TGGGATGTTACCATGGCAACGGCACACAGCAGACTTCTACCAGGACCCAGTGTGCTTACATTTCCC  
 TTCATCGCCATGACGACGGCAACTTCTCCAGGACAGTGGGGCCGTGGATGAGGTGGAACTGGCAGTGG  
 CGAGGGCTTCAATGTCAACGTGGCTTGGGCTGGGGCTTGATCCACCCATGGGGGATCCTGAGTACCTG  
 GCTGCTTTCAGGATAGTGGTGTGCCCCATTGCCGAGAGTTTGTCCAGACCTGGTCTGTGTCTGCTG  
 GGTTTGTGCTGCGGAGGGTACCCAGCCCGCTGGGTGGCTACCATGTTTCTGCCAAATGTTTTGGGTA  
 CATGACGAGCAGTTGATGAACTTGGCAGGAGCGCCGTGGTGTGGCCTTAGAGGGTGGACATGACCTC  
 ACGGCCATCTGTGATGCCTCGGAGGCTGTGTAGCTGCTTCTGGGCAACAAGTGGACCCCTTTCAG  
 AAGAAAGTGGAAACAGAAACCAACCTCAGTCCATCCGCTCGTGGAAGCTGTGGTCAAGGTGCACAG  
 GAAATACTGGGGTGCATGCAGCGCTTGGCCTCTGTCCAGACTCCTGGTACCCAGAGTCCCGGGAGCT  
 GATGCAGAAGTGAAGCCGTGACCGGCTGGCATCCCTTCTGTGGGCATCCTGGCTGAAGACAGGCCCT  
 CGGAGCGGCTGGTGAAGAGGAAGAACCATGAACCTC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR231412 representing NM\_001204276  
 Red=Cloning site Green=Tags(s)


```
MDLRVQGQRPTVEPPPEPALLTLQHPQRLHRHLFLAGLHQQRSAEPMRLSMDPPMPELQGGQQEQELRQL
LNKDKSKRSVAVASSVVKQKLAEVLKKQQAALERTVHPSSPSIPYRTLEPLDTEGAARSVLSFLPPVPS
LPTEPEHFPLRKTVSEPNLKLRYKPKKSLERRKNPLLRKESAPPSLRRRPAETLGDSSPSSSTPASGC
SSPNDSEHGPNPALGSEALLGQRLRLQETSLAPFALPTVSLLPAILGLPAPARADGDRRTHSTLGPGRG
VLGNPHAPLFLHHGLEPEAGGTLPSRLQPILLDPSVSHAPLWTVPLGLPLPFHF AQPLLTERLSGSGL
HRPLNRRTRSEPLPPSATASPLLAPLQPRQDRLKPHVQLIKRPAKPKSEKPRLRQIPSAEDLETDGGGVGPM
ANDGLEHRESGRGPEGRGSI SLQQHQVPPWEQQHLAAGRLSQGSPGDSVLIPLAQVGHRLSRTQSSPA
APVSLLSPEPTCQTQVLNSSETPATGLVYDSVMLKHQCSCGDNSKHPEHAGRIQSIWSRLQERGLRSQCE
CLRGRKASLEELQSVHSEHVLLYGTNPLSRLKLDNGKLTGLLAQRTFVMLPCGGVGVDTDTIWNELHSS
NAARWAAGSVTDLAFKVASRELKNGFAVVRPPGHADHSTAMGFCFFNSVAIACRQLQQHGKASKILIVD
WDVHHNGTQQTIFYQDPSVLYISLHRHDDGNFFPGSGAVDEVGTGSGEGFNVNVAWAGGLDPPMGDPEYL
AAFRIVMPIAREFAPDLVLSAGFDAEAGHPAPLGGYHVS AKCFGYMTQQLMNLAGGAVVLALEGGHDL
TAICDASEACVAALLGNKYDPLSEESWKQKPNLSAIRSLEAVVRVHRKYWGCMQRLASCPD SWLPRVPGA
DAEVEAVTALASLSVGILAEDRPSERLVEEEPMNL
```


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**


**ACCN:** NM\_001204276

**ORF Size:** 2838 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001204276.1](#), [NP\\_001191205.1](#)

**RefSeq Size:** 4387 bp

**RefSeq ORF:** 2841 bp

**Locus ID:** 56233

**UniProt ID:** [Q8C2B3](#)

**Cytogenetics:** 15 F1

**MW:** 102.7 kDa

**Gene Summary:** Responsible for the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4). Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Histone deacetylases act via the formation of large multiprotein complexes. Involved in muscle maturation by repressing transcription of myocyte enhancer factors such as MEF2A, MEF2B and MEF2C. During muscle differentiation, it shuttles into the cytoplasm, allowing the expression of myocyte enhancer factors. Positively regulates the transcriptional repressor activity of FOXP3 (By similarity). Serves as a corepressor of RARA, causing its deacetylation and inhibition of RARE DNA element binding (By similarity). In association with RARA, plays a role in the repression of microRNA-10a and thereby in the inflammatory response (By similarity).[UniProtKB/Swiss-Prot Function]