

## Product datasheet for **MR231431**

### Arhgef2 (NM\_001198913) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Arhgef2 (NM_001198913) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Arhgef2
Synonyms:	AA408978; GEF; GEF-H1; GEFH1; Lbcl1; Lfc; LFP40; mKIAA0651; P40
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MR231431 representing NM\_001198913  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGAAGGAAGCTAAAGATGCCCGCTATACCAACGGCCACCTCTTACCACCATCTCCGTCTCCGGCATGA  
 CCATGTGCTATGCTGTAAACAAGAGCATCACAGCCAAGGAAGCCCTCATTGTCTCATATGTAACGTGAC  
 CATCCACAACCGCTGTAAGACACCCTGGCCAACCTGTACCAAGGTCAAGCAGAAGCAACAGAAAAGCTGCA  
 CTGCTGAGGAACAACACTGCTTTGCAGTCTGTCTCCCTTTCGAACGACCACCAGAGAGCGGCCAACGTCTG  
 CCATTTACCTTCCGACAGCTTCCGGCAGTCCCTCCTGGGTTCTCGGCGGGGCTCTCTCTTATCTTT  
 GGCCAAAAGTGTTTCCACTACCAACATTGCTGGACATTTCAATGATGAGTCTCTCTGGGCTGCGTCAG  
 ATCCTCTCCAGTCCACAGACTCCCTCAACATGCGGAACCGAACCTGTCCGTGGAATCCCTTATTGATG  
 AAGGTGTAAGAAGTGTCTACAATGAGCTGATGAGCGACTTTGAGATGGATGAGAAGGACTTTGAGCGGA  
 TTCTTGGAGCCTTGCCGTGGACAGCAGCTTCTGCAGCAGCACAAAAGGAAGTGAAGAAGCAAGAT  
 GTCATCTATGAGCTGATCCAGACAGAGCTGCACCACGTGAGAACCTTGAAGATTATGACCCGCTCTTTC  
 GCACTGGGATGCTGGAAGAGTTGCAGATGGAGCCAGAAGTGGTCCAGGGCCTGTTCCCTGCGTGGATGA  
 ACTCAGTGACATTCACACACGTTTCTTAATCAGCTTCTGGAACGGCGGCCAGGCTCTATGTCCAGGC  
 AGCACCCGGAACCTTGTCCATCCATCGTTTGGGTGACTTGTCTATCAGTCACTTCTCAGGTTCCAATGCTG  
 AGCAGATGCGCAAGACCTACTCAGAGTTCTGCAGCCGCCACCAAGGCCTTAAAGCTCTATAAGGAGCT  
 GTATGCTCGAGACAAACGCTTCCAACAGTTCATCCGAAAATGACCCGCTCAGCTGTGTTGAAGCGGCAT  
 GGAGTTCAGGAATGCATTCTCTGGTACTCAGCGGATACCAAAATACCCTGTGCTATCAACAGAATCC  
 TGCAGAATCCACGGGTTGAAGAAGAGTACCAAGACTTGGCGTCAGCCCTAGGACTAGTGAAGGAGTT  
 GTTGTCCAATGTGGACCAGGATGTGCACGAGCTGGAGAAAAGAGGCCCGCTGCAGGAGATTTACAACCGA  
 ATGGATCCCCGGGCTCAGACCCCGTACCTGGCAAGGGCCCTTTCGGCCGAGATGAACTTTTACGGAGAA  
 AACTTATCCATGAAGGCTGCCTGCTCTGGAAGACAGCCACAGGCCGCTTCAAAGATGTCTGTTGCTGCT  
 GATGACAGATGTGCTCGTGTCTTCCAGAAAAGGACCAGAAAATACATTTTACGTCTCTGGACAAGCCC  
 TCAGTGGTGTCTTGCAGAACCTCATCGTAAGAGACATAGCCAACCAGGCGAAAGGGATGTTTCTGATTA  
 GTTCTGGACCGCCTGAGATGTATGAGGTGCATGCAGCGTCCCAGACGACCGGACTACCTGGATCCGTGT  
 CATCCAGCAGAGTGTGCGCTGTGCCCTCCAGGGAGGACTTTCCTCTGATCGAGACAGAGGATAAGGCG  
 TATCTCCGGAGGATCAAGACGAACTGCAGCAGAAAACCAGGCGCTAGTGGAGCTGCTACAGAAGATG  
 TTGAGCTGTTTGGCGAGATGGTCCACTTCCAGGCCTTAAAGGCTGGCTTGGTTGGAATGCCCCACCCGC  
 CCTGCCAGGGGCTTTTCCGTCTTGTGCTTGTGAGTCCCTCCGAGGCGAGCGCCTGCTAAAGGATGCC  
 CTCCGTGAAGTGAAGGCTGAAAGACCTGCTGTTGGGCCATGTGTGGACCTGCCTATGACATCCCGAG  
 AACCAGCCTTACCCTTGGACTCTGACAGCGGTAGCTGTCTGGGTCCTGCCAATGGAGAGGCCAGAAC  
 CTTCAATGGTCCATTGAACTCTGTAGAGCAGACTCGGATTCAGCCAGAAGGATCGGAATGGAATCAG  
 TTGAGATCACACAGGAGGAGGTGTTACAGCCATTGATCAATCTTATGGACTTCTACATGGCCTGCAGG  
 CTGTTGTGGTCCAGCAGGAAAGACTGATGGAAGCCCTGTTCCCTGAGGGCCCTGAACGGTGGGAAAAGCT  
 ATCCCGAGCCAACCTCTCGGGATGGTGAAGCTGGCCGGCTGCGGTTGCTTCTGTAACCTCTGAGAAGCAG  
 GCCACGGAGCTGGCACTACTGCAGAGGCAACACACCCTGTTGCAGGAAGAGCTGCCGCGCTGCCAGCGGC  
 TCGGGGAAGAGCGGGCAACTGAAGCTGGCAGCCTGGAGGCCAGGCTCCGAGAGAGCGAGCAAGCCCGGGC  
 CCTGCTGGAGCGGGAGGCTGAAGAGATCCGCCGCGAGCTTGCAGCCTTGGCCAAAACGAGCCACTCCCG  
 GCAGAAGCGCCCTGGGCTCGCAGGCTCTGACCACGCGCGCCGAGCCTTCCAGCGGGCAGCCTTTAT  
 ACTTGAGCTTCAATCCCCCAGCCAGTGCAGGCCATGACCGCCTGGATTTGCCTGTGACTGTTCTGTT  
 CCTCCACCGACCCTTTGATGACCAGAGGCGCAAGAACTTGGTAGCCCGAGGATCGACTACAGGACAGC  
 AGTGACCCTGATACTGGTAGTGAGGAGGAAGTCACTAGCCGCTGTCTCCACCTCACAGTCTCGAGACT  
 TCACCCGAATGCAGGACATTCCTGAAGAGACAGAAAAGCCGAGATGGGAGCCACAGCTTCAGAGAGC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR231431 representing NM\_001198913  
 Red=Cloning site Green=Tags(s)


MKEAKDARYTNGHLFTTISVSGMTMCYACNKSITAKEALICPTCNVTIHNRCKDTLANCTKVQKQKAA  
 LLRNNTALQSVSLRTTTRERPTSAIYPSDSFRQSLGSRRLSSLAKSVSTTNIAGHFNDESPGLRQ  
 ILSQSTDSLNMNRNRTLSVESLIDEGVEVFYNELMSDFEMDEKDFEADSWSLAVDSSFLQQHKKEVMKKQD  
 VIYELIQTELHHVRTLKIMTRLFRTGMLEELQMEPEVVQGLFPCVDELSDIHRFLNQLLERRRQALCPG  
 STRNFVIHRLGDLLISQFSGSNAEQMRKTYSEFCSRHTKALKLYKELYARDKRFQFIRKMTRSVAVLKRH  
 GVQECILLVTQRITKYPVLINRILQNSHGVEEYQDLASALGLVKELLSNVDQDVHELEKEARLQEIYNR  
 MDPRAQTPVPGKPGFGRDELLRRKLIHEGCLLWKTATGRFKDVLVLLMTDVLVFLQEKDQKYIFTSLDKP  
 SVVSLQNLIVRDIANQAKGMFLISSGPPEMYEVHAASRDDRTTWIRVIQQSVRLCPSREDFPLIETEDKA  
 YLRRIKTKLQKQNALVELLQKNVELFAEMVHFQALKAGFVGMPPALPRGLFRLESFESLRGERLLKDA  
 LREVEGLKDLLGPCVDLPMTSREPALPLDSDSGSCPGVTANGEARTFNGSIELCRADSDSSQKDRNGNQ  
 LRSPQEEVLQPLINLYGLLHGLQAVVVQERLMEALFPEGPERWEKLSRANSRDGEAGRAAVASVTEKQ  
 ATELALLQRQHTLLQEELRRCQRLGEERATEAGSLEARLRESEQARALLERAEIEIRRQLAALGQNEPLP  
 AEAPWARRPLDPRRRSLPAGDALYLSFNPPQPSRGHDRLDLPVTVRSLHRPFDDREAQELGSPEDRLQDS  
 SDPDTGSEEEVSSRLSPPHSPRDFTRMQDIPETESRDGEPTASES

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_001198913

**ORF Size:** 2868 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001198913.2</a>
<b>RefSeq Size:</b>	4284 bp
<b>RefSeq ORF:</b>	2871 bp
<b>Locus ID:</b>	16800
<b>UniProt ID:</b>	<a href="#">Q60875</a>
<b>Cytogenetics:</b>	3 F1
<b>MW:</b>	109 kDa
<b>Gene Summary:</b>	Activates Rho-GTPases by promoting the exchange of GDP for GTP. May be involved in epithelial barrier permeability, cell motility and polarization, dendritic spine morphology, antigen presentation, leukemic cell differentiation, cell cycle regulation, innate immune response, and cancer. Binds Rac-GTPases, but does not seem to promote nucleotide exchange activity toward Rac-GTPases. May stimulate instead the cortical activity of Rac. Inactive toward CDC42, TC10, or Ras-GTPases. Forms an intracellular sensing system along with NOD1 for the detection of microbial effectors during cell invasion by pathogens. Involved in innate immune signaling transduction pathway promoting cytokine IL6/interleukin-6 and TNF-alpha secretion in macrophage upon stimulation by bacterial peptidoglycans; acts as a signaling intermediate between NOD2 receptor and RIPK2 kinase. Contributes to the tyrosine phosphorylation of RIPK2 through Src tyrosine kinase leading to NF-kappaB activation by NOD2. Overexpression activates Rho-, but not Rac-GTPases, and increases paracellular permeability (By similarity). Involved in neuronal progenitor cell division and differentiation (PubMed:28453519). Involved in the migration of precerebellar neurons (PubMed:28453519). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR231431