

Product datasheet for **MR231593**

AbI1 (NM_001283046) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: AbI1 (NM_001283046) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: AbI1
Synonyms: Abl; AI325092; c-Abl; E430008G22Rik
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR231593 representing NM_001283046
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGATATCTTTTGACCTTCTCAGTGATGAGCTGCACTTGAACCTTCTCGTTTTGGATGTAGAAGCCCTGC
AGAGGCCAGTGGCATCTGACTTTGAGCCCCAGGGTCTCAGCGAAGCAGCTCGATGGAACCTCAAGGAAAA
CCTTCTTGCTGGGCCAGTGAAAATGACCCCAACCTTTTTGTGGCACTCTATGATTTTGTGGCCAGTGG
GATAACACTCTCAGCATCACTAAAGGTGAAAAGCTCCGGGTCTTGGGTTATAATCACAATGGGGAATGGT
GTGAAGCCCAACGAAAAATGGCCAAGGATGGGTCCCAAGCAACTACATCACCCCGTCAACAGCCTGGA
GAAACATTCCTGGTATCATGGCCCTGTATCTCGGAATGCTGCTGAGTATCTGCTGAGCAGCGGAATCAAC
GGCAGCTTCTTAGTGCGGGAGAGTGAGAGTAGCCCTGGCCAGAGATCCATCTCGTGCAGTATGAAGGGA
GGGTGTACCACTACAGGATCAACACTGCCTCTGATGGCAAGCTGTACGTGTCTCCGAGAGCCGCTTCAA
CACTCTGGCTGAGTTAGTTCACCATCACTCCACGGTGGCTGATGGCCTCATCACCACTCCACTACCCA
GCTCCCAAGCGCAACAAGCCCACTATCTACGGTGTGTCCCCAACTACGACAAGTGGGAAATGGAGCGCA
CCGACATCACCATGAAGCACAAGTTGGGTGGAGGCCAGTACGGGGAGGTGTACGAGGGCGTTTGGAAAGAA
GTACAGCCTCACTGTGGCCGTGAAGACCTTGAAGGAGGACACCATGGAGGTGGAGGATTCCTGAAGGAA
GCGGGCGTGATGAAGGAGATCAAACACCCTAACCTGGTGCAGCTGCTAGGGGTGTGTACCCGGAACCA
CATTCTACATAATCACTGAGTTCATGACCTATGGGAACCTGCTGGACTACCTGAGGGAGTGAACCGGCA
GGAGGTGAGCGCCGTGGTACTGCTCTACATGGCCACACAGATCTCATCAGCCATGGAGTACTTGGAGAAG
AAGAACTTCATCCACAGAGACCTTGCTGCCGGAACCTGCCTGGTAGGGGAAAACCACTTGGTGAAGGTGG
CTGATTTTGGCCTGAGCAGGTTGATGACAGGGGACACCTACACGGCCATGCTGGAGCCAAATCCCCAT
CAAATGGACCGCACCTGAGAGCCTGGCCTACAACAAGTTCTCCATCAAGTCGACGTGTGGCATTGGGA
GTATTGCTCTGGGAGATTGCTACCTATGGCATGTCACCTTACCCGGAATTGACCTGTCTCAGGTTTATG
AGCTGCTGAAAAAGACTACCGCATGGAGCGCCCTGAAGGCTGCCCGGAGAAGGTCTACGAGCTCATGCG
AGCATGTTGGCAGTGAACCCCTCTGACCGGCCCTCCTTTGCTGAAATCCACCAAGCCTTTGAAACCATG
TTCCAGGAATCCAGTATCTCAGATGAGGTGGAGAAGGAGCTGGGGAAACGAGGCACGAGAGGAGGTGCTG



```

GGAGTATGCTGCAGGCCCCAGAGCTGCCACCAAGACCAGAACCTGCAGGAGAGCAGCTGAGCAGAAAGA
TGC GCCTGACACCCCTGAGCTGCTCCACACGAAGGGCCTGGGAGAAAAGCGATGCACTGGACAGTGAGCCT
GCTGTATCGCCACTGCTTCTCGGAAAGAGCGCGGGCCCCAGACGGCAGCCTAAATGAAGATGAGCGCC
TTCTCCCCAGAGACAGAAAGACCAACCTGTTACAGCGCTTTGATCAAGAAGAAGAAGAAAATGGCGCCGAC
GCCCCCTAAGCGCAGCAGTTCTTCCGAGAGATGGATGGCCAGCCAGACCCGAGAGGGGCTAGTGAGGAT
GACAGCAGGGAACCTCTGCAATGGACCACCAGCTCTCACCTCAGACGCAGCAGAGCCTACCAAGTCCCCAA
AGCCAGCAATGGGGCTGGCGTCCCTAATGGAGCCTTCCGGGAGCCGGGCACTCAGGCTCCGTTCTCC
CCACATGTGGAAAAAGTCCAGCACACTGACCGGGAGCCGCTGGCTGCTGCCGAAGAGGAGAGCGGCATG
AGCTCCAGTAAGCGCTTCTGCGTTCTTGTTCGGCCTCCTGCATGCCCATGGGGCAAGGGACACAGAGT
GGCGGTGGTACGCTGCCTCGAGACTGCCGTCTGCTGGCAAGCAGTTTGA CT CATCCACCTTTGGAGG
GCACAAAAGCGAAAAGCCAGCTCTGCCTCGAAAACGCACCAGTGAGAGCAGGTCTGAGCAGGTGGCCAAA
AGCACGGCGATGCCCCCTCCCGGCTGGTGAAGAAGAACGAGGAGGCTGCTGAAGAAGGCTTCAAAGACA
CAGAATCCAGCCCTGGCTCCAGCCCTCCAGCTTGACTCCCAA CTCTCCGAGGCAGGTCACTGCCTC
TCCTTCTCTGGCTCTCTACAAGGAAGAGGCCACCAAGGGCAGTGCCTCAGGCATGGGGACTCCGGCC
ACTGCAGAGCCAGCACCCCCAGCAACAAAGTGGGCCTCAGCAAGGCCTCCTCTGAGGAGATGCGCGTAA
GGAGGCACAAGCAGACTCGGAGTCCCCAGGGAGAGACAAGGGGGGACTGGCTAAGCTCAAGCTGCCCC
GCCGCTCCTCCTGCCTGCACAGGAAAAGCAGGCAAGCCCGCACAGAGCCCCAGCCAAGAGGCCGGGGAG
GCAGGGGGGCCCAAAAGACAAAATGCACGAGTCTGGCTATGGATGCTGTGAACACTGACCCCAAGG
CCGGCCCCACTGGAGAAGGACTGAGAAAGCCTGTGCCCCATCTGTGCCAAAGCCCCAGTCGACGGCTAA
GCCTCCAGGGACTCCCACCAGCCGGTCTCCACCCCTCCACAGCACCAGCTCCTTACCCTGGCTGGG
GACCAGCAGCCATCTTCTGCCGCTTATCCCCCTCATATCAACCCGTGTGTCTTATAGGAAGACCCGCC
AGCCGCGAGAGCGCATTGCCAGTGGCACCATACCAAGGGTGTGGTCTGGACAGTACTGAGGCCCTGTG
CCTTGCCATCTCCCGAACTCAGAGCAGATGGCCAGCCACAGTGTACTGGAGGCTGGCAAGAAGCTG
TACACTTTCTGTGTGAGCTATGTGGACTATCCAGCAGATGAGGAACAAGTTTGCTTCCGTGAGGCTA
TCAACAAGCTGGAGAGCAACCTCCGAGAGCTGCAGATCTGCCCTGCCACAGCCTCAGTGGGCCAGCTGC
CACCCAAGACTTCAGCAAGCTGCTCAGCTCTGTGAAGGAGATCAGCGACATTGTCCGGAGG

```

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR231593 representing NM_001283046
Red=Cloning site Green=Tags(s)

```

MISFDLLSDELHLKLLVLDVEALQRPVASFEPQGLSEARWNSKENLLAGPSENDPNLFVALYDFVASG
DNTLSITKGEKLRVLYGNHNGEWCEAQTKNQGQWVPSNYITPVNSLEKHSWYHGPVSRNAEYLLSSGIN
GSFLVRESESSPQQRISLRYEGRVYHYRINTASDGKLYVSSERFNTLAELVHHHSTVADGLITTLHYP
APKRNKPTIYGVSPNYDKWEMERTDITMKHKLGGGOYGEVYEGVWKYSLTVAVKTLKEDTMEVEEFLKE
AAVMKEIKHPNLVQLLGVCTREPPFYIITEFMTYGNLLDYLRECNRQEVSAVLLYMATQISSAMEYLEK
KNFIHRDLAARNCLVGENHLVKVADFGLSRLMTGDTYTAHAGAKFPKWTAPESLAYNKFSIKSDVWAFG
VLLWEIATYGMSPYPGIDL SQVYELLEKDYRMERPEGCPEKVYELMRACQWNPSPDRPSFAEIHQAFETM
FQESSISDEVEKELGKRGTTRGGAGSMLQAPELPTKTRTRCRAAEQKDAPDTPPELLHTKGLGESDALDSEP
AVSPLLPRKERGPPDGS LNEDERLLPRDRKTNLF SALIKKKKMAPTPPKRSSSFREMDGQPPDRGASED
DSRELCNGPPAL TSDAAEPTKSPKASNGAGVPNGAFREPGNSGFRSPHMWKSSTLTGSRLAAAAEESGM
SSSKRFLRSCSASCMPHGARDTEWRSVTLPRDLPSAGKQFDSSTFGGHKSEKPALPRKRTSESRSEQVAK
STAMPPPRLVKKNEEAAEEGFKDTESSPGSSPSSLTPKLLRRQVTASPSSGLSHKEEATKGSASGMGTPA
TAEPAPPSNKVGLSKASSEEMRVRHHSSESPGRDKGRLAKLPAPPPPPACTGKAGKPAQSPSQEAGE
AGGPTKTKCTSLAMD AVNTDPTKAGPPGEGLRKPVPPSPVKPQSTAKPPGTPTSPVSTPSTAPAPSPLAG
DQQPSSAAFIPLI STRVSLRKTRQPPERIASGTITKGVLDSTEALCLAI SRNSEQMASHSAVLEAGKNL
YTFCVSYVDSIQMRNKFAFREAINKLESNLRELQICPATASSGPAATQDFSKLLSSVKEISDIVRR


```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:

Plasmid Map:


ACCN: NM_001283046

ORF Size: 3351 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001283046.1</u> , <u>NP_001269975.1</u>
RefSeq Size:	7367 bp
RefSeq ORF:	3354 bp
Locus ID:	11350
UniProt ID:	<u>P00520</u>
Cytogenetics:	2 B
MW:	122.6 kDa

Gene Summary:

Non-receptor tyrosine-protein kinase that plays a role in many key processes linked to cell growth and survival such as cytoskeleton remodeling in response to extracellular stimuli, cell motility and adhesion, receptor endocytosis, autophagy, DNA damage response and apoptosis. Coordinates actin remodeling through tyrosine phosphorylation of proteins controlling cytoskeleton dynamics like WASF3 (involved in branch formation); ANXA1 (involved in membrane anchoring); DBN1, DBNL, CTTN, RAPH1 and ENAH (involved in signaling); or MAPT and PXN (microtubule-binding proteins). Phosphorylation of WASF3 is critical for the stimulation of lamellipodia formation and cell migration. Involved in the regulation of cell adhesion and motility through phosphorylation of key regulators of these processes such as BCAR1, CRK, CRKL, DOK1, EFS or NEDD9. Phosphorylates multiple receptor tyrosine kinases and more particularly promotes endocytosis of EGFR, facilitates the formation of neuromuscular synapses through MUSK, inhibits PDGFRB-mediated chemotaxis and modulates the endocytosis of activated B-cell receptor complexes. Other substrates which are involved in endocytosis regulation are the caveolin (CAV1) and RIN1. Moreover, ABL1 regulates the CBL family of ubiquitin ligases that drive receptor down-regulation and actin remodeling. Phosphorylation of CBL leads to increased EGFR stability. Involved in late-stage autophagy by regulating positively the trafficking and function of lysosomal components. ABL1 targets to mitochondria in response to oxidative stress and thereby mediates mitochondrial dysfunction and cell death. In response to oxidative stress, phosphorylates serine/threonine kinase PRKD2 at 'Tyr-717' (By similarity). ABL1 is also translocated in the nucleus where it has DNA-binding activity and is involved in DNA-damage response and apoptosis. Many substrates are known mediators of DNA repair: DDB1, DDB2, ERCC3, ERCC6, RAD9A, RAD51, RAD52 or WRN. Activates the proapoptotic pathway when the DNA damage is too severe to be repaired. Phosphorylates TP73, a primary regulator for this type of damage-induced apoptosis. Phosphorylates the caspase CASP9 on 'Tyr-191' and regulates its processing in the apoptotic response to DNA damage. Phosphorylates PSMA7 that leads to an inhibition of proteasomal activity and cell cycle transition blocks. Regulates T-cell differentiation in a TBX21-dependent manner (PubMed:21690296). Phosphorylates TBX21 on tyrosine residues leading to an enhancement of its transcriptional activator activity (PubMed:21690296).[UniProtKB/Swiss-Prot Function]