

Product datasheet for MR231595

AbI1 (NM_001283045) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	AbI1 (NM_001283045) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	AbI1
Synonyms:	Abl; AI325092; c-Abl; E430008G22Rik
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>MR231595 representing NM_001283045 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGTCACAAGGTGGACCTACCCAAGTGCCGCTACAAAGGGATCCCGCTCTACCATTTATGGAAGCCC
TGCAGAGGCCAGTGGCATCTGACTTTGAGCCCCAGGGTCTCAGCGAAGCAGCTCGATGGAAGCTCCAAGGA
AAACCTTCTTGCTGGGCCAGTAAAATGACCCCAACCTTTTTGTGGCACTCTATGATTTTGTGGCCAGT
GGAGATAACACTCTCAGCATCACTAAAGGTGAAAAGCTCCGGGTCTTGGTTATAATCACAAATGGGGAAAT
GGTGTGAAGCCAAACGAAAAATGGCCAAGGATGGGTCCCAAGCAACTACATCACCCCGTCAACAGCCT
GGAGAAACATTCTGGTATCATGGCCCTGTATCTCGGAATGCTGCTGAGTATCTGCTGAGCAGCGGAATC
AACGGCAGCTTCTTAGTGCGGGAGAGTGAGAGTAGCCCTGGCCAGAGATCCATCTCGCTGCGGTATGAAG
GGAGGGTGTACCACTACAGGATCAACTGCCTCTGATGGCAAGCTGTACGTGTCCTCCGAGAGCCGCTT
CAACTCTGGCTGAGTTAGTTCACCATCACTCCACGGTGGCTGATGGCCTCATCACCACACTCCACTAC
CCAGCTCCAAGCGCAACAAGCCCACTATCTACGGTGTGTCCCCAACTACGACAAGTGGGAAATGGAGC
GCACCGACATCACCATGAAGCACAAGTTGGGTGGAGGCCAGTACGGGGAGGTGTACGAGGGCCTTTGGAA
GAAGTACAGCCTCACTGTGGCCGTGAAGACCTTGAAGGAGGACACCATGGAGGTGGAGGATTCCTGAAG
GAAGCGCGGTGATGAAGGAGATCAAACACCCTAACCTGGTGCAGCTGCTAGGGGTGTGTACCCGGGAAC
CACCATTCTACATAATCACTGAGTTCATGACCTATGGGAACCTGCTGGACTACCTGAGGGAGTGAACCG
GCAGGAGGTGAGCGCCGTGACTGCTCTACATGGCCACACAGATCTCATCAGCCATGGAGTACTTGGAG
AAGAAGAACTTCATCCACAGAGACCTTGTGCCCGGAAGTGCCTGGTAGGGGAAAACCACTTGGTGAAGG
TGGCTGATTTGGCCTGAGCAGTTGATGACAGGGGACACCTACACGGCCATGCTGGAGCCAAATTC
CATCAAATGGACCGCACCTGAGAGCCTGGCCTACAACAAGTTCTCCATCAAGTCGGACGTGTGGCATT
GGAGATTGCTCTGGGAGATTGCTACCTATGGCATGTCACCTTACCCGGGAATTGACCTGTCTCAGTTT
ATGAGCTGCTGGAAAAGACTACCGCATGGAGCGCCCTGAAGGCTGCCCGGAGAAGGTCTACGAGCTCAT
GCGAGCATGTTGGCAGTGAACCCCTCTGACCGGCCCTCCTTTGCTGAAATCCACCAAGCCTTTGAAACC
ATGTTCCAGGAATCCAGTATCTCAGATGAGGTGGAGAAGGAGCTGGGAAACGAGGCACGAGAGGAGGTG



[View online >](#)

CTGGGAGTATGCTGCAGGCCCCAGAGCTGCCACCAAGACCAGAACCTGCAGGAGAGCAGCTGAGCAGAA
 AGATGCGCCTGACACCCCTGAGCTGCTCCACACGAAGGGCCTGGGAGAAAAGCGATGCACTGGACAGTGAG
 CCTGCTGTATCGCCACTGCTTCTCGGAAAAGAGCGGGGCCCCAGACGGCAGCCTAAATGAAGATGAGC
 GCCTTCTCCCCAGAGACAGAAAGACCACTGTTACAGCGCTTGTATCAAGAAGAAGAAGAAAATGGCGCC
 GACGCCCCCTAAGCGCAGCAGTTCCTCCGAGAGATGGATGGCCAGCCAGACCCGAGAGGGGCTAGTGAG
 GATGACAGCAGGGAACCTGCAATGGACCACCAGCTCTCACCTCAGACGCAGCAGAGCCTACCAAGTCCC
 CAAAGCCAGCAATGGGGCTGGCGTCCCTAATGGAGCCTTCCGGGAGCCGGCAACTCAGGCTCCGTTCC
 TCCCCACATGTGAAAAAGTCCAGCACACTGACCGGGAGCCGCTGGCTGCTGCCGAAGAGGAGAGCGGC
 ATGAGCTCCAGTAAGCGCTTCTGCGTCTTGTTCGGCCTCCTGCATGCCCCATGGGCAAGGGACACAG
 AGTGGCGGTGGTACGCTGCCTCGAGACCTGCCGTCTGCTGGCAAGCAGTTTACTCATCCACCTTTGG
 AGGGCACAAAAGCGAAAAGCCAGCTCTGCCTCGGAAAACGACCAGTGAGAGCAGGTCTGAGCAGGTGGCC
 AAAAGCACGGCGATGCCCCCTCCCGGCTGGTGAAGAAGAACGAGGAGGCTGCTGAAGAAGGCTTCAAAG
 ACACAGAATCCAGCCCTGGCTCCAGCCCTCCAGCTTGACTCCCAAACCTCCTCCGAGGCAGGTCACTGC
 CTCTCCTTCTCTGGCCTCTCTACAAGGAAGAGGCCACCAAGGGCAGTGCCTCAGGCATGGGGACTCCG
 GCCACTGCAGAGCCAGCACCCCCAGCAACAAAGTGGGCTCAGCAAGGCCTCCTCTGAGGAGATGCGCG
 TAAGGAGGCACAAGCACAGCTCGGAGTCCCCAGGGAGAGACAAGGGGCGACTGGCTAAGCTCAAGCCTGC
 CCCGCCGCTCCTCTGCCTGCACAGGAAAAGCAGGCAAGCCCGCACAGAGCCCCAGCCAAGAGGCCGGG
 GAGGCAGGGGGGCCACAAAAGACAAAATGCACGAGTCTGGCTATGGATGCTGTGAACACTGACCCACCA
 AGGCCGGCCACCTGGAGAAGGACTGAGAAAGCCTGTGCCCCATCTGTGCCAAAGCCCCAGTCGACGGC
 TAAGCCTCCAGGGACTCCACCAGCCGGTCTCCACCCCTCCACAGCACCAGCTCCTTACCCCTGGCT
 GGGGACCAGCAGCCATCTTCCCGCCTTATCCCCCTCATATCAACCCGTGTGTCTTATAGGAAGACC
 GCCAGCCGCCAGAGCCATTGCCAGTGGCACCATACCAAGGGTGTGGTCTGGACAGTACTGAGGCCCT
 GTGCCTTGCATCTCCCGAACTCAGAGCAGATGGCCAGCCACAGTGTACTGGAGGTGGCAAGAAC
 CTGTACACTTTCTGTGTAGCTATGTGGACTCTATCCAGCAGATGAGGAACAAGTTTGCCTCCGTGAGG
 CTATCAACAAGCTGGAGGCAACCTCCGAGAGCTGCAGATCTGCCTGCCACAGCCTCCAGTGGGCCAGC
 TGCCACCAAGACTTCAGCAAGCTGCTCAGCTCTGTGAAGGAGATCAGCGACATTGTCCGGAGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR231595 representing NM_001283045
 Red=Cloning site Green=Tags(s)

MSQRWYTKCRVQRDPALPFMEALQRPVASFEPQGLSEARWNSKENLLAGPSENDPNLFVALYDFVAS
 GDNTLSITKGEKLRVLGYNHNGEWCEAQTKNGQGWVPSNYITPVNSLEKHSWYHGPVSRNAEYLLSSGI
 NGSFLVRESESSPGQRSISLRYEGRVYHYRINTASDGKLYVSSERSFNTLAELVHHHSTVADGLITTLHY
 PAPKRNKPTIYGVSPLYDKWEMERTDITMKHKLGGQYGEVYEGVWKKYSLTVAVKTLKEDTMEVEEFLK
 EAAVMKEIKHPNLVQLLVGCTREPPFYIITEFMTYGNLLDYLRECNRQEVSAVLLYMATQISSAMEYLE
 KKNFIHRDLAARNCLVGENHLVKVADFGLSRLMTGDTYTAHAGAKFPIKWTAPESLAYNKFISKSDVWAF
 GVLLWEIATYGMSPYPGIDLQVYELLEKDYRMERPEGCEPKVYELMRACWQWNPDRPSFAEIHQAFET
 MFQESSISDEVEKELGKRGTRGGAGSMLQAPELPTKTRTCRRAEQKDAPDTPPELLHTKGLGESDALDSE
 PAVSPLLPRKERGPPDGLNEDERLLPRDRKTNLFSALIKKKKMAPTPPKRSSSFREMDQPPDRRGASE
 DDSRELCNGPPALTSDAAEPTKSPKASNGAGVPNGAFREPGNSGFRSPHMWKKSSLTGSRLLAAEEESG
 MSSSKRFLRSCSASCMPHGARDTEWRSVTLPRDLPSAGKQFDSSTFGGHKSEKPALPRKRTSESRSEQVA
 KSTAMPPPPRLVKKNEEAEEGFKDTESSPGSSPPSLTPKLLRRQVTASPSGLSHKKEATKGSASGMGTP
 ATAEPAPPSNKVGLSKASSEEMRVRHKSSESPPGRDKRLAKLKPAPPPPPACTGKAGKPAQSPSQEAG
 EAGGPSTKTKCTSLAMDVNTDPTKAGPPGEGLRKPVPSPVPKPQSTAKPPGTPTSPVSTPSTAPAPSPLA
 GDQQPSSAAFIPLISTRVSLRKTRQPPERIASGTITKGVVLDSTEALCLATSRNSEQMASHSAVLEAGKN
 LYTFCVSYVDSIQMRNKFALREAINKLESNLRELQICPATASSGPAATQDFSKLLSSVKEISDIVRR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001283045.1</u> , <u>NP_001269974.1</u>
RefSeq Size:	6039 bp
RefSeq ORF:	3357 bp
Locus ID:	11350
UniProt ID:	<u>P00520</u>
Cytogenetics:	2 B
MW:	122.9 kDa

Gene Summary:

Non-receptor tyrosine-protein kinase that plays a role in many key processes linked to cell growth and survival such as cytoskeleton remodeling in response to extracellular stimuli, cell motility and adhesion, receptor endocytosis, autophagy, DNA damage response and apoptosis. Coordinates actin remodeling through tyrosine phosphorylation of proteins controlling cytoskeleton dynamics like WASF3 (involved in branch formation); ANXA1 (involved in membrane anchoring); DBN1, DBNL, CTTN, RAPH1 and ENAH (involved in signaling); or MAPT and PXN (microtubule-binding proteins). Phosphorylation of WASF3 is critical for the stimulation of lamellipodia formation and cell migration. Involved in the regulation of cell adhesion and motility through phosphorylation of key regulators of these processes such as BCAR1, CRK, CRKL, DOK1, EFS or NEDD9. Phosphorylates multiple receptor tyrosine kinases and more particularly promotes endocytosis of EGFR, facilitates the formation of neuromuscular synapses through MUSK, inhibits PDGFRB-mediated chemotaxis and modulates the endocytosis of activated B-cell receptor complexes. Other substrates which are involved in endocytosis regulation are the caveolin (CAV1) and RIN1. Moreover, ABL1 regulates the CBL family of ubiquitin ligases that drive receptor down-regulation and actin remodeling. Phosphorylation of CBL leads to increased EGFR stability. Involved in late-stage autophagy by regulating positively the trafficking and function of lysosomal components. ABL1 targets to mitochondria in response to oxidative stress and thereby mediates mitochondrial dysfunction and cell death. In response to oxidative stress, phosphorylates serine/threonine kinase PRKD2 at 'Tyr-717' (By similarity). ABL1 is also translocated in the nucleus where it has DNA-binding activity and is involved in DNA-damage response and apoptosis. Many substrates are known mediators of DNA repair: DDB1, DDB2, ERCC3, ERCC6, RAD9A, RAD51, RAD52 or WRN. Activates the proapoptotic pathway when the DNA damage is too severe to be repaired. Phosphorylates TP73, a primary regulator for this type of damage-induced apoptosis. Phosphorylates the caspase CASP9 on 'Tyr-191' and regulates its processing in the apoptotic response to DNA damage. Phosphorylates PSMA7 that leads to an inhibition of proteasomal activity and cell cycle transition blocks. Regulates T-cell differentiation in a TBX21-dependent manner (PubMed:21690296). Phosphorylates TBX21 on tyrosine residues leading to an enhancement of its transcriptional activator activity (PubMed:21690296).[UniProtKB/Swiss-Prot Function]