



ACTACCACCCAAAGATCAGGATCATCACTCAGATGCTGCAGTATCACAACAAGGCCATCTGCTCAACAT  
 CCCCAGCTGGAAGTGGAAAGAGGGTGATGACGCAATATGCCTTGACAGCTCAAGTTGGGTTTCATAGCC  
 CAGAGCTGTCTGGCTCAAGGCCTCTCCACAATGCTTGCCAATCTTTCTCTATGAGGTCATTCATAAAGA  
 TTGAGGAAGACACATGGCAGAAATACTACTTGGAAAGGAGTCTCCAATGAAATGTACACAGAATATCTCTC  
 CAGTGCCTTCGTGGGTCTGTCTTCCCTACTGTTTGTGAGCTGTGTTTGTGAAGCTTAAGCTCCTGATG  
 ATAGCCATTGAGTACAAGTCTGCCAACAGAGAGAGCCGAATATTAATTAACCCTGGGAACCACCTTAAGA  
 TCCAAGAAGTACTTTAGGATTTTTTCATCGCAAGTGTGCCAAAGAAGTTAAAAGGGCATTTTTTTACTG  
 CAAGGCCTGTCATGATGACGTCACAGATCCCAAAAAGAATTAAAAAATGTGGCTGCAGGCGGCTTGAAGAT  
 GAGCAGCCGCCAACCTGTACCAAAAAAAAAACAACGTAATGGGGCATGAGGAACTCGCCCAACACCT  
 CCCCAGCTGATGAGGCATGACCCCTTGTTAATTCCTGGCAATGATCAGATTGACAACATGGACTCCAA  
 TGTGAAAAAGTACGACTCCACTGGAATGTTTCACTGGTGTGCACCAAGGAGATTGAGAAAGTACTTTG  
 ACTCGAAGTGAAGCTGCCATGACTGTCTGAGTGGCCATGTCGTAGTCTGCATCTTTGGGGATGCAGCT  
 CAGCCCTGATTGGCTCCGGAACCTGGTATGCCACTTCGTGCTAGCAACTTTCACTATCATGAGCTCAA  
 ACACATTGTGTTTGTGGCTCCATTGAGTACCTCAAGAGGGAGTGGGAAACTGCACAACCTCCCGAAA  
 GTGTCCATATTGCTGTACACATTAAGTCGGGCTGATTTAAGGGCTGTCAACATCAACCTCTGTGACA  
 TGTGCGTTATCCTGTACGCAATCAGAATAATATTGATGATACTTCGCTTCAGGACAAGGAATGCATCTT  
 GCGTCACTCAACATCAATCTATGCAGTTTATGACAGCATCGGGGTCTTGAGGCTAATTCCTCAAGGA  
 TTCACACCTCCTGGAATGGACAGATCATCACCCGACAACAGCCAGTGCACGGGATGTTACGCCAGCCGT  
 CCATCACAACCTGGGGTCAACATTCCTCATCACGGAACCTCGTGAATGATACCAATGTTCAAGTTTTTGA  
 CCAAGACGATGACGATGACCCTGACACAGAGCTGTACCTCACACAGCCCTTTGCTTGTGGGACAGCATT  
 GCCGTGAGCGTCTGGACTCACTCATGAGCGGACATACTTCAATGACAATATCCTCACCTAATACGGA  
 CCCTGGTGACAGGAGGAGCCACACCAGAGCTCGAGGCTCTAATAGCTGAGGAGAATGCACTTCGAGGAGG  
 CTACAGCACTCCGCAGACATTGGCCAACAGGGACCGTTGCCGAGTGGCCAGTTAGCCCTGTTAGATGGT  
 CCCTTTGCAGACTTAGGGGATGGTGGTTGTTATGGTATCTGTTCTGCAAAGCTCTGAAAACATATAATA  
 TGCTTTGTTTTGGAATTTACCGCTGAGAGATGCCACCTCAGCACCCCCAGCCAGTGTACAAAAAGGTA  
 CGTCATACCAATCCTCCCTACGAGTTTGTGCTGTACCAACAGACCTGATCTTCTGCCTGATGCAGTTT  
 GACCACAACGCTGGCCAATCCCGGGCCAGTCTGTCTCATTCTCCCACTCCTCACAGTCGTCCAGTAAGA  
 AGAGCTCCTCCGTCCACTCCATCCCGTCCACAGCAAATCGGCCGAACCGGCCAAGTCCAGGGAGTCCCG  
 CGACAAACAGAACAGAAAAGAAATGTTTACAGA

AGCGGACCGACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR231662 representing NM\_001253377  
 Red=Cloning site Green=Tags(s)


MANGGGGGGGSSGGGGGGGGSGLRMSSNIHANHLSLDASSSSSSSSSSSSSSSSSSSSSVHEPKMDALI  
 IPVTMEVPCDSRQRMWAWFLASSMVTFFGGFLIILLWRTLKYLWTVCCCHCGGKTKEAQKINNGSSQADG  
 TLKPVDEKEEVAAEVGWMTSVKDWAGVMISAQTLTGRVLVVLVFALSIGALVIYFIDSSNPIESCQNFY  
 KDFTLQIDMAFNVFLLYFGLRFIAANDKLWFLEVNVSVDFFTVPPVFVSVYLNRSWLGRLRALRLI  
 QFSEILQFLNILKTSNSIKLVNLLSIFISTWLTAAAGFIHLVENSQDPWENFQNNQALTYWECVYLLMVTM  
 STVGYGDVYAKTTLGRLFMVFFILGGLAMFASYVPEIIELIGNRKKYGGYSYSAVSGRKHIVVCGHITLES  
 VSNFLKDFLHKDRDDVNVEIVFLHNISPNELEALFKRHFTQVEFYQGSVLNPHDLARVKIESADACLIL  
 ANKYCADPDAEDASNIMRVISIKNYHPKIRIITQMLQYHNKAHLLNIPSWNKEGDDAICLAELKLGFA  
 QSCLAQGLSTMLANLFSMRSFIKIEEDTWQKYYLEGVSNEMYTEYLSSAFVGLSFPTVCELCFVKLKLMM  
 IAIEYKSNANRESRILINPGNHLKIQEGTLGFFIASDAKEVKRAFFYCKACHDDVTDPKRIKCKGCRRLD  
 EQPPTLSPKKKQRNGGMRNSPNTSPKLMRHDPLLIPGNDQIDNMDSNVKKYDSTGMFHWCAPKEIEKVIL  
 TRSEAAMTVLSGHVVVICIFGDVSSALIGLRNLVMPLRASNPHYHELKHIVFVGSIEYLKREWETLHNFPK  
 VSILPGTPLSRADLRVNIINLCMVCVILSANQNNIDDTSLQDKECILASLNIKSMQFDDSIGVLQANSQG  
 FTTPGMDRSPDNVSPVHMLRQPSITTVGNIPITELVNDTNVQFLDQDDDDDPDTELYLTQPFACGTAF  
 AVSVLDSLMSATYFNDNILTLIRTLVTGGATPELEALIAEENALRGGYSTPQTLANRDRCRVAQLALLDG  
 PFADLGDGGCYGDLFCKALKTYNMLCFGIYRLRDAHLSTPSQCTKRYVITNPPYEFELVPTDLIFCLMQF  
 DHNAGQSRASLSHSSHSQSSSKKSSSVHSIPSTANRPNRPKSRESRDQNRKEMVYR

SGPTRRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII

Cloning Scheme:



**Plasmid Map:**


**ACCN:** NM\_001253377

**ORF Size:** 3534 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001253377.1](#), [NP\\_001240306.1](#)

**RefSeq Size:** 4944 bp

**RefSeq ORF:** 3537 bp

**Locus ID:** 16531

**Cytogenetics:** 14 A3

**MW:** 131.4 kDa

**Gene Summary:**

Potassium channel activated by both membrane depolarization or increase in cytosolic Ca(2+) that mediates export of K(+). It is also activated by the concentration of cytosolic Mg(2+). Its activation dampens the excitatory events that elevate the cytosolic Ca(2+) concentration and/or depolarize the cell membrane. It therefore contributes to repolarization of the membrane potential. Plays a key role in controlling excitability in a number of systems, such as regulation of the contraction of smooth muscle, the tuning of hair cells in the cochlea, regulation of transmitter release, and innate immunity. In smooth muscles, its activation by high level of Ca(2+), caused by ryanodine receptors in the sarcoplasmic reticulum, regulates the membrane potential. In cochlea cells, its number and kinetic properties partly determine the characteristic frequency of each hair cell and thereby helps to establish a tonotopic map. Kinetics of KCNMA1 channels are determined by alternative splicing, phosphorylation status and its combination with modulating beta subunits. Highly sensitive to both iberiotoxin (IbTx) and charybdotoxin (CTX).[UniProtKB/Swiss-Prot Function]