

TCTCCACAATGCTTGCCAATCTCTTCTCTATGAGGTCATTCATAAAGATTGAGGAAGACACATGGCAGAA
ATACTACTTGGGAAGGAGTCTCCAATGAAATGTACACAGAATATCTCTCCAGTGCCTTCGTGGGTCTGTCC
TTCCCTACTGTTTGTGAGCTGTGTTTTGTGAAGCTTAAGCTCCTGATGATAGCCATTGAGTACAAGTCTG
CCAACAGAGAGAGCCGAATATTAATTAACCCCTGGGAACCACTTAAGATCCAAGAAGTACTTTAGGATT
TTTCATCGCAAGTGATGCCAAGAAGTTAAAAGGGCATTTTTTACTGCAAGGCCTGTCTATGATGACGTC
ACAGATCCCAAAAAGAATAAAAATGTGGCTGCAGGCGGCTGATCTATTTGAAGATGAGCAGCCGCCAA
CCCTGTACCAAAAAAAAAACAACGTAATGGGGCATGAGGAACCGCCAACACCTCCCGAAGCTGAT
GAGGCATGACCCCTTGTTAATTCTGGCAATGATCAGATTGACAACATGGACTCCAATGTGAAAAAGTAC
GACTCCACTGGAATGTTTCACTGGTGTGACCCAAGGAGATTGAGAAAAGTCATCTTGACTCGAAGTGAAG
CTGCCATGACTGTCTGAGTGGCCATGTCGTAGTCTGCATCTTTGGGGATGTCAGCTCAGCCCTGATTGG
CCTCCGGAACCTGGTGTGCCACTTCGTGCTAGCAACTTCACTATCATGAGCTCAAACACATTGTGTTT
GTGGGCTCCATTGAGTACCTCAAGAGGGAGTGGGAAACACTGCACAACCTCCCGAAAAGTGCATATTGC
CTGGTACACCATTAAGTCGGGCTGATTTAAGGGCTGTCAACATCAACCTCTGTGACATGTGCGTTATCCT
GTCAGCCAATCAGAATAATATTGATGATACTTCGCTTCAGGACAAGGAATGCATCTTGGCGTCACTCAAC
ATCAAATCTATGCAGTTTGTGACAGCATCGGGGTCTTGCAGGCTAATCCCAAGGATTCACACCTCCTG
GAATGGACAGATCATACCCGACAACAGCCAGTGCACGGGATGTTACGCCAGCCGTCCATCACAACTGG
GGTCAACATCCCATCATCACGGAACCTCGTGAATGATACCAATGTTCAAGTTTTGGACCAAGACGATGAC
GATGACCTGACACAGAGCTGTACCTCACACAGCCCTTGTCTGTGGGACAGCATTTGCCGTGACGGTCC
TGGACTCACTCATGAGCGCGACATACTCAATGACAATATCCTCACCTAATACGGACCCCTGGTACAGG
AGGAGCCACACCAGAGCTCGAGGCTCTAATAGCTGAGGAGAATGCACTTCGAGGAGGCTACAGCACTCCG
CAGACATTGGCCAACAGGACCGTTGCCGAGTGGCCAGTTAGCCCTGTTAGATGGTCCCTTGCAGACT
TAGGGGATGGTGGTGTATGGTGTCTGTTCTGCAAAGCTCTGAAAACATATAATATGCTTTGTTTTGG
AATTTACCGGCTGAGAGATGCCACCTCAGCACCCAGCCAGTGTACAAAAGGTACGTATCACCAAT
CCTCCCTACGAGTTTGTGCTCGTACCAACAGACCTGATCTTCTGCCTGATGCAGTTTGACCACAACGCTG
GCCAATCCCGGGCCAGTCTGTCTCATTCTCCACTCCTCACAGTCGTCCAGTAAGAAGAGCTCCTCCGT
CCTCCATCCCGTCCACAGCAAATCGGCCAACCAGCCCAAGTCCAGGGAGTCCCGCGACAAAACAGAA
GCAACAAGGATGACTAGAATGGGCAAGCAGAAAAGAAATGGTTTACAGATGAGCCGGATAATGCCTATC
CCAGAAACATTCAAATCAAGCCCATGATACCCACATGGCTAACCAGATCAACCAATATAAATCCACAAG
CAGCCTGATCCCTCCAATCAGAGAAGTTGAAGATGAATGT

AGCGGACCGACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR231663 representing NM_001253374
 Red=Cloning site Green=Tags(s)


MANGGGGGGGSSGGGGGGGGSGLRMSSNIHANHLSLDASSSSSSSSSSSSSSSSSSSSSVHEPKMDALI
 IPVTMEVPCDSRQRMWAWFLASSMVTFFGGFLIILLWRTLKYLWTVCCCHCGGKTKVVLVVALSIGALVI
 YFIDSSNPIESCQNFYKDFTLQIDMAFNVFLLYFGLRFIAANDKLWFLEVNSVVDFFVPPVFSVYL
 NRSWLGLRFLRALRLIQFSEILQFLNLIKTSNSIKLVNLLSIFISTWLTAAGFIHLVENSQDPWENFQNN
 QALTYWECVYLLMVTMSTVGYGDVYAKTTLGRLFMVFFILGGLAMFASYVPEIIEIIGNRKKYGGYSYAV
 SGRKHIVVCGHITLESVSNFLKDFLHKDRDDVNEIVFLHNI SPNLELEALFKRHFTQVEFYQGSVLNPH
 DLARVKIESADA CLILANKYCADPAEDASNIMRVISIKNYHPKIRIITQMLQYHNKAHLLNIPSWNWKE
 GDDAICLAELKLGFAIQSCLAQGLSTMLANLFSMRSFIKIEEDTWQKYYLEGVSNEMYEYLSAFVGLS
 FPTVCELFCVVKLLMIAIEYKSANRESRILINPGNHLKIQEGTLGFFIASDAKEVKRAFFYCKACHDDV
 TDPKRIKCKGCRRLIYFEDEQPPTLSPKKKQRNGGMRNSPNTSPKLMRHDPLLIPGNDQIDNMSNVKKY
 DSTGMFHWCAPKEIEKVILTRSEAAMTVLSGHVVVCIFGDVSSALIGLRNLV MPLRASNFHYHELKHIVF
 VGSIEYLKREWETLHNFVKVILPGTPLSRADLRVNLINL CDMCVILSANQNNIDDTSLQDKECILASLN
 IKSMQFDDSIGVLQANSQGFPPGMDRSPDNPVHGMLRQPSITTVGNIPITIELVNDTNVQFLDQDDD
 DDPDELYLTQPFACTAFVSVLDSLMSATYFNDNILLIRTLVTGGATPELEALIAEENALRGYSTP
 QTLANRDRCRVAQLALLDGPFDLGDGGCYGDLFCALKTYNMLCFGIYRLRDAHLSTPSQCTKRYVITN
 PPYEFELVPTDLIFCLMQFDHNAGQSRASLSHSSHSSQSSSKSSSVHSIPSTANRPNRPKSRESRDQKN
 ATRMTRMGQAEKKWFTDEPDNAYPRNIQIKPMSTHMANQINQYKSTSSLIPIREVEDEC

SGP TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII

Cloning Scheme:



Plasmid Map:


ACCN: NM_001253374

ORF Size: 3540 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001253374.1](#), [NP_001240303.1](#)

RefSeq Size: 4820 bp

RefSeq ORF: 3543 bp

Locus ID: 16531

Cytogenetics: 14 A3

MW: 132.2 kDa

Gene Summary:

Potassium channel activated by both membrane depolarization or increase in cytosolic Ca(2+) that mediates export of K(+). It is also activated by the concentration of cytosolic Mg(2+). Its activation dampens the excitatory events that elevate the cytosolic Ca(2+) concentration and/or depolarize the cell membrane. It therefore contributes to repolarization of the membrane potential. Plays a key role in controlling excitability in a number of systems, such as regulation of the contraction of smooth muscle, the tuning of hair cells in the cochlea, regulation of transmitter release, and innate immunity. In smooth muscles, its activation by high level of Ca(2+), caused by ryanodine receptors in the sarcoplasmic reticulum, regulates the membrane potential. In cochlea cells, its number and kinetic properties partly determine the characteristic frequency of each hair cell and thereby helps to establish a tonotopic map. Kinetics of KCNMA1 channels are determined by alternative splicing, phosphorylation status and its combination with modulating beta subunits. Highly sensitive to both iberiotoxin (IbTx) and charybdotoxin (CTX).[UniProtKB/Swiss-Prot Function]