

Product datasheet for **MR231720**

Kcnma1 (NM_001253362) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Kcnma1 (NM_001253362) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Kcnma1
Synonyms: 5730414M22Rik; BKCa; MaxiK; mSlo; mSlo1; Slo; Slo1
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR231720 representing NM_001253362
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGC**

ATGGCAAACGGTGGCGGGCGGGCGGGCAGCAGCGGGCGGGCGGGCGGGCGGGCGGGAGGCAGCGGT
TTAGAATGAGCAGCAATATCCACGCGAACCATCTCAGCCTAGACGCGTCTCTCTCTCTCTCTCTCTCT
CTCTTCT
ATACCGGTGACCATGGAGGTGCCGTGCGACAGCCGGGGCAACGCATGTGGTGGGCTTTCTTGGCCTCCT
CCATGGTGACTTTCTTGGGGGCTCTTCATCATCTTGTCTTGGCGGACGCTCAAGTACCTGTGGACCGT
TTGCTGCCACTGCGGGGGCAAGACGAAGGAGGCCAGAAGATAAACAATGGCTCCAGCCAGGCAGATGGT
ACTCTCAAGCCAGTGGACGAAAAAGAGGAGGTGGTGGCAGCCGAGGTCGGCTGGATGACATCTGTGAAGG
ACTGGCAGGGGTGATGATATCCGCCCAGACACTGACTGGCAGAGTCTGGTTGTGTAGTCTTTGCTCT
CAGCATTGGTGCCTCGTAATACTTCATAGACTCGTCAAACCAATAGAATCCTGCCAGAATTTCTAC
AAAGATTTACATTACAGATCGACATGGCTTTCAACGTGTTCTTCCTCTACTTTGGCTTGGGTTTA
TTGCAGCCAACGATAAGCTGTGGTTCTGGCTGGAAGTGAATTCAGTAGATTCTTCCACAGTCCCTCT
TGTGTTTGTGTCTGTACTTAAACAGAAGTTGGCTTGGCTTGAGATTTTAAAGAGCTCTCAGACTGATA
CAGTTTTCAGAGATTTTGCAGTTTCTGAATATCCTTAAAAACAAGTAACTCCATCAAGCTGGTGAATCTGC
TCTCCATATTTATCAGCACGTGGCTGACTGCAGCTGGATTATCCACTGGTGGAGAATTCAGGGGACCC
ATGGGAAAATTTCCAAAACAACCAGGCCTTACGTACTGGGAATGTGTCTACTTACTCATGGTCACAATG
TCTACAGTGGTTATGGGGACGTTTATGCAAAAACCACACTTGGACGCCTTTCATGGTCTTCTTCATCC
TCGGGGGACTGGCCATGTTTCCAGCTACGTCCTGAAATCATAGAGTTAATAGGAAACCGCAAGAAATA
CGGGGGCTCCTATAGCGCGTTAGTGAAGAAAGCACATTGTAGTCTGTGGACACATTACTCTGGAGAGT
GTCTCTAACTTCTGAAGGACTTCTGCACAAGGACCGGGATGATGTCAACGTGGAGATTGCTTTCTTC
ACAACATCTCCCCTAACCTTGAGCTTGAGGCTCTGTTCAAACGGCATTTCACTCAGGTGGAGTTTATCA
GGGCTCTGTCCCTCAATCCACATGATCTTGCCAGAGTCAAGATAGAGTCAGCAGATGCATGCCGTGATCCTT
GCCAATAAGTATTGCGCTGACCCGGATGCAGAAGATGCCTCCAACATCATGAGAGTGATCTCCATCAAAA



[View online »](#)

ACTACCACCCAAAGATCAGGATCATCACTCAGATGCTGCAGTATCACAACAAGGCCCATCTGCTCAACAT
CCCCAGCTGGAAGTGGAAAGAGGGTGTGACGCAATATGCCTTGACAGCTCAAGTTGGGTTTCATAGCC
CAGAGCTGTCTGGCTCAAGGCCTCTCCACAATGCTTGCCAATCTCTTCTATGAGGTCATTCAAAGA
TTGAGGAAGACACATGGCAGAAATACTACTTGGAAAGAGTCTCCAATGAAATGTACACAGAATATCTCTC
CAGTGCCTTCGTGGGTCTGTCTTCCCTACTGTTTGTGAGCTGTGTTTGTGAAGCTTAAGCTCCTGATG
ATAGCCATTGAGTACAAGTCTGCCAACAGAGAGAGCCGAAGCCGAAAGCGAATATTAATTAACCTGGGA
ACCACCTTAAGATCCAAGAAGTACTTTAGGATTTTTTCATCGCAAGTATGCCAAAGAAGTTAAAAGGGC
ATTTTTTACTGCAAGGCTGTATGATGACGTACAGATCCCAAAAGAATTAATAAATGTGGCTGCAGG
CGGCCCAAGATGTCCATCTACAAGAGAATGAGACGAGCATGTTGTTTTGATTGCGGACGTTCTGAGCGTG
ACTGCTCGTGCATGTGAGGCCGTGTGCGTGGTAACTGGACACCCCTTGAGAGAACCTTCCCGCTTCTTC
TGTCTCTGTTAATGATTGCTCCACCAGTTTCCGTGCCTTTGAAGATGAGCAGCCGCCAACCTGTCAACCA
AAAAAAAAACAACGTAATGGGGGCATGAGGAACCGCCCAACACCTCCCCGAAGCTGATGAGGCATGACC
CCTTGTAATTCCTGGCAATGATCAGATTGACAACATGGACTCCAATGTGAAAAAGTACGACTCCACTGG
AATGTTTCACTGGTGTGCACCCAAGGAGATTGAGAAAGTCATCTTGACTCGAAGTGAAGCTGCCATGACT
GTCCTGAGTGGCCATGTGCTAGTCTGCATCTTTGGGGATGTCAGCTCAGCCCTGATTGGCTCCGGAACC
TGGTGATGCCACTTCGTGCTAGCAACTTCACTATCATGAGCTCAAACACATTGTGTTTGTGGGCTCCAT
TGAGTACCTCAAGAGGGAGTGGGAAACTGCACAACCTCCCGAAAGTGCCATATTGCCTGGTACACCA
TTAAGTCGGGCTGATTTAAGGGCTGTCAACATCAACCTCTGTGACATGTGCGTTATCCTGTGAGCCAATC
AGAATAATATTGATGATACTTCGCTTCAGGACAAGGAATGCATCTTGCGTCACTCAACATCAAATCTAT
GCAGTTTGATGACAGCATCGGGGTCTTGCCAGGCTAATCCCAAGGATTCACACCTCCTGGAATGGACAGA
TCATCACCCGACAACAGCCAGTGCACGGGATGTTACGCCAGCCGTCCATCACAACCTGGGGTCAACATTC
CCATCATCACGGAACCTCGTGAATGATACCAATGTTGAGTTTTGGACCAAGACGATGACGATGACCCTGA
CACAGAGCTGTACCTCACACAGCCCTTTGCTTGTGGGACAGATTTGCCGTGAGGCTCCTGGACTCACTC
ATGAGCCGACATACTTCAATGACAATATCCTCACCTAATACGGACCCTGGTGACAGGAGGCCACAC
CAGAGCTCGAGGCTCTAATAGCTGAGGAGAATGCACTTCGAGGAGGCTACAGCACTCCGCAGACATTGGC
CAACAGGGACCGTTGCCGAGTGGCCAGTTAGCCCTGTTAGATGGTCCCTTTCAGACTTAGGGGATGGT
GGTTGTTATGGTGTCTGTTCTGCAAAGCTCTGAAAACATATAATATGCTTTGTTTTGGAATTTACCGGC
TGAGAGATGCCACCTCAGCAGCCAGCCAGTGTACAAAAGGTACGTCATACCAATCCTCCCTACGA
GTTTGAGCTCGTACCAACAGACCTGATCTTCTGCCTGATGCAGTTTGACCACAACGCTGGCCAATCCCGG
GCCAGTGTCTCATTCTCCACTCCTCACAGTGTCCAGTAAGAAGAGCTCCTCCGTCCACTCCATCC
CGTCCACAGCAAATCGGCCGAACCGGCCAAGTCCAGGGAGTCCCGGACAAACAGAAACAGAAAAGAAAT
GGTTACAGA

AGCGGACCGACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR231720 representing NM_001253362
 Red=Cloning site Green=Tags(s)

MANGGGGGGGSSGGGGGGGGSGLRMSSNIHANHLSLDASSSSSSSSSSSSSSSSSSSSSVHEPKMDALI
 IPVTMEVPCDSRQRMWAWFLASSMVTFFGGFLIILLWRTLKYLWTVCCCHCGGKTKEAQKINNGSSQADG
 TLKPVDEKEEVAAEVGWMTSVKDWAGVMISAQTLTGRVLVVLVFALSIGALVIYFIDSSNPIESCQNFY
 KDFTLQIDMAFNVFLLYFGLRFIAANDKLWFLEVNVSVDVFFVPPVFVSVYLNRSWLGRLRALRLI
 QFSEILQFLNILKTSNSIKLVNLLSIFISTWLTAAAGFIHLVENSQDPWENFQNNQALTYWECVYLLMVTM
 STVGYGDVYAKTTLGRLFMVFFILGGLAMFASYVPEIIEIIGNRKKYGGYSYSAVSGRKHIVVCGHITLES
 VSNFLKDFLHKDRDDVNVEIVFLHNISPNELEALFKRHFTQVEFYQGSVLNPHDLARVKIESADACLIL
 ANKYCADPDAEDASNIMRVISIKNYHPKIRIITQMLQYHNKAHLLNIPSWNKEGDDAICLAELKLGFA
 QSCLAQGLSTMLANLFSMRSFIKIEEDTWQKYYLEGVSNEMYTEYLSSAFVGLSFPTVCELCFVKLKLMM
 IAIEYKSNANRESRSRKRILINPGNHLKIQEGLGFFIASDAKEVKRAFFYCKACHDDVTPDKRIKKCGCR
 RPKMSIYKRMRRACCFDCGRSERDCSCMSGRVGVNDTLERTFPLSSVSVNDCSTSFRAFEDEQPPTLSP
 KKKQRNGGMRNSPNTSPKLMRHDPLLIPGNDQIDNMDSNVKKYDSTGMFHWCAPKEIEKVILTRSEAAMT
 VLSGHVVVICFGDVSSALIGLRNLVMPLRASNFHYHELKHIVFVGSIEYLKREWETLHNFPKVSIPLGTP
 LSRADLRAVNINLDCMCVILSANQNNIDDTSLQDKECILASLNKSMQFDDSIGVLQANSQGFPPGMDR
 SSPDNPVHGMLRQPSITTVGNIPITELVNDTNVQFLDQDDDDDPDELYLTQPFACGTAFVSVLDLSL
 MSATYFNDNILTIRTLVTGGATPELEALIAEENALRGGYSTPQTLANRDRCRVAQLALLDGPFDLGDG
 GCGYDLFCALKTYNMLCFGIYRLRDAHLSTPSQCTKRYVITNPPYEFELVPTDLIFCLMQFDHNAQQR
 ASLSHSSHSSQSSSKSSSVHSIPSTANRPNRPKSRESRDKQNRKEMVYR


SGP TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII

Cloning Scheme:



* The last codon before the Stop codon of the ORF

Plasmid Map:


ACCN: NM_001253362

ORF Size: 3720 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001253362.1](#), [NP_001240291.1](#)

RefSeq Size: 5130 bp

RefSeq ORF: 3723 bp

Locus ID: 16531

Cytogenetics: 14 A3

MW: 138.6 kDa

Gene Summary: Potassium channel activated by both membrane depolarization or increase in cytosolic Ca(2+) that mediates export of K(+). It is also activated by the concentration of cytosolic Mg(2+). Its activation dampens the excitatory events that elevate the cytosolic Ca(2+) concentration and/or depolarize the cell membrane. It therefore contributes to repolarization of the membrane potential. Plays a key role in controlling excitability in a number of systems, such as regulation of the contraction of smooth muscle, the tuning of hair cells in the cochlea, regulation of transmitter release, and innate immunity. In smooth muscles, its activation by high level of Ca(2+), caused by ryanodine receptors in the sarcoplasmic reticulum, regulates the membrane potential. In cochlea cells, its number and kinetic properties partly determine the characteristic frequency of each hair cell and thereby helps to establish a tonotopic map. Kinetics of KCNMA1 channels are determined by alternative splicing, phosphorylation status and its combination with modulating beta subunits. Highly sensitive to both iberiotoxin (IbTx) and charybdotoxin (CTX).[UniProtKB/Swiss-Prot Function]