

Product datasheet for **MR231737**

Kcnma1 (NM_001253358) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kcnma1 (NM_001253358) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Kcnma1
Synonyms:	5730414M22Rik; BKCa; MaxiK; mSlo; mSlo1; Slo; Slo1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>MR231737 representing NM_001253358 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGGATCGCC

ATGGCAAACGGTGGCGGCGGGCGGCGGCAGCAGCGGGCGGGCGGGCGGGCGGGCGGGAGGCAGCGGTC
TTAGAATGAGCAGCAATATCCACGCGAACCATCTCAGCCTAGACGCGTCTCCTCCTCTCTCCTCCTCCT
CTTTCTTCTTCTCCTCCTCCTCCTCCTCGTCCTCGGTCCACGAGCCCAAGATGGATGCGCTCATC
ATACCGGTGACCATGGAGGTGCCGTGCGACAGCCGGGCCAACGCATGTGGTGGGCTTTCTTGGCCCTCT
CCATGGTGACTTTCTTCCGGGGCCTCTTCATCATCTTGCTCTGGCGGACGCTCAAGTACCTGTGGACCGT
TTGCTGCCACTGCGGGGCAAGACGAAGGAGGCCAGAAGATAAACAATGGCTCCAGCCAGGCAGATGGT
ACTCTCAAGCCAGTGAGCAAAAAGAGGAGGTGGTGGCAGCCGAGGTGCGCTGGATGACATCTGTGAAGG
ACTGGCAGGGGTGATGATATCCGCCCAGACACTGACTGGCAGAGTCCTGGTTGTGTAGTCTTTGCTCT
CAGCATGGTGCCTCGTAATACTTCATAGACTCGTCAAACCAATAAGAATCCTGCCAGAATTTCTAC
AAAGATTTACATTACAGATCGACATGGCTTTCACCGTCTTCCTCCTACTTTGGCTTGGGGTTTA
TTGCAGCCAACGATAAGCTGTGGTTCGGTGGAAAGTGAATTCAGTAGTATGATTCTTCCAGTCCCTCTC
TGTGTTTTGTCTGTACTTAAACAGAAGTTGGCTTGGCTTGAGATTTTAAGAGCTCTCAGACTGATA
CAGTTTTCAAGATTTTGCAGTTTCTGAATATCCTTAAAAACAAGTAACTCCATCAAGCTGGTGAATCTGC
TCTCCATATTTATCAGCACGTGGCTGACTGCGACTGGATTCATCCACTTGGTGGAGAATTCAGGGGACCC
ATGGGAAAATTTCAAAAACAACCCAGGCCTTACGTACTGGAAATGTGTCTACTTACTCATGGTCAACAATG
TCTACAGTGGGTATGGGGACGTTTATGCAAAAACCACACTTGGAGCGCTTTCATGGTCTTCTTCATCC
TCGGGGACTGGCCATGTTTGCAGCTACGTCCCTGAAATCATAGAGTAAAGGAAACCGCAAGAAATA
CGGGGCTCCTATAGCGCGTGTAGTGAAGAAAGCACATTGTAGTCTGTGGACACATTACTCTGGAGAGT
GTCTCTAACTTCTGAAGGACTTCTGCACAAGGACCGGGATGATGCAACGTGGAGATTGCTTTCTTC
ACAACATCTCCCCTAACCTTGAAGCTTGGAGTCTGTTCAAACGGCATTTCACTCAGGTGGAGTTTTATCA
GGGCTCTGCTCAATCCACATGATCTTGCCAGAGTCAAGATAGAGTCAAGTATGATGCTGATCCCTGATCCT
GCCAATAAGTATTGCGCTGACCCGGATGCAGAAGATGCCTCCAACATCATGAGAGTGATCTCCATCAAAA



[View online »](#)

ACTACCACCCAAAGATCAGGATCATCACTCAGATGCTGCAGTATCACAACAAGGCCCATCTGCTCAACAT
CCCCAGCTGGAAGTGGAAAGAGGGTGTACGCAATATGCCTTGACAGCTCAAGTTGGGTTTCATAGCC
CAGAGCTGTCTGGCTCAAGGCCTCTCCACAATGCTTGCCAATCTCTTCTATGAGGTCATTCAAAGA
TTGAGGAAGACACATGGCAGAAATACTACTTGGAAAGGAGTCTCCAATGAAATGTACACAGAATATCTCTC
CAGTGCCTTCGTGGGTCTGTCTTCCCTACTGTTTGTGAGCTGTGTTTGTGAAGCTTAAGCTCCTGATG
ATAGCCATTGAGTACAAGTCTGCCAACAGAGAGGCCGAATTAATTAACCTGGGAACCACCTTAAGA
TCCAAGAAGTACTTTAGGATTTTTATCGCAAGTGTGCCAAAGAAGTTAAAAGGGCATTTTTTTACTG
CAAGGCCTGTCATGATGACGTACAGATCCCAAAAAGAATTAATAAATGTGGCTGCAGGCGCTGATCTAT
TTTGAAGATGAGCAGCCGCCAACCTGTACCAAAAAAAAAACAGTAATGGGGCATGAGGAACCTCGC
CCAACACCTCCCCGAAGCTGATGAGGCATGACCCTTGTTAATCCTGGCAATGATCAGATTGACAAAT
GGACTCCAATGTGAAAAGTACGACTCCACTGGAATGTTTCACTGGTGTGCACCAAGGAGATTGAGAAA
GTCATCTTGACTCGAAGTGAAGTGCCATGACTGTCCTGAGTGGCCATGTCGTAGTCTGCATCTTTGGG
ATGTCAGCTCAGCCCTGATTGGCTCCGGAACCTGGTGTGCCACTTCGTGCTAGCAACTTCACTATCA
TGAGCTCAAACACATTGTGTTTGTGGGCTCCATTGAGTACCTCAAGAGGGAGTGGGAAACTGCACAAC
TTCCCGAAAGTGTCCATATTGCCTGGTACACCATTAAGTCGGGCTGATTAAGGGCTGTCAACATCAACC
TCTGTGACATGTGCGTTATCCTGTACGCAATCAGAATAATATTGATGATACTTCGCTCAGGACAAGGA
ATGCATCTTGGCGTCACTCAACATCAAATCTATGCAGTTTGTGACAGCATCGGGGTCTTGCAGGCTAAT
TCCAAGGATTCACACCTCCTGGAATGGACAGATCATCACCCGACAACAGCCAGTGCACGGGATGTTAC
GCCAGCCGTCCATCACAACCTGGGGTCAACATCCCATCATCACGGAACCTCGTAAAGCCGGCAAGTTGCC
TTTGGTATCAGTCAATCAGGAAAAAACAGTGGGACGCACATTCTAATGATAACGGAGTTGGTGAATGAT
ACCAATGTTCAGTTTTTGGACCAAGACGATGACGATGACCCTGACACAGAGCTGTACCTCACACAGCCCT
TTGCTTGTGGGACAGCATTGCGCTCAGCGTCTGGACTCACTCATGAGCGGACATACTTCAATGACAA
TATCCTCACCTAATACGGACCCTGGTACAGGAGGAGCCACACCAGAGCTCGAGGCTCAATAGCTGAG
GAGAATGCACTTCGAGGAGGCTACAGCACTCCGACAGATTGGCCAACAGGGACCCTGCGGAGTGGCCC
AGTTAGCCCTGTTAGATGGTCCCTTTCAGACTTAGGGGATGGTGGTGTATGGTGATCTGTTCTGCAA
AGCTCTGAAAACATATAATATGCTTTGTTTGGAAATTAACCGGCTGAGAGATGCCACCTCAGCACCCCC
AGCCAGTGACAAAAAGGTACGTATCACCAATCCTCCCTACGAGTTTGAAGTCTGACCAACAGACCTGA
TCTTCTGCCTGATGCAGTTTGACCACAACGCTGGCCAATCCCGGGCCAGTCTGTCTATTCTCCACTC
CTCACAGTCGTCCAGTAAGAAGAGCTCCTCCGTCCTCCATCCCGTCCACAGCAATCGGCCGAACCGG
CCCAAGTCCAGGGAGTCCCGGACAAAACAGAATGCAACAAGGATGACTAGAATGGCCAAGCAGAAAAGA
AATGGTTTACAGATGAGCCGGATAATGCCTATCCAGAAACATTCAAATCAAGCCATGAGTACCCACAT
GGCTAACAGATCAACCAATATAAATCCACAAGCAGCCTGATCCCTCAAATCAGAGAAGTTGAAGATGAA
TGT

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR231737 representing NM_001253358
 Red=Cloning site Green=Tags(s)

MANGGGGGGGSSGGGGGGGGSGLRMSSNIHANHLSLDASSSSSSSSSSSSSSSSSSSSSVHEPKMDALI
 IPVTMEVPCDSRQRMWAWFLASSMVTFFGGFLIILLWRTLKYLWTVCCCHCGGKTKEAQKINNGSSQADG
 TLKPYDEKEEVAAEVGWMTSVKDWAGVMISAQTLTGRVLVLFALSIGALVIYFIDSSNPIESCQNFY
 KDFTLQIDMAFNVFLLYFGLRFAANDKLWFLEVNVSVDVFTVPPVFSVYLNRSWGLRFLRALRLI
 QFSEILQFLNILKTSNSIKLVNLLSIFISTWLTAAAGFIHLVENSQDPWENFQNNQALTYWECVYLLMVTM
 STVGYGDVYAKTTLGRLFMVFFILGGLAMFASYVPEIIEIIGNRKKYGGSYSASVGRKHIIVVCGHITLES
 VSNFLKDFLHKDRDDVNVEIVFLHNISPNELEALFKRHFTQVEFYQGSVLNPHDLARVKIESADACLIL
 ANKYCADPDAEDASNIMRVISIKNYHPKIRIITQMLQYHNKAHLLNIPSWNKEGDDAICLAELKLGFAIA
 QSCLAQGLSTMLANLFSMRSFIKIEEDTWQKYYLEGVSNEMYTEYLSSAFVGLSFPTVCELCFVKLKLML
 IAIEYKANSRESRILINPGNHLKIQEGTLGFFIASDAKEVKRAFFYCKACHDDVTDPKRIKKGCRRLIY
 FEDEQPPTLSPKKKQRNGGMRNSPNTSPKLMRHDPLLIPGNDQIDNMSNVKKYDSTGMFHWCAPKEIEK
 VILTRSEAAMTVLSGHVVVICIFGDVSSALIGLRNLVAMPLRASNPHYHELKHIVFVGSIEYLKREWETLHN
 FPKVSILPGTPLSRADLRAVNINLCDMCVILSANQNNIDDTSLQDKECILASLNIKSMQFDDSIGVLQAN
 SQGFTPPGMDRSPDNSPVHGMLRQPSITTVNPIITELAKPGKPLVSVNQEKNSGTHILMITELVND
 TNVQFLDQDDDDPDTELYLTQPFACGTAFVSVLDSLMSATYFNDNILTIRTLVTGGATPELEALIAE
 ENALRGGYSTPQTLANRDRCRVAQLALLDGPFADLDGGGCGDLFCALKTYNMLCFGIYRLRDAHLSTP
 SQCTKRYVITNPPYEFELVPTDLIFCLMQFDHNAGQSRASLSHSSSSQSSSKSSSVHSIPSTANRPNR
 PKSRESRDKQNA TRMTRMGQA EKKWFTDEPDNAYPRNIQIKPMSTHMANQINQYKSTSSLIPPIREVEDE
 C


SGP TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII

Cloning Scheme:



* The last codon before the Stop codon of the ORF

Plasmid Map:


ACCN: NM_001253358

ORF Size: 3783 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001253358.1](#), [NP_001240287.1](#)

RefSeq Size: 5063 bp

RefSeq ORF: 3786 bp

Locus ID: 16531

Cytogenetics: 14 A3

MW: 140.8 kDa

Gene Summary:

Potassium channel activated by both membrane depolarization or increase in cytosolic Ca(2+) that mediates export of K(+). It is also activated by the concentration of cytosolic Mg(2+). Its activation dampens the excitatory events that elevate the cytosolic Ca(2+) concentration and/or depolarize the cell membrane. It therefore contributes to repolarization of the membrane potential. Plays a key role in controlling excitability in a number of systems, such as regulation of the contraction of smooth muscle, the tuning of hair cells in the cochlea, regulation of transmitter release, and innate immunity. In smooth muscles, its activation by high level of Ca(2+), caused by ryanodine receptors in the sarcoplasmic reticulum, regulates the membrane potential. In cochlea cells, its number and kinetic properties partly determine the characteristic frequency of each hair cell and thereby helps to establish a tonotopic map. Kinetics of KCNMA1 channels are determined by alternative splicing, phosphorylation status and its combination with modulating beta subunits. Highly sensitive to both iberiotoxin (IbTx) and charybdotoxin (CTX).[UniProtKB/Swiss-Prot Function]