

Product datasheet for PH300003

p53 (TP53) (NM_000546) Human Mass Spec Standard

Product data:

| | |
|---------------------------------------|--|
| Product Type: | Mass Spec Standards |
| Description: | TP53 MS Standard C13 and N15-labeled recombinant protein (NP_000537) |
| Species: | Human |
| Expression Host: | HEK293 |
| Expression cDNA Clone or AA Sequence: | RC200003 |
| Predicted MW: | 43.7 kDa |
| Protein Sequence: | >Peptide sequence encoded by RC200003 Blue=ORF Red=Cloning site Green=Tag(s) MEEPQSDPSVEPPLSQETFSDLWKLLPENNVLSPLPSQAMDDLMLSPDDIEQWFTEDPGPDEAPRMPEA APPVAPAPAAPTAAAPAPAPSWPLSSSVPSQKTYQGSYGFRLGFLHSGTAKSVTCTYSPALNKMFCQLA KTCVPVQLWVDSTPPPGRVTRAMAIYKQSQHMTEVYRRCPPHHERCSDSDGLAPPQHLIRVEGNLRVEYLD DRNTFRHSVVVPYEPPEVGSDCSTTIHYNMCMSSCMGMNRRPILTIITLEDSSGNLLGRNSFEVRYCA CPGRDRRTEENLRKKGEPHHELPPGSTKRALPNNTSSSPQPKKPLDGEYFTLQIRGRERFEMFRELN EAL ELKDAQAGKEPGGSAHSSHLKSKKGQSTRHKKLMFKTEGPDS TRTRPLEQKLI SEEDLAANDILDYKDDDDKV Recombinant protein using RC200003 also available, TP300003 |
| Tag: | C-Myc/DDK |
| Purity: | > 80% as determined by SDS-PAGE and Coomassie blue staining |
| Concentration: | >0.05 µg/µL as determined by microplate BCA method |
| Labeling Method: | Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine |
| Buffer: | 25 mM Tris-HCl, 100 mM glycine, pH 7.3 |
| Storage: | Store at -80°C. Avoid repeated freeze-thaw cycles. |
| Stability: | Stable for 3 months from receipt of products under proper storage and handling conditions. |
| RefSeq: | NP_000537 |
| RefSeq Size: | 2591 |
| RefSeq ORF: | 1179 |
| Synonyms: | BCC7; BMFS5; LFS1; P53; TRP53 |



[View online »](#)

Locus ID: 7157

UniProt ID: [P04637](#)


Cytogenetics: 17p13.1

Summary: This gene encodes a tumor suppressor protein containing transcriptional activation, DNA binding, and oligomerization domains. The encoded protein responds to diverse cellular stresses to regulate expression of target genes, thereby inducing cell cycle arrest, apoptosis, senescence, DNA repair, or changes in metabolism. Mutations in this gene are associated with a variety of human cancers, including hereditary cancers such as Li-Fraumeni syndrome. Alternative splicing of this gene and the use of alternate promoters result in multiple transcript variants and isoforms. Additional isoforms have also been shown to result from the use of alternate translation initiation codons from identical transcript variants (PMIDs: 12032546, 20937277). [provided by RefSeq, Dec 2016]

Protein Families: Druggable Genome, Stem cell - Pluripotency, Transcription Factors

Protein Pathways: Amyotrophic lateral sclerosis (ALS), Apoptosis, Basal cell carcinoma, Bladder cancer, Cell cycle, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, Glioma, Huntington's disease, MAPK signaling pathway, Melanoma, Neurotrophin signaling pathway, Non-small cell lung cancer, p53 signaling pathway, Pancreatic cancer, Pathways in cancer, Prostate cancer, Small cell lung cancer, Thyroid cancer, Wnt signaling pathway

Product images:



Coomassie blue staining of purified TP53 protein (Cat# [TP300003]). The protein was produced from HEK293T cells transfected with TP53 cDNA clone (Cat# [RC200003]) using MegaTran 2.0 (Cat# [TT210002]).