

Product datasheet for PH300242

HRASLS3 (PLA2G16) (NM_007069) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	PLA2G16 MS Standard C13 and N15-labeled recombinant protein (NP_009000)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC200242
Predicted MW:	17.9 kDa
Protein Sequence:	>RC200242 representing NM_007069 Red=Cloning site Green=Tags(s) MRAPIPEPKPGDLIEIFRPFYRHWAIYVGDGYVVHLAPPSEVAGAGAASVMSALTDKAIYVKELLYDVAG SDKYQVNNKHDDKYSPLPCSKIIQRAEELVGQEVLYKLTSENCEHFVNELRYGVARSQVRDVIIAASVA GMGLAAMSLIGVMFSRNKRQKQ TRTRPLEQKLI SEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- ¹³ C ₆ , ¹⁵ N ₄]-L-Arginine and [U- ¹³ C ₆ , ¹⁵ N ₂]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	<u>NP_009000</u>
RefSeq Size:	1070
RefSeq ORF:	486
Synonyms:	AdPLA; H-REV107; H-REV107-1; HRASLS3; HREV107; HREV107-1; HREV107-3; HRSL3; PLA2G16; PLAAT-3
Locus ID:	11145
UniProt ID:	<u>P53816</u> , <u>A0A024R561</u>




[View online »](#)

Cytogenetics: 11q12.3-q13.1

Summary: Exhibits both phospholipase A1/2 and acyltransferase activities (PubMed:19615464, PubMed:19047760, PubMed:22825852, PubMed:22605381, PubMed:26503625). Shows phospholipase A1 (PLA1) and A2 (PLA2) activity, catalyzing the calcium-independent release of fatty acids from the sn-1 or sn-2 position of glycerophospholipids (PubMed:19615464, PubMed:19047760, PubMed:22825852, PubMed:22605381, PubMed:22923616). For most substrates, PLA1 activity is much higher than PLA2 activity (PubMed:19615464). Shows O-acyltransferase activity, catalyzing the transfer of a fatty acyl group from glycerophospholipid to the hydroxyl group of lysophospholipid (PubMed:19615464). Shows N-acyltransferase activity, catalyzing the calcium-independent transfer of a fatty acyl group at the sn-1 position of phosphatidylcholine (PC) and other glycerophospholipids to the primary amine of phosphatidylethanolamine (PE), forming N-acylphosphatidylethanolamine (NAPE), which serves as precursor for N-acylethanolamines (NAEs) (PubMed:19615464, PubMed:19047760, PubMed:22825852, PubMed:22605381). Exhibits high N-acyltransferase activity and low phospholipase A1/2 activity (PubMed:22825852).[UniProtKB/Swiss-Prot Function]

Protein Families: Druggable Genome, Transmembrane

Product images:



Coomassie blue staining of purified PLAAT3 protein (Cat# [TP300242]). The protein was produced from HEK293T cells transfected with PLAAT3 cDNA clone (Cat# [RC200242]) using MegaTran 2.0 (Cat# [TT210002]).