

## Product datasheet for PH300728

### SHP1 (PTPN6) (NM\_080548) Human Mass Spec Standard

#### Product data:

Product Type:	Mass Spec Standards
Description:	PTPN6 MS Standard C13 and N15-labeled recombinant protein (NP_536858)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC200728
Predicted MW:	67.7 kDa
Protein Sequence:	>RC200728 protein sequence Red=Cloning site Green=Tags(s)

MLSRGWFHRLDLSGLDAETLLKGRGVHGSFLARPSRKNQGDFFLSVVRVGDQVTHIRIQNSGDFYDLYGGEK  
FATLTELVEYYTQQQGVLQDRDGTIIHLKYPLNCSDPYTSRWHYHGHMSGQAETLLQAKGEPWTFVRES  
LSQPGDFVLSVLSQPKAGPGSPLRVTHIKVMCEGGRYTVGGLETDFSLTDLVEHFKKTGIEEASGAFVY  
LRQPPYYATRVNAADIENRVLELNKKQESD TAKAGFWEEFESLQKQEVKNLHQRLGQRPENKGNRYKN  
ILPFDHSRVILQGRDSNIPGSDYINANYIKNQLLGPDENAKTYIASQGCLVNDVWQMAWQENS RVIV  
MTTREVVEKGRNKCVPYWPEVGMQRAYGPYSVTNCGEHDTEYKLRRLQVSPLDNGDLIREIWHYQYLSWP  
DHGVPSEPGGVL SFLDQINQRQESLPHAGPIIVHCSAGIGRTGTIIVIDMLMENISTKGLDCDIDIQKTI  
QMVRAQRSGMVQTEAQYKFIYVAIAQFIETTKKKLEVLQSQKQGESEYGNITYPPAMKNAHAKASRTSSK  
HKEDVYENLHTKNKREEKVKKQRSADKEKSKGSLKRR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- <sup>13</sup> C <sub>6</sub> , <sup>15</sup> N <sub>4</sub> ]-L-Arginine and [U- <sup>13</sup> C <sub>6</sub> , <sup>15</sup> N <sub>2</sub> ]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	<a href="#">NP_536858</a>
RefSeq Size:	2234
RefSeq ORF:	1791



[View online »](#)

**Synonyms:** HCP; HCPH; HPTP1C; PTP-1C; SH-PTP1; SHP-1; SHP-1L; SHP1

**Locus ID:** 5777

**UniProt ID:** [P29350](#), [Q53XS4](#)


**Cytogenetics:** 12p13.31

**Summary:** The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. N-terminal part of this PTP contains two tandem Src homolog (SH2) domains, which act as protein phospho-tyrosine binding domains, and mediate the interaction of this PTP with its substrates. This PTP is expressed primarily in hematopoietic cells, and functions as an important regulator of multiple signaling pathways in hematopoietic cells. This PTP has been shown to interact with, and dephosphorylate a wide spectrum of phospho-proteins involved in hematopoietic cell signaling. Multiple alternatively spliced variants of this gene, which encode distinct isoforms, have been reported. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Phosphatase, Stem cell - Pluripotency

**Protein Pathways:** Adherens junction, B cell receptor signaling pathway, Jak-STAT signaling pathway, Natural killer cell mediated cytotoxicity, T cell receptor signaling pathway

### Product images:



Coomassie blue staining of purified PTPN6 protein (Cat# [TP300728]). The protein was produced from HEK293T cells transfected with PTPN6 cDNA clone (Cat# [RC200728]) using MegaTran 2.0 (Cat# [TT210002]).