

Product datasheet for PH301169

PSMA7 (NM_002792) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	PSMA7 MS Standard C13 and N15-labeled recombinant protein (NP_002783)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC201169
Predicted MW:	27.9 kDa
Protein Sequence:	>RC201169 protein sequence Red=Cloning site Green=Tags(s) MSYDRAITVTFSPDGHLFQVEYAQEAVKKGSTAVGVRGRDIVVLGVEKKSVAKLQDERTVRKICALDDNVC MAFAGLTADARIVINRARVECQSHRLTVEDPVTVEYITRYIASLKQRYTQSNRRPFGISALIVGFDFDG TPRLYQTDPSGTYHAWKANAIGRGAKSVREFLEKNYTDEAIETDDLTIKLVIKALLEVVQSGGKNIELAV MRRDQSLKILNPEEIEKYVAEIEKEKEENEKKKQKKAS TRTRPLEQKLI SEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- ¹³ C ₆ , ¹⁵ N ₄]-L-Arginine and [U- ¹³ C ₆ , ¹⁵ N ₂]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	NP_002783
RefSeq Size:	1050
RefSeq ORF:	744
Synonyms:	C6; HEL-S-276; HSPC; RC6-1; XAPC7
Locus ID:	5688
UniProt ID:	O14818 , A0A0K0K1K4



[View online »](#)


Cytogenetics: 20q13.33

Summary: The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. This gene encodes a member of the peptidase T1A family that functions as a 20S core alpha subunit. The encoded protein interacts with the hepatitis B virus X protein and plays a role in regulating hepatitis C virus internal ribosome entry site (IRES) activity, an activity essential for viral replication. The encoded protein also plays a role in the cellular stress response by regulating hypoxia-inducible factor-1alpha. A pseudogene of this gene is located on the long arm of chromosome 9. [provided by RefSeq, Jul 2012]

Protein Families: Druggable Genome, Protease

Protein Pathways: Proteasome

Product images:



Coomassie blue staining of purified PSMA7 protein (Cat# [TP301169]). The protein was produced from HEK293T cells transfected with PSMA7 cDNA clone (Cat# [RC201169]) using MegaTran 2.0 (Cat# [TT210002]).