

Product datasheet for PH302105

BPGM (NM_199186) Human Mass Spec Standard

Product data:

Product Type: Mass Spec Standards **Description:** BPGM MS Standard C13 and N15-labeled recombinant protein (NP_954655) Species: Human **HEK293 Expression Host:** RC202105 **Expression cDNA Clone** or AA Sequence: Predicted MW: 30 kDa >RC202105 protein sequence **Protein Sequence:** Red=Cloning site Green=Tags(s) MSKYKLIMLRHGEGAWNKENRFCSWVDQKLNSEGMEEARNCGKQLKALNFEFDLVFTSVLNRSIHTAWLI LEELGQEWVPVESSWRLNERHYGALIGLNREQMALNHGEEQVRLWRRSYNVTPPPIEESHPYYQEIYNDR RYKVCDVPLDQLPRSESLKDVLERLLPYWNERIAPEVLRGKTILISAHGNSSRALLKHLEGISDEDIINI TLPTGVPILLELDENLRAVGPHQFLGDQEAIQAAIKKVEDQGKVKQAKK TRTRPLEQKLISEEDLAANDILDYKDDDDKV Tag: C-Myc/DDK **Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining **Concentration:** >0.05 µg/µL as determined by microplate BCA method Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine **Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3 Storage: Store at -80°C. Avoid repeated freeze-thaw cycles. Stability: Stable for 3 months from receipt of products under proper storage and handling conditions. RefSeq: NP 954655 **RefSeq Size:** 2121 **RefSeq ORF:** 777 Synonyms: DPGM; ECYT8 Locus ID: 669 UniProt ID: P07738, A0A024R782




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	BPGM (NM_199186) Human Mass Spec Standard – PH302105
Cytogenetics:	7q33
Summary:	2,3-diphosphoglycerate (2,3-DPG) is a small molecule found at high concentrations in red blood cells where it binds to and decreases the oxygen affinity of hemoglobin. This gene encodes a multifunctional enzyme that catalyzes 2,3-DPG synthesis via its synthetase activity, and 2,3-DPG degradation via its phosphatase activity. The enzyme also has phosphoglycerate phosphomutase activity. Deficiency of this enzyme increases the affinity of cells for oxygen. Mutations in this gene result in hemolytic anemia. Multiple alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq, Sep 2009]
Protein Families	Druggable Genome
Protein Pathway	s: Glycolysis / Gluconeogenesis, Metabolic pathways

Product images:



Coomassie blue staining of purified BPGM protein (Cat# [TP302105]). The protein was produced from HEK293T cells transfected with BPGM cDNA clone (Cat# [RC202105]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US