

Product datasheet for PH303461

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SHMT1 (NM_004169) Human Mass Spec Standard

Product data:

Product Type: Mass Spec Standards

Description: SHMT1 MS Standard C13 and N15-labeled recombinant protein (NP_004160)

Species:HumanExpression Host:HEK293

Expression cDNA Clone or AA Sequence:

RC203461

Predicted MW:

53.1 kDa

Protein Sequence:

>RC203461 protein sequence
Red=Cloning site Green=Tags(s)

MTMPVNGAHKDADLWSSHDKMLAQPLKDSDVEVYNIIKKESNRQRVGLELIASENFASRAVLEALGSCLN NKYSEGYPGQRYYGGTEFIDELETLCQKRALQAYKLDPQCWGVNVQPYSGSPANFAVYTALVEPHGRIMG LDLPDGGHLTHGFMTDKKKISATSIFFESMPYKVNPDTGYINYDQLEENARLFHPKLIIAGTSCYSRNLE YARLRKIADENGAYLMADMAHISGLVAAGVVPSPFEHCHVVTTTTHKTLRGCRAGMIFYRKGVKSVDPKT GKEILYNLESLINSAVFPGLQGGPHNHAIAGVAVALKQAMTLEFKVYQHQVVANCRALSEALTELGYKIV TGGSDNHLILVDLRSKGTDGGRAEKVLEACSIACNKNTCPGDRSALRPSGLRLGTPALTSRGLLEKDFQK VAHFIHRGIELTLQIQSDTGVRATLKEFKERLAGDKYQAAVQALREEVESFASFFPLPGLPDF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Concentration: >0.05 µg/µL as determined by microplate BCA method

Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3

Storage: Store at -80°C. Avoid repeated freeze-thaw cycles.

Stability: Stable for 3 months from receipt of products under proper storage and handling conditions.

RefSeq: NP 004160

RefSeq Size: 2553 RefSeq ORF: 1449

Synonyms: CSHMT; SHMT





Locus ID: 6470

 UniProt ID:
 P34896

 Cytogenetics:
 17p11.2

Summary: This gene encodes the cytosolic form of serine hydroxymethyltransferase, a pyridoxal

phosphate-containing enzyme that catalyzes the reversible conversion of serine and tetrahydrofolate to glycine and 5,10-methylene tetrahydrofolate. This reaction provides one-carbon units for synthesis of methionine, thymidylate, and purines in the cytoplasm. This


gene is located within the Smith-Magenis syndrome region on chromosome 17. A pseudogene of this gene is located on the short arm of chromosome 1. Alternative splicing

results in multiple transcript variants. [provided by RefSeq, Aug 2013]

Protein Pathways: Cyanoamino acid metabolism, Glycine, serine and threonine metabolism, Metabolic

pathways, Methane metabolism, One carbon pool by folate

Product images:



Coomassie blue staining of purified SHMT1 protein (Cat# [TP303461]). The protein was produced from HEK293T cells transfected with SHMT1 cDNA clone (Cat# [RC203461]) using MegaTran 2.0 (Cat# [TT210002]).