

## **Product datasheet for PH306812**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

## MAX (NM\_145112) Human Mass Spec Standard

**Product data:** 

**Product Type:** Mass Spec Standards

**Description:** MAX MS Standard C13 and N15-labeled recombinant protein (NP\_660087)

Species:HumanExpression Host:HEK293

Expression cDNA Clone

or AA Sequence:

RC206812

**Predicted MW:** 17.2 kDa

Protein Sequence: >RC206812 protein sequence

Red=Cloning site Green=Tags(s)

MSDNDDIEVESDADKRAHHNALERKRRDHIKDSFHSLRDSVPSLQGEKASRAQILDKATEYIQYMRRKNH THQQDIDDLKRQNALLEQQVRALEKARSSAQLQTNYPSSDNSLYTNAKGSTISAFDGCSDSSSESEPEEP

**QSRKKLRMEAS** 

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3

**Storage:** Store at -80°C. Avoid repeated freeze-thaw cycles.

**Stability:** Stable for 3 months from receipt of products under proper storage and handling conditions.

**RefSeq:** NP 660087

RefSeq Size: 2018 RefSeq ORF: 453

Synonyms: bHLHd4

**Locus ID:** 4149

UniProt ID: <u>P61244</u>, <u>Q8TAX8</u>





Cytogenetics: 14q23.3

Summary: The protein encoded by this gene is a member of the basic helix-loop-helix leucine zipper


> (bHLHZ) family of transcription factors. It is able to form homodimers and heterodimers with other family members, which include Mad, Mxi1 and Myc. Myc is an oncoprotein implicated in cell proliferation, differentiation and apoptosis. The homodimers and heterodimers compete for a common DNA target site (the E box) and rearrangement among these dimer forms provides a complex system of transcriptional regulation. Mutations of this gene have been reported to be associated with hereditary pheochromocytoma. A pseudogene of this gene is located on the long arm of chromosome 7. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, Aug 2012]

**Protein Families:** Druggable Genome, Transcription Factors

**Protein Pathways:** MAPK signaling pathway, Pathways in cancer, Small cell lung cancer

## **Product images:**



Coomassie blue staining of purified MAX protein (Cat# [TP306812]). The protein was produced from HEK293T cells transfected with MAX cDNA clone (Cat# [RC206812]) using MegaTran 2.0 (Cat# [TT210002]).