

Product datasheet for PH309756

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ATP5PF (NM_001003696) Human Mass Spec Standard

Product data:

Product Type: Mass Spec Standards

Description: ATP5J MS Standard C13 and N15-labeled recombinant protein (NP_001003696)

Species:HumanExpression Host:HEK293

Expression cDNA Clone

RC209756

or AA Sequence: Predicted MW:

12.6 kDa

Protein Sequence: >RC209756 protein sequence

Red=Cloning site Green=Tags(s)

MILQRLFRFSSVIRSAVSVHLRRNIGVTAVAFNKELDPIQKLFVDKIREYKSKRQTSGGPVDASSEYQQE

LERELFKLKQMFGNADMNTFHTFKFEDPKFEVIEKPQA

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Concentration: >0.05 μg/μL as determined by microplate BCA method

Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3

Storage: Store at -80°C. Avoid repeated freeze-thaw cycles.

Stability: Stable for 3 months from receipt of products under proper storage and handling conditions.

RefSeq: NP 001003696

RefSeq Size: 841 RefSeq ORF: 324

Synonyms: ATP5; ATP5A; ATP5J; ATPM; CF6; F6

Locus ID: 522

UniProt ID: P18859, Q6IB54, Q6NZ59

Cytogenetics: 21q21.3






Summary:

Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. It is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, which comprises the proton channel. The F1 complex consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled in a ratio of 3 alpha, 3 beta, and a single representative of the other 3. The Fo complex has nine subunits (a, b, c, d, e, f, g, F6 and 8). This gene encodes the F6 subunit of the Fo complex. The F6 subunit is required for F1 and Fo interactions. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene. This gene has 1 or more pseudogenes. [provided by RefSeq, Feb 2016]

Protein Pathways:

Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation, Parkinson's disease

Product images:



Coomassie blue staining of purified ATP5PF protein (Cat# [TP309756]). The protein was produced from HEK293T cells transfected with ATP5PF cDNA clone (Cat# [RC209756]) using MegaTran 2.0 (Cat# [TT210002]).