

## **Product datasheet for PH309943**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ZFAND5 (NM\_006007) Human Mass Spec Standard

**Product data:** 

**Product Type:** Mass Spec Standards

**Description:** ZFAND5 MS Standard C13 and N15-labeled recombinant protein (NP\_005998)

Species:HumanExpression Host:HEK293

Expression cDNA Clone

RC209943

or AA Sequence: Predicted MW:

23.1 kDa

Protein Sequence: >RC209943 protein sequence

Red=Cloning site Green=Tags(s)

MAQETNQTPGPMLCSTGCGFYGNPRTNGMCSVCYKEHLQRQQNSGRMSPMGTASGSNSPTSDSASVQRAD TSLNNCEGAAGSTSEKSRNVPVAALPVTQQMTEMSISREDKITTPKTEVSEPVVTQPSPSVSQPSTSQSE EKAPELPKPKKNRCFMCRKKVGLTGFDCRCGNLFCGLHRYSDKHNCPYDYKAEAAAKIRKENPVVVAEKI

QRI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3

**Storage:** Store at -80°C. Avoid repeated freeze-thaw cycles.

**Stability:** Stable for 3 months from receipt of products under proper storage and handling conditions.

**RefSeq:** NP 005998

RefSeq Size: 5747 RefSeq ORF: 639

Synonyms: ZA20D2; ZFAND5A; ZNF216

**Locus ID:** 7763

UniProt ID: <u>076080</u>, <u>A0A024R219</u>






Cytogenetics:

9q21.13

Summary:

Involved in protein degradation via the ubiquitin-proteasome system. May act by anchoring ubiquitinated proteins to the proteasome. Plays a role in ubiquitin-mediated protein degradation during muscle atrophy. Plays a role in the regulation of NF-kappa-B activation and apoptosis. Inhibits NF-kappa-B activation triggered by overexpression of RIPK1 and TRAF6 but not of RELA. Inhibits also tumor necrosis factor (TNF), IL-1 and TLR4-induced NF-kappa-B activation in a dose-dependent manner. Overexpression sensitizes cells to TNF-induced apoptosis. Is a potent inhibitory factor for osteoclast differentiation.[UniProtKB/Swiss-Prot Function]

## **Product images:**



Coomassie blue staining of purified ZFAND5 protein (Cat# [TP309943]). The protein was produced from HEK293T cells transfected with ZFAND5 cDNA clone (Cat# [RC209943]) using MegaTran 2.0 (Cat# [TT210002]).