

Product datasheet for PH310566

Mortality Factor 4 like 2 (MORF4L2) (NM_012286) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	MORF4L2 MS Standard C13 and N15-labeled recombinant protein (NP_036418)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC210566
Predicted MW:	32.3 kDa
Protein Sequence:	>RC210566 protein sequence Red=Cloning site Green=Tags(s)
	MSSRKQGSQPRGQSAEEENFKKPTRSNMQRSKMRGASSGKKTAGPQQKNLEPALPGRWGGRSAENPPSG SVRKTRKNKQKTPGNGDGGSTSEAPQPPRKRARADPTVESEEAFKNRMEVKVKIPEELKPWLVEDWDLV TRQKQLFQLPAKKNVDAILEEYANCKKSQGNVDNKEYAVNEVVAGIKEYFNVMLGTQLLYKFERPQYAEI LLAHPDAPMSQVYGAPHLRLRFVIRIGAMLAYTPLDEKSLALLLGYLHDFLKYLAKNASLFTASDYKVAS AEYHRKAL
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- ¹³ C ₆ , ¹⁵ N ₄]-L-Arginine and [U- ¹³ C ₆ , ¹⁵ N ₂]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	<u>NP_036418</u>
RefSeq Size:	1998
RefSeq ORF:	864
Synonyms:	MORFL2; MRGX
Locus ID:	9643



[View online »](#)


UniProt ID: [B3KP92, Q15014](#)

Cytogenetics: Xq22.2

Summary: Component of the NuA4 histone acetyltransferase complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histone H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. The NuA4 complex ATPase and helicase activities seem to be, at least in part, contributed by the association of RUVBL1 and RUVBL2 with EP400. NuA4 may also play a direct role in DNA repair when directly recruited to sites of DNA damage. Also component of the MSIN3A complex which acts to repress transcription by deacetylation of nucleosomal histones. [UniProtKB/Swiss-Prot Function]

Protein Families: Transcription Factors

Product images:



Coomassie blue staining of purified MORF4L2 protein (Cat# [TP310566]). The protein was produced from HEK293T cells transfected with MORF4L2 cDNA clone (Cat# [RC210566]) using MegaTran 2.0 (Cat# [TT210002]).