

## Product datasheet for PH310626

### HSPC142 (BABAM1) (NM\_001033549) Human Mass Spec Standard

#### Product data:

Product Type:	Mass Spec Standards
Description:	C19orf62 MS Standard C13 and N15-labeled recombinant protein (NP_001028721)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC210626
Predicted MW:	36.6 kDa
Protein Sequence:	>RC210626 protein sequence Red=Cloning site Green=Tags(s)

MEVAEPSSPTEEEEEEHSAEPRPRTRSNPEGAEDRAVGAQASVGRSEGEGEAASADDGSLNTSGAGP  
KSWQVPPPAPEVQIRTPRVNCPKVIICLDLSEMSLPKLESFNGSKTNALNVSQKMIEMFVRTKHKIDK  
SHEFALVVVNDTAWLSGLTSDPRELCSCLYDLETASCSTFNLEGLFSLIQKTELPTVENVQTIIPPYV  
VRTILVYSRPPCQPQFSLTEPMKKMFQCPYFFDVFVYIHNGTEEKEEEMSWKDMFAFMGSLDTKGTSYKY  
EVALAGPALELHNCMAKLLAHLPLQRPCQSHASYSLLLEEDEAIEVEATV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- <sup>13</sup> C <sub>6</sub> , <sup>15</sup> N <sub>4</sub> ]-L-Arginine and [U- <sup>13</sup> C <sub>6</sub> , <sup>15</sup> N <sub>2</sub> ]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	<u><a href="#">NP_001028721</a></u>
RefSeq Size:	1505
RefSeq ORF:	987
Synonyms:	C19orf62; HSPC142; MERIT40; NBA1
Locus ID:	29086




[View online »](#)

UniProt ID: [Q9NWW8](#), [A0A024R7L2](#)

Cytogenetics: 19p13.11

**Summary:** Component of the BRCA1-A complex, a complex that specifically recognizes 'Lys-63'-linked ubiquitinated histones H2A and H2AX at DNA lesions sites, leading to target the BRCA1-BARD1 heterodimer to sites of DNA damage at double-strand breaks (DSBs). The BRCA1-A complex also possesses deubiquitinase activity that specifically removes 'Lys-63'-linked ubiquitin on histones H2A and H2AX. In the BRCA1-A complex, it is required for the complex integrity and its localization at DSBs. Component of the BRISC complex, a multiprotein complex that specifically cleaves 'Lys-63'-linked ubiquitin in various substrates (PubMed:24075985, PubMed:26195665). In these 2 complexes, it is probably required to maintain the stability of BABAM2 and help the 'Lys-63'-linked deubiquitinase activity mediated by BRCC3/BRCC36 component. The BRISC complex is required for normal mitotic spindle assembly and microtubule attachment to kinetochores via its role in deubiquitinating NUMA1 (PubMed:26195665). Plays a role in interferon signaling via its role in the deubiquitination of the interferon receptor IFNAR1; deubiquitination increases IFNAR1 activity by enhancing its stability and cell surface expression (PubMed:24075985). Down-regulates the response to bacterial lipopolysaccharide (LPS) via its role in IFNAR1 deubiquitination (PubMed:24075985).[UniProtKB/Swiss-Prot Function]

### Product images:



Coomassie blue staining of purified BABAM1 protein (Cat# [TP310626]). The protein was produced from HEK293T cells transfected with BABAM1 cDNA clone (Cat# [RC210626]) using MegaTran 2.0 (Cat# [TT210002]).