

Product datasheet for PH316588

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HNF 4 alpha (HNF4A) (NM 001030004) Human Mass Spec Standard

Product data:

Product Type: Mass Spec Standards

Description: HNF4A MS Standard C13 and N15-labeled recombinant protein (NP_001025175)

Species: Human **HEK293 Expression Host:**

Expression cDNA Clone

RC216588

or AA Sequence: Predicted MW:

43.8 kDa

>RC216588 representing NM_001030004 **Protein Sequence:**

Red=Cloning site Green=Tags(s)

MVSVNAPLGAPVESSYDTSPSEGTNLNAPNSLGVSALCAICGDRATGKHYGASSCDGCKGFFRRSVRKNH MYSCRFSRQCVVDKDKRNQCRYCRLKKCFRAGMKKEAVQNERDRISTRRSSYEDSSLPSINALLQAEVLS RQITSPVSGINGDIRAKKIASIADVCESMKEQLLVLVEWAKYIPAFCELPLDDQVALLRAHAGEHLLLGA TKRSMVFKDVLLLGNDYIVPRHCPELAEMSRVSIRILDELVLPFQELQIDDNEYAYLKAIIFFDPDAKGL SDPGKIKRLRSQVQVSLEDYINDRQYDSRGRFGELLLLLPTLQSITWQMIEQIQFIKLFGMAKIDNLLQE

MLLGGPCQAQEGRGWSGDSPGDRPHTVSSPLSSLASPLCRFGQVA

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

> 80% as determined by SDS-PAGE and Coomassie blue staining **Purity:**

Concentration: >0.05 µg/µL as determined by microplate BCA method

Labeling Method: Labeled with [U-13C6, 15N4]-L-Arginine and [U-13C6, 15N2]-L-Lysine

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3

Storage: Store at -80°C. Avoid repeated freeze-thaw cycles.

Stability: Stable for 3 months from receipt of products under proper storage and handling conditions.

RefSeq: NP 001025175

RefSeg Size: 1192 RefSeq ORF: 1185

Synonyms: FRTS4; HNF4; HNF4a7; HNF4a8; HNF4a9; HNF4alpha; MODY; MODY1; NR2A1; NR2A21; TCF;

TCF-14; TCF14





Locus ID: 3172

 UniProt ID:
 P41235

 Cytogenetics:
 20q13.12

Summary: The protein encoded by this gene is a nuclear transcription factor which binds DNA as a

homodimer. The encoded protein controls the expression of several genes, including hepatocyte nuclear factor 1 alpha, a transcription factor which regulates the expression of several hepatic genes. This gene may play a role in development of the liver, kidney, and intestines. Mutations in this gene have been associated with monogenic autosomal dominant non-insulin-dependent diabetes mellitus type I. Alternative splicing of this gene results in multiple transcript variants encoding several different isoforms. [provided by RefSeq, Apr


2012]

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Nuclear Hormone Receptor, Transcription

Factors

Protein Pathways: Maturity onset diabetes of the young

Product images:



Coomassie blue staining of purified HNF4A protein (Cat# [TP316588]). The protein was produced from HEK293T cells transfected with HNF4A cDNA clone (Cat# [RC216588]) using MegaTran 2.0 (Cat# [TT210002]).