

# **Product datasheet for PH317127**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PDE9A (NM\_001001578) Human Mass Spec Standard

**Product data:** 

**Product Type:** Mass Spec Standards

**Description:** PDE9A MS Standard C13 and N15-labeled recombinant protein (NP\_001001578)

Species: Human
Expression Host: HEK293

**Expression cDNA Clone** 

or AA Sequence:

RC217127

Predicted MW:

57.2 kDa

Protein Sequence: >RC217127 representing NM\_001001578

Red=Cloning site Green=Tags(s)

MGSGSSSYRPKAIYLDIDGRIQKEHDHLPADHRRRHGLHRPHHAREFRTHSVQSETCGHQATLRAFKINE LKAEVANHLAVLEKRVELEGLKVVEIEKCKSDIKKMREELAARSSRTNCPCKYSFLDNHKKLTPRRDVPT YPKYLLSPETIEALRKPTFDVWLWEPNEMLSCLEHMYHDLGLVRDFSINPVTLRRWLFCVHDNYRNNPFH NFRHCFCVAQMMYSMVWLCSLQEKFSQTDILILMTAAICHDLDHPGYNNTYQINARTELAVRYNDISPLE NHHCAVAFQILAEPECNIFSNIPPDGFKQIRQGMITLILATDMARHAEIMDSFKEKMENFDYSNEEHMTL LKMILIKCCDISNEVRPMEVAEPWVDCLLEEYFMQSDREKSEGLPVAPFMDRDKVTKATAQIGFIKFVLI PMFETVTKLFPMVEEIMLQPLWESRDRYEELKRIDDAMKELQKKTDSLTSGATEKSRERSRDVKNSEGDC

Α

TRRLEQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3

**Storage:** Store at -80°C. Avoid repeated freeze-thaw cycles.

**Stability:** Stable for 3 months from receipt of products under proper storage and handling conditions.

**RefSeq:** NP 001001578

RefSeq Size: 1797 RefSeq ORF: 1473





#### PDE9A (NM\_001001578) Human Mass Spec Standard - PH317127

Synonyms: HSPDE9A2

Locus ID: 5152 **UniProt ID:** 076083 Cytogenetics: 21q22.3

Summary: The protein encoded by this gene catalyzes the hydrolysis of cAMP and cGMP to their


> corresponding monophosphates. The encoded protein plays a role in signal transduction by regulating the intracellular concentration of these cyclic nucleotides. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by

RefSeq, Jul 2008]

**Protein Families:** Druggable Genome

**Protein Pathways:** Progesterone-mediated oocyte maturation, Purine metabolism

## **Product images:**



Coomassie blue staining of purified PDE9A protein (Cat# [TP317127]). The protein was produced from HEK293T cells transfected with PDE9A cDNA clone (Cat# [RC217127]) using

MegaTran 2.0 (Cat# [TT210002]).