

Product datasheet for PH317552

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CYB5R3 (NM 007326) Human Mass Spec Standard

Product data:

Product Type: Mass Spec Standards

Description: CYB5R3 MS Standard C13 and N15-labeled recombinant protein (NP 015565)

Species: Human **HEK293 Expression Host:**

Expression cDNA Clone

Protein Sequence:

or AA Sequence:

RC217552

Predicted MW:

31.4 kDa

>RC217552 representing NM_007326 Red=Cloning site Green=Tags(s)

MKLFQRSTPAITLESPDIKYPLRLIDREIISHDTRRFRFALPSPQHILGLPVGQHIYLSARIDGNLVVRP YTPISSDDDKGFVDLVIKVYFKDTHPKFPAGGKMSQYLESMQIGDTIEFRGPSGLLVYQGKGKFAIRPDK KSNPIIRTVKSVGMIAGGTGITPMLQVIRAIMKDPDDHTVCHLLFANQTEKDILLRPELEELRNKHSARF KLWYTLDRAPEAWDYGQGFVNEEMIRDHLPPPEEEPLVLMCGPPPMIQYACLPNLDHVGHPTERCFVF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Concentration: >0.05 µg/µL as determined by microplate BCA method

Labeling Method: Labeled with [U-13C6, 15N4]-L-Arginine and [U-13C6, 15N2]-L-Lysine

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3

Storage: Store at -80°C. Avoid repeated freeze-thaw cycles.

Stability: Stable for 3 months from receipt of products under proper storage and handling conditions.

RefSeq: NP 015565

RefSeq Size: 2000 RefSeq ORF: 834

Synonyms: B5R; DIA1

Locus ID: 1727 UniProt ID: P00387





Cytogenetics: 22q13.2

Summary: This gene encodes cytochrome b5 reductase, which includes a membrane-bound form in


somatic cells (anchored in the endoplasmic reticulum, mitochondrial and other membranes) and a soluble form in erythrocytes. The membrane-bound form exists mainly on the cytoplasmic side of the endoplasmic reticulum and functions in desaturation and elongation of fatty acids, in cholesterol biosynthesis, and in drug metabolism. The erythrocyte form is located in a soluble fraction of circulating erythrocytes and is involved in methemoglobin reduction. The membrane-bound form has both membrane-binding and catalytic domains, while the soluble form has only the catalytic domain. Alternate splicing results in multiple transcript variants. Mutations in this gene cause methemoglobinemias. [provided by RefSeq,

Jan 2010]

Protein Families: Druggable Genome

Protein Pathways: Amino sugar and nucleotide sugar metabolism

Product images:



Coomassie blue staining of purified CYB5R3 protein (Cat# [TP317552]). The protein was produced from HEK293T cells transfected with CYB5R3 cDNA clone (Cat# [RC217552]) using MegaTran 2.0 (Cat# [TT210002]).