

## **Product datasheet for PH317811**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HERPUD1 (NM\_001010990) Human Mass Spec Standard

**Product data:** 

**Product Type:** Mass Spec Standards

**Description:** HERPUD1 MS Standard C13 and N15-labeled recombinant protein (NP\_001010990)

Species: Human Expression Host: HEK293

**Expression cDNA Clone** 

RC217811

or AA Sequence:

Predicted MW:

40.7 kDa

Protein Sequence: >RC217811 representing NM\_001010990

Red=Cloning site Green=Tags(s)

MESETEPEPVTLLVKSPNQRHRDLELSGDRGWSVGHLKAHLSRVYPERPREDQRLIYSGKLLLDHQCLR DLLPKVAESTEEPAGSNRGQYPEDSSSDGLRQREVLRNLSSPGWENISRPEAAQQAFQGLGPGFSGYTPY GWLQLSWFQQIYARQYYMQYLAATAASGAFVPPPSAQEIPVVSAPAPAPIHNQFPAENQPANQNAAPQVV VNPGANQNLRMNAQGGPIVEEDDEINRDWLDWTYSAATFSVFLSILYFYSSLSRFLMVMGATVVMYLHHV GWFPFRPRVQNFPNDGPPPDVVNQDPNNNLQEGTDPETEDPNHLPPDRDVLDGEQTSPSFMSTAWLVFK

TFFASLLPEGPPAIAN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

Labeling Method: Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3

Storage: Store at -80°C. Avoid repeated freeze-thaw cycles.

**Stability:** Stable for 3 months from receipt of products under proper storage and handling conditions.

**RefSeq:** NP 001010990

RefSeq Size: 2123 RefSeq ORF: 1098

Synonyms: HERP; Mif1; SUP

**Locus ID:** 9709





UniProt ID: Q15011


Cytogenetics: 16q13

Summary: The accumulation of unfolded proteins in the endoplasmic reticulum (ER) triggers the ER

stress response. This response includes the inhibition of translation to prevent further accumulation of unfolded proteins, the increased expression of proteins involved in polypeptide folding, known as the unfolded protein response (UPR), and the destruction of misfolded proteins by the ER-associated protein degradation (ERAD) system. This gene may play a role in both UPR and ERAD. Its expression is induced by UPR and it has an ER stress response element in its promoter region while the encoded protein has an N-terminal ubiquitin-like domain which may interact with the ERAD system. This protein has been shown to interact with presenilin proteins and to increase the level of amyloid-beta protein following its overexpression. Alternative splicing of this gene produces multiple transcript variants encoding different isoforms. The full-length nature of all transcript variants has not been determined. [provided by RefSeq, Jan 2013]

**Protein Families:** Druggable Genome

## **Product images:**



Coomassie blue staining of purified HERPUD1 protein (Cat# [TP317811]). The protein was produced from HEK293T cells transfected with HERPUD1 cDNA clone (Cat# [RC217811]) using MegaTran 2.0 (Cat# [TT210002]).