

Product datasheet for PH318312

Band 3 (SLC4A1) (NM_000342) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	SLC4A1 MS Standard C13 and N15-labeled recombinant protein (NP_000333)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC218312
Predicted MW:	101.6 kDa
Protein Sequence:	>RC218312 representing NM_000342 Red=Cloning site Green=Tags(s)

MEELQDDYEDMMEENLEQEEYEDPDIHESQMEEPAHDTEATATDYHTTSHPGTHKVVYVELQELVMDEKN
QELRWME AARWVQLEENLGENGAWGRPHLSHLTFWSLLELRRVFTKGTVLLDLQETSLAGVANQLLDRFI
FEDQIRPQDREELLRALLLKSHAGELEALGGVKAVALTRSGDPSQPLLPQHSSLETQLFCEQDGGTEG
HSPSGILEKIPPDSEATLVLVGRADFLEQPVLGFVRLQEAEEAVELPVPIRFLFVLLGPEAPHIDYTQ
LGRAAATLMSEVFRIDAYMAQSRGELLHSLGFLDCSLVLPPTDAPSEQALLSLVPVQRELLRRRYQSS
PAKPDSSFYKGLDLNGGPDPLQQTGQLFGGLVRDIRRRYPYYLSDITDAFSPQVLA AVIF IYFAALSPA
ITFGGLLGEKTRNQMGVSELLISTAVQGILFALLGAQPLL VVGFSGPLLVFEEAFFSFCETNGLEYIVGR
VWIGFWLILLVVLVVAFEQSFLVRFISRYTQEIFSFLISLIFIYETFSKLIKIFQDHPLQKTYNYNVL MV
PKPQGPLPNTALLSLVLMAGTFFFAMMLRKFKNSSYFPGKLRVIGDFGVPI SILIMVLVDFFIQDTYTQ
KLSVPDGFKVSNSARGWVIHPLGLRSEFPIWMMFASALPALLVFILIFLESQITTLIVSKPERKMKVGS
GFHLDLLLVVGMGGVAALFGMPWLSATTVRSVTHANALVMGKASTPGAAAQIQEVKEQRISGLLVAVLV
GLSILMEPILSRIPLAVLFGIFLYMGVTSLSGIQLFDRILLFKPPKYHPDVYPYKRVKTRWMLHFTGIQ
IICLAVLWVKSTPASLALPFVILITVPLRRVLLPLIFRNVELQCLDADDAKATFDEEEGRDEYDEVAMP
V

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.




[View online »](#)

RefSeq:	NP_000333
RefSeq Size:	3637
RefSeq ORF:	2733
Synonyms:	AE1; BND3; CD233; CHC; DI; EMPB3; EPB3; FR; RTA1A; SAO; SPH4; SW; WD; WD1; WR
Locus ID:	6521
UniProt ID:	P02730
Cytogenetics:	17q21.31

Summary: The protein encoded by this gene is part of the anion exchanger (AE) family and is expressed in the erythrocyte plasma membrane, where it functions as a chloride/bicarbonate exchanger involved in carbon dioxide transport from tissues to lungs. The protein comprises two domains that are structurally and functionally distinct. The N-terminal 40kDa domain is located in the cytoplasm and acts as an attachment site for the red cell skeleton by binding ankyrin. The glycosylated C-terminal membrane-associated domain contains 12-14 membrane spanning segments and carries out the stilbene disulphonate-sensitive exchange transport of anions. The cytoplasmic tail at the extreme C-terminus of the membrane domain binds carbonic anhydrase II. The encoded protein associates with the red cell membrane protein glycophorin A and this association promotes the correct folding and translocation of the exchanger. This protein is predominantly dimeric but forms tetramers in the presence of ankyrin. Many mutations in this gene are known in man, and these mutations can lead to two types of disease: destabilization of red cell membrane leading to hereditary spherocytosis, and defective kidney acid secretion leading to distal renal tubular acidosis. Other mutations that do not give rise to disease result in novel blood group antigens, which form the Diego blood group system. Southeast Asian ovalocytosis (SAO, Melanesian ovalocytosis) results from the heterozygous presence of a deletion in the encoded protein and is common in areas where Plasmodium falciparum malaria is endemic. One null mutation in this gene is known, resulting in very severe anemia and nephrocalcinosis. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, Transmembrane

Product images:

Coomassie blue staining of purified SLC4A1 protein (Cat# [TP318312]). The protein was produced from HEK293T cells transfected with SLC4A1 cDNA clone (Cat# [RC218312]) using MegaTran 2.0 (Cat# [TT210002]).