

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for PH319177

KTEL1 (POGLUT1) (NM_020231) Human Mass Spec Standard

Product data:


Product Type:	Mass Spec Standards
Description:	KTELC1 MS Standard C13 and N15-labeled recombinant protein (NP_064616)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC219177
Predicted MW:	46 kDa
Protein Sequence:	>RC219177 representing NM_020231 <mark>Red=</mark> Cloning site Green=Tags(s)
	MEWWASSPLRLWLLLFLLPSAQGRQKESGSKWKVFIDQINRSLENYEPCSSQNCSCYHGVIEEDLTPFRG GISRKMMAEVVRRKLGTHYQITKNRLYRENDCMFPSRCSGVEHFILEVIGRLPDMEMVINVRDYPQVPKW MEPAIPVFSFSKTSEYHDIMYPAWTFWEGGPAVWPIYPTGLGRWDLFREDLVRSAAQWPWKKKNSTAYFR GSRTSPERDPLILLSRKNPKLVDAEYTKNQAWKSMKDTLGKPAAKDVHLVDHCKYKYLFNFRGVAASFRF KHLFLCGSLVFHVGDEWLEFFYPQLKPWVHYIPVKTDLSNVQELLQFVKANDDVAQEIAERGSQFIRNHL QMDDITCYWENLLSEYSKFLSYNVTRRKGYDQIIPKMLKTEL
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	<u>NP 064616</u>
RefSeq Size:	1973
RefSeq ORF:	1176
Synonyms:	CLP46, MDSRP, C3orf9, MDS010, hCLP46, KDELCL1, MGC32995
Locus ID:	56983



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	KTEL1 (POGLUT1) (NM_020231) Human Mass Spec Standard – PH319177
UniProt ID:	Q8NBL1
Cytogenetics:	3q13.33
Summary:	This gene encodes a protein with both O-glucosyltransferase and O-xylosyltransferase activity which localizes to the lumen of the endoplasmic reticulum. This protein has a carboxy- terminal KTEL motif which is predicted to function as an endoplasmic reticulum retention signal. This gene is an essential regulator of Notch signalling and likely plays a role in cell fate and tissue formation during development. It may also play a role in the pathogenesis of leukemia. Mutations in this gene have been associated with the autosomal dominant genodermatosis Dowling-Degos disease 4. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2014]

Product images:



Coomassie blue staining of purified KTELC1 protein (Cat# [TP319177]). The protein was produced from HEK293T cells transfected with KTELC1 cDNA clone (Cat# [RC219177]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US