

Product datasheet for PH321051

AKT3 (NM_005465) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	AKT3 MS Standard C13 and N15-labeled recombinant protein (NP_005456)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC221051
Predicted MW:	55.6 kDa
Protein Sequence:	>RC221051 representing NM_005465 Red=Cloning site Green=Tags(s)
	MSDVTIVKEGWVQKRGEYIKNWRPRYFLKTDGSFIGYKEKPQDVLPYPLNNSVAKCQLMKTERPKPN TFIIRCLQWTTVIERTFHVDTPPEEREWEAIQAVADRLQRQEERMNCSPTSQIDNIGEEEMDASTTHH KRKTMNDFDYLLKLGKTFGKVLVREKASGKYYAMKILKKEVIIAKDEVAHTL TESRVLKNTRHPFLTS LKYSFQTKDRLCFVMEYVNGGELFFHLSRERVFSEDRTRFYGAEIVSALDYLSHGKIVYRDLKLENMLD KDGHIKITDFGLCKEGITDAATMKTFCGTPPEYL APEVLEDNDYGRAVDWWGLGVVMYEMMCGRLPFYNQD HEKLFELILMEDIKFPRTLSSDAKSLLSGLLIKDPNKRLGGPDDAKEIMRHSFSGVNWQDVYDKKLV PFKPQVSETDTRYFDEEFTAQITITITPPEKYDEDMDCMDNERRPHFPQFSYSASGRE
	TRTRPLEQKLI SEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- ¹³ C ₆ , ¹⁵ N ₄]-L-Arginine and [U- ¹³ C ₆ , ¹⁵ N ₂]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	NP_005456
RefSeq Size:	3588
RefSeq ORF:	1437
Synonyms:	MPPH; MPPH2; PKB-GAMMA; PKBG; PRKBG; RAC-gamma; RAC-PK-gamma; STK-2



[View online »](#)

Locus ID: 10000

UniProt ID: [Q9Y243](#)


Cytogenetics: 1q43-q44

Summary: The protein encoded by this gene is a member of the AKT, also called PKB, serine/threonine protein kinase family. AKT kinases are known to be regulators of cell signaling in response to insulin and growth factors. They are involved in a wide variety of biological processes including cell proliferation, differentiation, apoptosis, tumorigenesis, as well as glycogen synthesis and glucose uptake. This kinase has been shown to be stimulated by platelet-derived growth factor (PDGF), insulin, and insulin-like growth factor 1 (IGF1). Alternatively splice transcript variants encoding distinct isoforms have been described. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase

Protein Pathways: Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Insulin signaling pathway, Jak-STAT signaling pathway, MAPK signaling pathway, Melanoma, mTOR signaling pathway, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Tight junction, Toll-like receptor signaling pathway, VEGF signaling pathway

Product images:



Coomassie blue staining of purified AKT3 protein (Cat# [TP321051]). The protein was produced from HEK293T cells transfected with AKT3 cDNA clone (Cat# [RC221051]) using MegaTran 2.0 (Cat# [TT210002]).