

Product datasheet for PH322925

JNK1 (MAPK8) (NM_139049) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	MAPK8 MS Standard C13 and N15-labeled recombinant protein (NP_620637)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC222925
Predicted MW:	48.1 kDa
Protein Sequence:	>RC222925 representing NM_139049 Red=Cloning site Green=Tags(s)

MSRSKRDNFYSVEIGDSTFTVLKRYQNLKPIGSGAQGI VCAAYDAILERNVAIKKLSRPFQNTAKRA
YRELVLKMKCVNHKNIIGLLNVFQPKSLEEFQDVYIVMELMDANLCQVIQMELDHERMSYLLYQMLCGIK
HLHSAGIIHRDLKPSNIVKSDCTLKILDFGLARTAGTSFMTPYVVTRYRRAPEVILGMGYKENVDLWS
VGCIMGEMVCHKILFPGRDYIDQWNVIEQLGTPCPEFMKKLQPTVRTYVENRPKYAGYSFEKLPDVLV
PADSEHNKLGASQARDLLSKMLVIDASKRISVDEALQHPYINWVYDPSEAEAPPPKIPDKQLDEREHTIE
EWKELIYKEVMDLEERTKNGVIRGQPSPLGAAVINGSQHPSSSSSVNDVSSMSTDPTLASDTSLEAAA
GPLGCCR

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- ¹³ C ₆ , ¹⁵ N ₄]-L-Arginine and [U- ¹³ C ₆ , ¹⁵ N ₂]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	<u>NP_620637</u>
RefSeq Size:	1412
RefSeq ORF:	1281
Synonyms:	JNK; JNK-46; JNK1; JNK1A2; JNK21B1/2; PRKM8; SAPK1; SAPK1c



[View online »](#)

Locus ID: 5599

UniProt ID: [P45983](#)


Cytogenetics: 10q11.22

Summary: The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Apr 2016]

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase

Protein Pathways: Adipocytokine signaling pathway, Colorectal cancer, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, GnRH signaling pathway, Insulin signaling pathway, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, Wnt signaling pathway

Product images:



Coomassie blue staining of purified MAPK8 protein (Cat# [TP322925]). The protein was produced from HEK293T cells transfected with MAPK8 cDNA clone (Cat# [RC222925]) using MegaTran 2.0 (Cat# [TT210002]).