

Product datasheet for PH326691

NCOA4 (NM_001145262) Human Mass Spec Standard

Product data:

Product Type:	Mass Spec Standards
Description:	NCOA4 MS Standard C13 and N15-labeled recombinant protein (NP_001138734)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	RC226691
Predicted MW:	69.7 kDa
Protein Sequence:	>RC226691 protein sequence Red=Cloning site Green=Tags(s)

MNTFQDQSGSSSNREPLLRCSDARRDLELAIGGVLRAEQQIKDNLREVKAQIHSCISRHLECLRSREVL
YEQVDLIYQLKEETLQQQAQQLYSLGQFNCLTHQLECTQNKDLANQVSVCLERLGSLLKPEDSTVLLF
EADTITLRQTITTFGSLKTIQIPEHLMHASSANIGPFLEKRGCSMPEQKSASGIVAVPFSEWLLGSKP
ASGYQAPYIPSTDPQDWLTQKQTLENSQTSSRACNFFNNVGGNLKLENWLLKSEKSSYQKCNHSTTSS
FSIEMEKVGDQELPDQDEMDLSDWL VTPQESHKLRKPENGSRETSEKFKLLFQSYNVNDWL VKTDSCTNC
QGNQPKGVEIENLGNLKCLNDHLEAKKPLSTPSMVTEDWL VQNHQDPCKVEEVCRANEPCTSF AECVDE
NCEKEALYKWLKKEGKDKNGMPVEPKPEPEKHKDSLNMWLCPRKEVIEQTKAPKAMTPSRIADSFQVIK
NSPLSEWLI RPPYKEGSPKEVPGTEDRAGKQKFKSPMNTSWCSFNTADWVLP GKKMGNSQLSSGEDKWL
LRKKAQEVLLNSPLQEEHNFPDPHYGLPAVCDLFA CMQLKVDKEKWL YRTPLQM

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Labeling Method:	Labeled with [U- 13C6, 15N4]-L-Arginine and [U- 13C6, 15N2]-L-Lysine
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3
Storage:	Store at -80°C. Avoid repeated freeze-thaw cycles.
Stability:	Stable for 3 months from receipt of products under proper storage and handling conditions.
RefSeq:	NP_001138734
RefSeq Size:	3588
RefSeq ORF:	1842



[View online »](#)

Synonyms: ARA70; ELE1; PTC3; RFG

Locus ID: 8031

UniProt ID: [Q13772](#), [A0A024QZ15](#), [Q96E88](#)


Cytogenetics: 10q11.22

Summary: This gene encodes an androgen receptor coactivator. The encoded protein interacts with the androgen receptor in a ligand-dependent manner to enhance its transcriptional activity. Chromosomal translocations between this gene and the ret tyrosine kinase gene, also located on chromosome 10, have been associated with papillary thyroid carcinoma. Alternatively spliced transcript variants have been described. Pseudogenes are present on chromosomes 4, 5, 10, and 14. [provided by RefSeq, Feb 2009]

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Pathways in cancer, Thyroid cancer

Product images:



Coomassie blue staining of purified NCOA4 protein (Cat# [TP326691]). The protein was produced from HEK293T cells transfected with NCOA4 cDNA clone (Cat# [RC226691]) using MegaTran 2.0 (Cat# [TT210002]).