

Product datasheet for **PP1115P1**

IL10 Rabbit Polyclonal Antibody

Product data:


Product Type:	Primary Antibodies
Applications:	ELISA, FN, WB
Recommended Dilution:	Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of Rat IL-10 (30.00 ng/ml), a concentration of 0.45-0.80 µg/ml of this antibody is required. Indirect ELISA: To detect Rat IL-10 by indirect ELISA (using 100 µl/well antibody solution) a concentration of 0.5-2.0 µg/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2-0.4 ng/well of recombinant Rat IL-10. Sandwich ELISA: To detect Rat IL-10 by Sandwich ELISA (using 100 µl/well antibody solution) a concentration of 0.5-2.0 µg/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Rat IL-10 (<i>Cat.-No</i> PP1115B1 or PP1115B2) as a detection antibody, allows the detection of at least 0.2-0.4 ng/well of recombinant Rat IL-10. Western Blot: To detect Rat IL-10 by Western Blot analysis this antibody can be used at a concentration of 0.1-0.2 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant Rat IL-10 is 1.5-3.0 ng/lane, under either <i>reducing</i> or <i>non-reducing conditions</i> .
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Highly pure (>98%) E.coli derived recombinant Rat IL-10 (<i>Cat.-No</i> PA041).
Specificity:	Recognizes Rat IL10. Other species not tested.
Formulation:	PBS, pH 7.2 without preservatives. State: Aff - Purified State: Lyophilized (sterile filtered) purified Ig fraction.
Reconstitution Method:	Restore in sterile water to a concentration of 0.1-1.0 mg/ml.
Purification:	Affinity Chromatography employing immobilized Rat IL-10 matrix.
Conjugation:	Unconjugated




[View online »](#)

Storage:	Store lyophilized at 2-8°C for 6 months or at -20°C long term. After reconstitution store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	interleukin 10
Database Link:	Entrez Gene 25325 Rat P29456
Background:	Interleukins (ILs) are a large group of cytokines that are produced mainly by leukocytes, although some are produced by certain phagocytes and auxiliary cells. ILs have a variety of functions, but most function to direct other immune cells to divide and differentiate. Each IL acts on a specific, limited group of cells through a receptor specific for that IL. Human IL10 is a non glycosylated polypeptide consisting of 178 amino acids. There is 73% homology between the human and mouse IL10 proteins, however, the human IL10 acts on both human and mouse target cells, while the mouse IL10 has species specific activity. The cellular sources of IL10 are CD4+ T cells and T cell clones, thymocytes, B cells and B cell lymphomas, macrophages, mast cell lines and keratinocytes. IL10 will stimulate the growth of stem cells, mast cells and thymocytes. IL10 enhances cytotoxic T cell development, and costimulates B cell differentiation and immunoglobulin secretion. IL10 inhibits cytokine production by macrophages and suppresses macrophage class II MHC expression. The human IL10 gene is on human chromosome 1.
Synonyms:	IL-10, CSIF, TGIF
Note:	Centrifuge vial prior to opening.


Product images:



Western Blot (Unreduced) using Interleukin-10 / IL10 Antibody Cat.-No [PP1115P]



Western Blot (Reduced) using Interleukin-10 / IL10 Antibody Cat.-No [PP1115P]



Sandwich ELISA using Interleukin-10 / IL10 Antibody Cat.-No [PP1115P]