

Product datasheet for PP1127P1

II3 Goat Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Typo:	Primary Antibodies
Product Type:	-
Applications:	ELISA, FN, WB
Recommended Dilution:	 Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of Rat IL-3beta (100 ng/ml), a concentration of 2.7-4.0 μg/ml of this antibody is required. ELISA: To detect rat IL-3 beta by direct ELISA (using 100 μl/well antibody solution) this antibody can be used at a concentration of 0.15-0.30 μg/ml. Used in conjunction with compatible secondary reagents, allows the detection of at least 0.2 ng/well of recombinant rat IL-3 beta. Western Blot: To detect rat IL-3 beta by Western Blot analysis this antibody can be used at a concentration with compatible secondary reagents the detection limit for recombinant rat IL-3 beta is 1.5-3.0 ng/lane, under either reducing or non-reducing conditions.
Reactivity:	Rat
Host:	Goat
Clonality:	Polyclonal
Immunogen:	Highly pure (>98%) recombinant rIL-3 beta.
Specificity:	Rat Interleukin-3 beta
Formulation:	PBS, pH 7.2 without preservatives. State: Aff - Purified State: Lyophilized (sterile filtered) purified lg fraction.
Reconstitution Method:	Restore in sterile water to a concentration of 0.1-1.0 mg/ml
Purification:	Affinity chromatography
Conjugation:	Unconjugated
Storage:	Store the antibody prior to reconstitution at -20°C. Following reconstitution the antibody can be stored at 2-8°C for one month or at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	interleukin 3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	ll3 Goat Polyclonal Antibody – PP1127P1
Database Link:	<u>Entrez Gene 24495 Rat</u> <u>P97688</u>
Background:	IL3 acts in hematopoiesis by controlling the production, differentiation, and function of two related white cell populations of the blood, the granulocytes and the monocytes/macrophages. It induces granulocytes, macrophages, mast cells, stem cells, erythroid cells, eosinophils and megakaryocytes and is expressed by activated T cells, mast cells, and natural killer cells.
Synonyms:	IL-3 beta, IL3B
Note:	Centrifuge vial prior to opening!

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US