

Product datasheet for **PP500P**

Normal Goat IgG Goat Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Recommended Dilution:	Normal goat IgG should be used in Immunoassays at the same concentration as the specific Goat polyclonal antibody. For most applications, the reconstituted IgG should be diluted between 1/100 to 1/1000 fold.
Host:	Goat
Isotype:	IgG
Clonality:	Polyclonal
Formulation:	Lyophilized from PBS, pH 7.2 without additives State: Purified State: Lyophilized (sterile filtered) purified Ig fraction
Reconstitution Method:	Restore in sterile water to a concentration of 0.1-1.0 mg/ml.
Purification:	Protein G Chromatography
Conjugation:	Unconjugated
Storage:	Store lyophilized at 2-8°C for 6 months or at -20°C long term. After reconstitution store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	~ 150 kDa
Note:	Centrifuge the vial prior to opening. Description: Normal goat IgG is produced from serum of goats that have not been immunized. This preparation can be used as a control reagent for Immunoassays using goat polyclonal antibodies.



[View online »](#)