

## Product datasheet for R1075PS

### Cholesterol Oxidase Goat Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, IP, WB
Recommended Dilution:	<b>Western blot:</b> 1/500-1/5,000. <b>Immunoprecipitation:</b> 1/100. <b>ELISA:</b> 1/5,000-1/20,000. This product has been assayed against 1.0 µg of Cholesterol oxidase [microorganism] in a standard sandwich ELISA using peroxidase conjugated affinity purified anti-Goat IgG and ABTS as a substrate for 30 minutes at room temperature. A working dilution of 1/2,000 to 1/8,000 of the reconstitution concentration is suggested.
Reactivity:	Bacteria
Host:	Goat
Clonality:	Polyclonal
Immunogen:	Cholesterol oxidase from Streptomyces
Specificity:	This product detects Cholesterol oxidase (microorganism). Cross reactivity against Cholesterol oxidase from other sources is unknown. Immuno-electrophoresis give a single precipitin arc against anti-goat serum as well as purified and partially purified Cholesterol oxidase [microorganism].
Formulation:	0.02 M Potassium phosphate, 0.15 M Sodium chloride, pH 7.2 State: Ig Fraction State: Lyophilized purified Ig fraction Preservative: 0.01% (w/v) Sodium azide
Reconstitution Method:	Restore with 0.1 ml of deionized water (or equivalent).
Concentration:	lot specific
Purification:	Delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer
Conjugation:	Unconjugated



[View online »](#)

- Storage:** Store lyophilized at 2-8°C for 6 months or at -20°C long term.  
After reconstitution store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C long term.  
Avoid repeated freezing and thawing.
- Stability:** Shelf life: one year from despatch.
- Background:** Cholesterol oxidases exist as both type I and type II oxidases and are implicated in bacterial pathogenesis. In addition, they are important as clinical reagents, potential larvicides, and tools in cell biology.
- Synonyms:** Cholesterol oxidase, CHOD, EC 1.1.3.6

**Product images:**

Goat anti Cholesterol oxidase antibody Cat.-No. [R1075P] (Lot 6534) was used to detect purified Cholesterol oxidase under reducing (R) and non-reducing (NR) conditions. Reduced samples of purified Cholesterol oxidase contained 4% BME and were boiled for 5 mi