

Product datasheet for R1250B

Monkey IgA + IgG + IgM Goat Polyclonal Antibody

Product data:

Product Type:	Secondary Antibodies
Product Name:	Monkey IgA + IgG + IgM Goat Polyclonal Antibody
Applications:	ELISA, IHC, WB
Recommended Dilution:	Suitable for Immunoblotting, ELISA, Immunohistochemistry, Immunomicroscopy as well as other antibody based assays using streptavidin or avidin conjugates requiring lot-to-lot consistency. Recommended Dilutions: ELISA: 1/50,000-1/100,000. Western Blot: 1/1,000-1/5,000. Immunohistochemistry: 1/200-1/1,000.
Reactivity:	Monkey
Host:	Goat
Immunogen:	Monkey IgG, IgA and IgM whole molecule.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 with 10 mg/ml BSA (IgG and Protease free) as stabilizer and 0.01% (w/v) Sodium Azide as preservative. Label: Biotin State: Lyophilized purified Ig fraction. Label: Biotinamidocaproate N-Hydroxysuccinimide Ester (BAC) Molar ratio: 10-20 BAC molecules per Goat IgG molecule
Reconstitution Method:	Restore with 1.0 ml of deionized water (or equivalent).
Concentration:	lot specific
Purification:	Immunoaffinity Chromatography.
Conjugation:	Biotin
Storage:	Store vial at 2-8°C prior to restoration. Centrifuge product if not completely clear after restoration and standing at room temperature. This product is stable for one month at 2-8°C as an undiluted liquid. For extended storage add glycerol to 50% and then aliquot contents and freeze at -20°C or below. Avoid repeated freezing and thawing. Dilute only prior to immediate use.



[View online »](#)