

Product datasheet for **R1316HRP**

Ferret IgA, IgG, IgM (H+L chain) Goat Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Recommended Dilution:	Suitable for Immunoblotting (Western blot or Dot blot), ELISA, Immunoperoxidase electron microscopy and Immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency. <i>Recommended Dilutions:</i> ELISA: 1/10,000 - 1/50,000. Western blot: 1/1,000 - 1/5,000. Immunohistochemistry: 1/500-1/2,500.
Reactivity:	Ferret
Host:	Goat
Clonality:	Polyclonal
Immunogen:	Ferret IgG, IgA and IgM whole molecules
Specificity:	This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Ferret IgG, Ferret IgA and Ferret IgM. This reagent is suitable for the detection of all Ferret immunoglobulin subclasses and chain combinations.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Label: HRP State: Lyophilized purified Ig fraction. Stabilizer: 0.01% (w/v) Thimerisol Preservative: 10 mg/ml BSA (IgG and Protease free) Label: Horseradish Peroxidase
Reconstitution Method:	Restore with 1.0 ml of deionized water (or equivalent).
Concentration:	lot specific
Purification:	Immunoaffinity chromatography.
Conjugation:	HRP



[View online »](#)

Storage:	Store vial at 2-8°C prior to restoration. Restore with deionized water or equivalent; centrifuge product if not completely clear after standing at room temperature. This antibody is stable for one month at 2-8°C as an undiluted liquid. For extended storage aliquot contents and freeze at -20°C or below. Avoid repeated freezing and thawing. Dilute only prior to immediate use.
Stability:	Shelf life: One year from despatch.
Synonyms:	Ferret IgA, Ferret IgG, Ferret IgM