

## Product datasheet for R1316P

### Ferret IgA, IgG, IgM (H+L chain) Goat Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Recommended Dilution:	Immunoprecipitation, Immunodiffusion, Conjugation and most immunological methods requiring lot-to-lot consistency, high titer and specificity.
Reactivity:	Ferret
Host:	Goat
Clonality:	Polyclonal
Immunogen:	Ferret IgG, IgA and IgM whole molecules.
Specificity:	This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum. This antibody is suitable for the detection of all Ferret immunoglobulin classes, isotypes and chain combinations.
Formulation:	0.125 M Sodium Borate, 0.075 M Sodium Chloride, 0.005 M EDTA, pH 8.0 without preservatives. State: Aff - Purified State: Liquid (sterile filtered) purified Ig fraction.
Concentration:	lot specific
Purification:	Immunoaffinity chromatography.
Conjugation:	Unconjugated
Storage:	Store the antibody (undiluted) at 2-8°C for one month or (in aliquots) at -20°C for longer. Dilute only prior to immediate use. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Synonyms:	Ferret IgA, Ferret IgG, Ferret IgM



[View online »](#)