

Product datasheet for R1340T

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Human IgM (Mu chain specific) Goat Polyclonal Antibody

Product data:

Product Type: Secondary Antibodies

Product Name: Human IgM (Mu chain specific) Goat Polyclonal Antibody

Recommended Dilution: Suitable for Immunomicroscopy and Flow cytometry or FACS analysis as well as other

antibody based fluorescent assays requiring lot-to-lot consistency.

Reactivity: Human Host: Goat

Immunogen: Human IgM mu heavy chain.

Formulation: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, containing 10 mg/ml Bovine

Serum Albumin (BSA, IgG and Protease free) as stabilizer and 0.01% (w/v) Sodium Azide as

preservative. Label: TRITC

State: Lyophilized purified Ig fraction.

Label: Tetramethylrhodamine isothiocyanante; Molecular Weight 444 daltons)

Absorption emission: 550 nm / 570 nm

Molar radio: 3.1 moles TRITC per mole of Goat IgG.

Reconstitution Method: Restore with 1.0 ml of deionized water (or equivalent).

Concentration: lot specific

Purification: Immunoaffinity chromatography.

Conjugation: TRITC

Storage: Store vial at 2-8°C prior to restoration. For extended storage add glycerol to 50% and then

aliquot contents and freeze at -20°C or below. Centrifuge product if not completely clear after

standing at room temperature.

This antibody is stable for one month at 2-8°C as an undiluted liquid.

Dilute only prior to immediate use. Avoid repeated freezing and thawing.

